

# **WARNING • ECOTOXIC**

**KEEP OUT OF REACH OF CHILDREN**

**READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING**

# **CAPELLA**

## **FUNGICIDE**

**ACTIVE INGREDIENT: 375 g/kg CYPRODINIL and 250 g/kg FLUDIOXINIL  
in the form of a water dispersible granule**

For the control of Botrytis in Grapes and Onions and Botrytis, Anthracnose  
and Rhizopus in Strawberries.

Registered pursuant of ACVM Act 1997, Approval No. P9230  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions  
Approved pursuant to HSNO Act 1996, Approval No. HSR000645  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions

**NET CONTENTS: 2.5KG**

**Kenso Corporation (M) Sdn Bhd** 2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand Ph: 09 410 0861

# CAPELLA FUNGICIDE

## APPROVED HANDLER

This product must be under the control of an approved handler during use. This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

## HSNO CLASSIFICATION: 6.9B, 9.1A

### WARNING

May cause organ damage from repeated oral exposure at high doses.

### ECOTOXIC

Very toxic to aquatic organisms.

## PRECAUTIONS

Store in original container, tightly closed, away from foodstuffs. When mixing or applying wear protective clothing, including face shield, waterproof gloves and footwear. Avoid contact with skin and eyes and inhalation of concentrate or spray mist. If clothing becomes contaminated with product, remove clothing immediately. DO NOT eat, drink or smoke while using. Wash hands and face before eating, drinking or smoking. Wash protective clothing daily after work. Apply with well-maintained and calibrated spray equipment. DO NOT re-enter site until spray has dried. Records of use must be kept. Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409. DO NOT carry on a passenger service vehicle. Avoid contamination of any water supply with chemical or empty container.

## DISPOSAL

Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery collection point (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)) for disposal. Avoid contamination of any water supply with chemical or empty container.

## FIRST AID

If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if breathing has stopped. Use mouth to nose rather than mouth to mouth. Obtain medical attention. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. DO NOT scrub the skin. If splashed in the eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

## SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: [www.kenso.co.nz](http://www.kenso.co.nz)

## CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



**EMERGENCY RESPONSE**  
Ring 0800 CHEMCALL, or  
0800 243 622 (24 hours)

Product of China



Batch No.:  
Date of Manufacture:

05/16

UN NO: 3077

ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, SOLID, N.O.S.

(CYPRODINIL AND FLUDIOXINIL)

MARINE POLLUTANT,

PACKING GROUP III

HAZCHEM 2X

CONTAIN SPILLAGE



In a transport emergency dial 111,  
Police or Fire Service.

For specialist advice in an emergency  
only, call 0800 243 622 (24 hours).

# WARNING • ECOTOXIC

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

# CAPELLA

## FUNGICIDE

**ACTIVE INGREDIENT: 375 g/kg CYPRODINIL and  
275 g/kg FLUDIOXINIL in the form  
of a water dispersible granule**

For the control of Botrytis in Grapes and Onions and Botrytis,  
Anthracnose and Rhizopus in Strawberries.

Registered pursuant to ACVM Act 1997, Approval No. P9230  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

Approved pursuant to HSNO Act 1996, Approval No.  
HSR000645  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions



**Kenso Corporation (M) Sdn Bhd**  
2 Bond Crescent, Forrest Hill,  
Auckland 0620 New Zealand  
Phone: (09) 410 0861

### APPROVED HANDLER

This product must be under the control of an approved handler during use. This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.



**HSNO CLASSIFICATION: 6.9B, 9.1A**

### WARNING

May cause organ damage from repeated oral exposure at high doses.

### ECOTOXIC

Very toxic to aquatic organisms.

### HANDLING PRECAUTIONS STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Storage must be in accordance with NZS 8409 Management of Agrichemicals.

Stores containing quantities of 100 kg or more require signage and secondary containment.

### PRECAUTIONS

Store in original container, tightly closed, away from foodstuffs. When mixing or applying wear protective clothing, including face shield, waterproof gloves and footwear. Avoid contact with skin and eyes and inhalation of concentrate or spray mist. If clothing becomes contaminated with product, remove clothing immediately. DO NOT eat, drink or smoke while using. Wash hands and face before eating, drinking or smoking. Wash protective clothing daily after work. Apply with well-maintained and calibrated spray equipment. DO NOT re-enter site until spray has dried. Records of use must be kept. Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409. DO NOT carry on a passenger service vehicle. Avoid contamination of any water supply with chemical or empty container.

### DISPOSAL

Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery collection point (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)) for disposal. Avoid contamination of any water supply with chemical or empty container.

### CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

\* Not a trademark of Kenso Corporation (M) Sdn Bhd.

Registered pursuant to ACVM Act 1997, Approval No. P9230  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions  
Approved pursuant to HSNO Act 1996, Approval No. HSR000645  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions

**EMERGENCY RESPONSE**  
Ring 0800 CHEMCALL, or  
0800 243 622 (24 hours)

UN NO. 3077



**ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(CYPRODINIL AND FLUDIOXINIL); MARINE POLLUTANT  
PACKING GROUP III, HAZCHEM 2X; CONTAIN SPILLAGE**  
In a transport emergency dial 111, Police or Fire Service.  
For specialist advice in an emergency only,  
call 0800 243 622 (24 hours).

### SPILLAGE

Wear suitable protective clothing including face shield, impervious gloves and boots. Prevent the product or spilled material from entering water bodies. Absorb liquid spills with inert material such as earth or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of safely.

### GENERAL INFORMATION

Capella Fungicide is a mixture of anilinoypyrimidine and phenylpyrrole fungicides, which in combination have protectant and systemic activity against Botrytis (grey mould) infections in grapes and onions and Botrytis (grey mould), Colletotrichum (anthracnose) and Rhizopus (leak) infections in strawberry. Capella Fungicide has multi-site action, inhibiting spore germination, penetration of the germ tube and mycelial growth. It is rainfast within 2 hours following application.

### RESISTANCE MANAGEMENT

Capella Fungicide contains a Group 9 fungicide (cyprodinil, belonging to the anilinoypyrimidine class of chemistry) and Group 12 fungicide (fludioxonil, belonging to the phenylpyrrole class of chemistry).

Resistance to this fungicide and related anilinoypyrimidine products could develop in some situations from repeated use. To minimise this risk use strictly in accordance with the label instructions

### FIRST AID

If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if breathing has stopped. Use mouth to nose rather than mouth to mouth. Obtain medical attention. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. DO NOT scrub the skin. If splashed in the eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

### SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: [www.kenso.co.nz](http://www.kenso.co.nz)

### MIXING

Add the required amount of Capella into the mixing chamber of the partly filled spray tank and add the remainder of the water ensuring complete mixing before spraying. Continue agitation during spraying.

### COMPATIBILITY

Capella Fungicide is compatible with other commonly used fungicides and insecticides.

**DIRECTIONS FOR USE**

It is an offence to use this product on animals.

| CROP         | DISEASE  | RATE   | CRITICAL COMMENTS   |
|--------------|--|--|---|
| Bulb Onions  | Botrytis   | 800g/ha  | A maximum of 2 applications of Capella can be made per season at key timings for botrytis control i.e. flag leaf and pre harvest.<br>Apply in sufficient water to ensure thorough and uniform coverage. Applications MUST be made with the addition of a non-ionic wetting agent at manufacturer's label rates.   |
| Grapes       |  | 80g/100 litres of water, applying sufficient mixture to ensure 800g product/ha | The rate suggested is for high volume spraying to run off. For concentrate spraying, adjust dilution rate accordingly. It is essential that good coverage of the bunch zone is achieved. The addition of a non-ionic wetting agent at manufacturer's label rates will assist coverage.<br>A maximum of 2 applications per season can be made. Capella can be applied at either early flowering (5% capfall), later flowering (80% capfall), pre bunch closure or in the period from the beginning of berry ripening up until 28 days before harvest. Apply an approved fungicide from a different chemical group for the remainder of the season.   |
| strawberries | Grey Mould ( <i>Botrytis</i> ), Anthracnose ( <i>Colletotrichum</i> ) and leak ( <i>Rhizopus</i> ) | 80g/100 litres of water, applying sufficient mixture to ensure 800g product/ha | The rate suggested is for high volume spraying to run off. For concentrate spraying, adjust dilution rate accordingly. It is essential that good coverage is achieved. The addition of a non-ionic wetting agent at manufacturer's label rates will assist coverage. Capella can be applied at 7 to 14 day intervals from flowering onwards. The closer interval is recommended when conditions are conducive to disease infection. Capella applications may be applied in a block or in alternation with other non anilinopyrimidine fungicides registered for botrytis control. See resistance management for the maximum number of applications. |

**WITHHOLDING PERIOD**

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.

Bulb Onions..... 7 days  
Grapes..... 28 days  
Strawberries..... 3 days

**GRAPES AND ONIONS:** DO NOT USE MORE THAN 2 APPLICATIONS OF CAPELLA FUNGICIDE OR ANY OTHER ANILINOPYRIMIDINE FUNGICIDE ON THE SAME CROP DURING THE SEASON.

**STRAWBERRIES:** A MAXIMUM OF 3 APPLICATIONS OF CAPELLA FUNGICIDE OR ANY OTHER ANILINOPYRIMIDINE FUNGICIDE PER SEASON CAN BE MADE IF MORE THAN SIX SPRAYS IN TOTAL ARE MADE FOR BOTRYTIS CONTROL. IF 6 OR LESS BOTRYTIS CONTROL SPRAYS ARE MADE THEN DO NOT APPLY MORE THAN 2 APPLICATIONS OF CAPELLA FUNGICIDE OR ANY OTHER ANILINOPYRIMIDINE FUNGICIDE PER SEASON.

REFER TO THE NZCPR WEB SITE ([HTTP://RESISTANCE.NZPPS.ORG](http://resistance.nzpps.org)) FOR MORE DETAILED INFORMATION.  
to the crop in one season up to a maximum of four applications.