

WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

FLICK 500 SC

FUNGICIDE

ACTIVE INGREDIENT: 500 g/litre FLUAZINAM in the form of a suspension concentrate

For the control of a wide range of diseases in grapes, field tomatoes, potatoes, and vegetable brassicas.

Registered pursuant of ACVM Act 1997, Approval No. P9037
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to HSNO Act 1996, Approval No. HSR100977
See www.epa.govt.nz for approval conditions

NET CONTENTS: 20L

FLICK 500 SC FUNGICIDE

HSNO CLASSIFICATION: 6.1D, 8.3A, 6.5B, 6.8B, 6.9B, 9.1A, 9.3C

APPROVED HANDLER

This product must be under the personal control of an approved handler or secured.

WARNING

May be fatal if swallowed, inhaled or absorbed through the skin.

May cause eye irritation, mild skin irritation or an allergic skin reaction.

May cause reproductive/development damage or liver damage from repeated oral exposure.

Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container.

HANDLING PRECAUTIONS

STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. Stores containing more than 100 litres of Flick 500 SC Fungicide require secondary containment, are subject to signage and emergency response plans.

PERSONAL PROTECTION

Avoid skin and eye contact or inhalation of spray mist. When handling wear waterproof gloves, eye protection, appropriate respiratory protection, overalls and boots. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

EQUIPMENT

Apply using well maintained and accurately calibrated spray equipment.

DISPOSAL

Triple rinse empty container and add rinsate to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill. Dispose of product only by using according to the label, or at an appropriate landfill.

FIRST AID

If swallowed, DO NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

Product of China



9 421028 660570



Batch No.:

Date of Manufacture:

UN NO: 3082
ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(CONTAINS FLUAZINAM 50%)
PACKING GROUP III, HAZCHEM 2X
CLASS 9



In a transport emergency dial 111, Police or Fire Service. For specialist advice in emergency only, call 0800 243 622 (24 hours)

WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

FLICK 500 SC FUNGICIDE

**ACTIVE INGREDIENT: 500 g/litre FLUAZINAM in
the form of a suspension concentrate**

For the control of a wide range of diseases in grapes,
field tomatoes, potatoes, and vegetable brassicas.

Registered pursuant to ACVM Act 1997, Approval No. P9037
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996, Approval No.
HSR100977

See www.epa.govt.nz for approval conditions



Kenso Corporation (M) Sdn Bhd
2 Bond Crescent, Forrest Hill,
Auckland 0620 NZ
Phone: (09) 410 0861



**HSNO CLASSIFICATION: 6.1D, 8.3A, 6.5B, 6.8B,
6.9B, 9.1A, 9.3C**

APPROVED HANDLER

This product must be under the personal control of an
approved handler or secured.

WARNING

May be fatal if swallowed, inhaled or absorbed through
the skin.

May cause eye irritation, mild skin irritation or an allergic
skin reaction.

May cause reproductive/development damage or liver
damage from repeated oral exposure.

Very toxic to aquatic organisms. Avoid contamination of
any water supply with product or empty container.

HANDLING PRECAUTIONS

STORAGE

Store in original container tightly closed and in a locked,
dry, cool area away from foodstuffs. Store in
accordance with NZS 8409 Management of
Agrichemicals. Stores containing more than 100 litres of
Flick 500 SC Fungicide require secondary containment,
are subject to signage and emergency response plans.

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any
responsibility whatsoever and howsoever arising and
whether for consequential loss or otherwise in
connection with the supply of these goods other than
responsibility for the merchantable quality of the goods
and such responsibilities mandatorily imposed by
Statutes applicable to the sale or supply of these goods.
To the extent allowed by such Statutes the liability of
Kenso Corporation (M) Sdn. Bhd. is limited to the
replacement of the goods or (at the option of Kenso
Corporation (M) Sdn. Bhd.) the refund of the price paid
and where possible sufficient part of the goods to enable
proper examination being returned to Kenso Corporation
(M) Sdn. Bhd. within thirty days of delivery.

Batch No. :

Date of Manufacture :

Registered pursuant to ACVM Act 1997, Approval No.
P9037

See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996, Approval No.
HSR100977

See www.epa.govt.nz for approval conditions

PERSONAL PROTECTION

Avoid skin and eye contact or inhalation of spray mist.
When handling wear waterproof gloves, eye protection,
appropriate respiratory protection, overalls and boots. Do
not eat, drink or smoke while using. Remove protective
clothing and wash hands and face thoroughly before
meals and after work.

EQUIPMENT

Apply using well maintained and accurately calibrated
spray equipment.

DISPOSAL

Triple rinse empty container and add rinsate to spray tank.
Recycle empty container through Agrecovery (0800 247
326, www.agrecovery.co.nz). Otherwise, crush and bury
in a suitable landfill. Dispose of product only by using
according to the label, or at an appropriate landfill.

SPILLAGE

Wear appropriate protective clothing and prevent material
from entering waterways. Contain liquid spills, and absorb
with inert material. Dispose of waste safely in an approved
landfill.

TRANSPORT

DO NOT carry this product on a passenger service
vehicle.

TRACKING/RECORD KEEPING

Location and movement of this product must be recorded
at each stage of its lifecycle. This product must not be
used for any purpose, or in any manner, contrary to this
label unless authorised under appropriate legislation.
Records of use, as described in NZS 8409 Management
of Agrichemicals, must be kept whenever Flick 500 SC
Fungicide is used.

EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO : 3082



**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (CONTAINS FLUAZINAM 50%)
PACKING GROUP III, HAZCHEM 2X
CLASS 9**

In a transport emergency dial 111,

Police or Fire Service.

**For specialist advice in an emergency only,
call 0800 243 622 (24 hours).**

GENERAL INFORMATION

Flick 500 SC Fungicide is a protectant fungicide for use
as a preventative treatment against botrytis, downy
mildew and phomopsis (dead arm) in grapes, botrytis,
sclerotinia and late blight in field tomatoes and early
blight, late blight and sclerotinia in potatoes. Flick 500
SC Fungicide also controls powdery scab on potatoes
and clubroot in vegetable brassicas when applied to the
soil surface and incorporated prior to planting.

MIXING

Invert container and shake well before use. Add the
required amount of Flick 500 SC Fungicide to the partly
filled spray tank with agitator running and complete filling
the tank with water.

COMPATIBILITY

Compatible with other commonly used fungicides and
insecticides with the exception of alkaline materials, such
as Bordeaux mixture or lime sulphur.

FIRST AID

If swallowed, DO NOT induce vomiting. For advice
contact the National Poisons Centre 0800 POISON (0800
764 766) or a doctor immediately. If skin or hair contact
occurs, remove contaminated clothing and flush skin and
hair with running water. If splashed in eyes, wash out
immediately with water.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ
website: www.kenso.co.nz

It is an offence to use this product on animals.

Directions for Use

CROP	DISEASE	NOTES
Grapes	Botrytis, Downy Mildew and Phomopsis (dead arm)	Use 100ml/100 litres (or not less than 1 litre per hectare). Apply at early and late flowering; just prior to bunch closure and again during berry ripening up to 28 days before harvest. Use alternative fungicides, particularly for phomopsis control, in the critical pre-flower period. The rate expressed is for high volume spraying to run-off. For concentrate spraying adjust dilution rate accordingly.
Field Tomatoes	Botrytis, Sclerotinia and Late Blight	Use 750ml/ha at early flowering and again approximately 14 days later, towards the end of flowering. Apply in a minimum of 500 litres water per hectare and increase if necessary to ensure complete coverage. The period of sclerotinia control is four to eight weeks, and after the second application of Flick 500 SC Fungicide, alternative approved fungicides may be required in high risk situations. For the control of late blight after flowering, use alternative approved fungicides for the remaining duration of the crop. Add a non-ionic surfactant at the recommended label rate.
Potatoes	Early Blight, Late Blight and Sclerotinia	Use 250ml/ha at 7-10 day intervals for late blight and sclerotinia control or use 200ml/ha plus 1kg mancozeb (800 grams ai)/ha if early blight is also likely. Use the shorter interval under severe disease pressure conditions. Apply when the crop has fully emerged but before any sign of disease, using sufficient water per hectare to obtain complete coverage. Add a non-ionic surfactant at the recommended label rate.
Potatoes	Powdery Scab	Apply 4 litres/ha in 500 litres of water to cultivated ground prior to planting. Within 2 hours of application, incorporate thoroughly into the soil to a depth of 15cm, using either a rotary hoe or power harrow.
Vegetable Brassicas	Clubroot	Apply 4 litres/ha in 500 litres of water to cultivated ground prior to transplanting. Ensure thorough incorporation to transplant root depth (not more than 10cm) within 2 hours of applying, using a rotary hoe or power harrow. Soil should be moist at application and the crop transplanted within 2 days. At least 20mm of overhead irrigation should be applied soon after planting to further assist the distribution of Flick 500 SC Fungicide throughout the upper soil profile. Disease control may be reduced if longer transplant or irrigation intervals occur.

RAINFALL: Do not apply if rainfall is likely within 6 hours following application. Heavy rain following treatment will remove much of the fungicide from treated plant tissue and if disease pressure remains high, earlier re-treatment will be necessary.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residues Limits of Agricultural Compounds) Food Standards.

WITHHOLDING PERIODS

Grapes*	28 days
Field Tomatoes	42 days
Potatoes	14 days
Vegetable Brassicas	Do not apply after planting

*For export crops consult the NZ Winegrowers Export Wine Grape Spray Schedule