

WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

KENDIZOL 250 EC

FUNGICIDE

ACTIVE INGREDIENT: 250 g/litre DIFENOCONAZOLE in the form of an emulsifiable concentrate

For the control of Leaf Spots on Carrots, Ring Spot on horticultural Brassicas, Early Blight on Potatoes and Stemphylium Leaf Spot on Asparagus.

Registered pursuant of ACVM Act 1997, Approval No. P9344
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to HSNO Act 1996, Approval No. HSR101138
See www.epa.govt.nz for approval conditions

NET CONTENTS: 5L

KENDIZOL 250 EC FUNGICIDE

This product **MUST NOT** be used for any purpose or in any manner contrary to the controls and conditions of this registration.

This product **MUST** be under the control of an Approved Handler when used by a commercial contractor.

HSNO CLASSIFICATION: 3.1D, 6.1E, 6.3A, 6.4A, 6.8A, 6.9B, 9.1A, 9.3C

WARNING

Combustible liquid.

May be harmful if swallowed, inhaled or absorbed through the skin. May cause skin irritation. May cause eye irritation.

May cause reproductive / development damage from repeated oral exposure. May cause organ damage from repeated oral exposure at high doses.

Very toxic to aquatic organisms. Harmful to terrestrial vertebrate.

PRECAUTIONS

Store in original container, tightly closed, away from foodstuffs. Keep away from flames and hot surfaces. In case of fire use fine water spray or foam. During a fire this product may release smoke and hazardous decomposition products.

When fighting a major fire wear an air-supplied respirator. When mixing and applying, wear protective clothing, including face shield, impervious gloves and footwear. Avoid contact with skin and eyes. If clothing becomes contaminated with product, remove clothing immediately. **DO NOT** eat, drink or smoke while using. Wash hands and face before eating, drinking or smoking and after work. Wash protective clothing daily after use. Apply with well-maintained and calibrated spray equipment. Records of use must be kept. Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409. **DO NOT** carry on a passenger service vehicle. Avoid contamination of any water supply with chemical or empty container.

CONTAINER DISPOSAL

Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery collection point (0800 247 326, www.agrecovery.co.nz) for disposal. Avoid contamination of any water supply with chemical or empty container.

PRODUCT DISPOSAL

Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

FIRST AID

If swallowed **DO NOT** induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if breathing has stopped. Use mouth to nose rather than mouth to mouth. Obtain medical attention. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. **DO NOT** scrub the skin. If splashed in the eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods or other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



EMERGENCY RESPONSE
Ring 0800 CHEMICAL, or
0800 243 622 (24 hours)

Product of Malaysia



9 421028 660976



Batch No.:

Date of Manufacture:

UN NO: 3082

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.

(CONTAINS DIFENOCONAZOLE 25%)

PACKING GROUP III,

HAZCHEM 2X,

CLASS 9



In a transport emergency dial 111,
Police or Fire Service.

For specialist advice in emergency only,
call 0800 243 622 (24 hours)

WARNING

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

KENDIZOL 250 EC FUNGICIDE

**ACTIVE INGREDIENT: 250 g/L DIFENOCONAZOLE in
the form of an emulsifiable concentrate**

For the control of Leaf Spots on Carrots, Ring Spot on
horticultural Brassicas, Early Blight on Potatoes and
Stemphylium Leaf Spot on Asparagus.

Registered pursuant of ACVM Act 1997, Approval No. P9344
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to HSNO Act 1996, Approval Code
HSR101138
See www.epa.govt.nz for approval conditions



Kenso Corporation (M) Sdn Bhd
2, Bond Crescent, Forrest Hill
Auckland 0620 NZ
Phone: (09) 410 0861



**This product MUST NOT be used for any purpose or in any manner
contrary to the controls and conditions of this registration.
This product MUST be under the control of an Approved Handler when
used by a commercial contractor.**

**HSNO classification: 3.1D, 6.1E, 6.3A, 6.4A, 6.8A, 6.9B, 9.1A, 9.3C
WARNING**

Combustible liquid.

May be harmful if swallowed, inhaled or absorbed through the skin. May
cause skin irritation. May cause eye irritation. May cause reproductive /
development damage from repeated oral exposure. May cause organ
damage from repeated oral exposure at high doses.

Very toxic to aquatic organisms. Harmful to terrestrial vertebrate.

PRECAUTIONS

Store in original container, tightly closed, away from foodstuffs. Keep away
from flames and hot surfaces. In case of fire use fine water spray or foam.
During a fire this product may release smoke and hazardous decomposition
products. When fighting a major fire wear an air-supplied respirator. When
mixing and applying, wear protective clothing, including fac shield, impervi-
ous gloves and footwear. Avoid contact with skin and eyes. If clothing
becomes contaminated with product, remove clothing immediately. DO NOT
eat, drink or smoke while using. Wash hands and face before eating,
drinking or smoking and after work. Wash protective clothing daily after use.
Apply with well-maintained and calibrated spray equipment. Records of use
must be kept. Application, storage and record keeping should be as
described in the Management of Agrichemicals NZS8409. DO NOT carry on a
passenger service vehicle. Avoid contamination of any water supply with
chemical or empty container.

EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO : 3082



**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID N.O.S.**

(CONTAINS DIFENOCONAZOLE 25%)

MARINE POLLUTANT

PACKING GROUP III

HAZCHEM 2X

CLASS 9

**In a transport emergency dial 111, Police or Fire
Service.**

**For specialist advice in emergency only, call 0800
734 607 (24 hours).**

FIRST AID

If swallowed DO NOT induce vomiting. For advice, contact the National
Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.
Begin artificial respiration if breathing has stopped. Use mouth to nose
rather than mouth to mouth. Obtain medical attention. If skin or hair contact
occurs, remove contaminated clothing and flush skin and hair with running
water. DO NOT scrub the skin. If splashed in the eyes, wash out immediately
with water. If inhaled, move the victim to fresh air immediately. Begin artificial
respiration if breathing has stopped.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website:
www.kenso.co.nz

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility
whatsoever and howsoever arising and whether for consequential loss
or otherwise in connection with the supply of these goods other than
responsibility for the merchantable quality of the goods and such respon-
sibilities mandatorily imposed by Statutes applicable to the sale or
supply of these goods. To the extent allowed by such Statutes the
liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement
of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the
refund of the price paid and where possible sufficient part of the goods
to enable proper examination being returned to Kenso Corporation (M)
Sdn.Bhd. within thirty days of delivery.

Registered pursuant to ACVM Act 1997, Approval No. P9344
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to HSNO Act 1996, Approval No. HSR101138
See www.epa.govt.nz for approval conditions

CONTAINER DISPOSAL

Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery collection point (0800 247 326, www.agrecovery.co.nz) for disposal. Avoid contamination of any water supply with chemical or empty container.

PRODUCT DISPOSAL

Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

SPILLAGE

Wear suitable protective clothing including face shield, impervious gloves and boots. Prevent the product or spilled material from entering water bodies. Absorb liquid spills with inert material such as earth or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of safely.

GENERAL INFORMATION

KENDIZOL 250 EC FUNGICIDE is a systemic triazole (DMI) fungicide with preventative and curative properties for the control of Leaf Spots on carrots, Ring Spot on horticultural brassicas, Early Blight on potatoes and Stemphylium Leaf Spot on asparagus. KENDIZOL 250 EC FUNGICIDE penetrates rapidly into the leaf tissue, where it acts curatively on the developing fungal infections by inhibiting the creation of sterols in fungal cell walls.

RESISTANCE MANAGEMENT

Resistance to this fungicide and related DMI products could develop in some disease situations from repeated use. To minimise this risk, use strictly in accordance with the label instructions.

MIXING

KENDIZOL 250 EC FUNGICIDE mixes readily with water. Add the required amount of KENDIZOL 250 EC FUNGICIDE to the partly filled spray tank and add the remainder of the water with agitation.

APPLICATION

Ground - apply as a broadcast foliar application avoiding run-off.

COMPATIBILITY

KENDIZOL 250 EC FUNGICIDE is compatible with other commonly used fungicides and insecticides.

STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing quantities of 100 litres or more require signage and secondary containment. Stores with quantities of 500 litres or more require fire extinguishers.

DIRECTIONS FOR USE

It is an offence to use this product on animals.

Crop	Disease	Rate	Critical comments
Asparagus	Stemphylium Leaf Spot	500 ml in 500 to 700 litres of water/ha	After close up of beds, apply at the first sign of the disease and repeat at 3 week intervals with a maximum of 3 applications during active fern growth. The addition of a non-ionic wetting agent at manufacturer's label recommendations is essential to assist coverage. Apply an approved protectant fungicide at other times. Aerial application - apply in a minimum of 100 litres water/ha to achieve satisfactory coverage.
Carrots	Leaf Spots (<i>Alternaria/ Cercospora</i>)		Apply at the first sign of the diseases and repeat at 2 to 3 week intervals with a maximum of 3 applications during active crop growth. Apply an approved protectant fungicide at other times.
Brassicas Horticultural	Ring Spot		Apply at the first signs of the disease and depending on disease pressure, repeat at 2 to 3 week intervals with a maximum of 3 applications during active crop growth. Apply an approved protectant fungicide during crop maturity.
Potatoes	Early Blight		Apply at the first sign of disease and repeat at 2 week intervals with a maximum of 3 applications. Apply an approved protectant fungicide at other times.

WITHHOLDING PERIODS

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: **Maximum Residue Levels for Agricultural Compounds.**

Carrots14 days
Horticultural Brassicas14 days
Potatoes14 days