

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

**READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING**

# **KENTRON 700 WG**

**HERBICIDE**

**ACTIVE INGREDIENT: 700 g/kg METAMITRON in the form of a water dispersible granule.**

A post emergence use in Red beet, Fodder beet, Sugar beet and Mangolds.

Registered pursuant of ACVM Act 1997, Approval No. P9347  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions  
Approved pursuant to HSNO Act 1996, Approval No. HSR000535  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions

**NET CONTENTS: 10KG**

## APPROVED HANDLER

This product must be under the control of an approved handler during use.

## HSNO CLASSIFICATION: 6.1B, 9.1A, 9.2A, 9.3C

### TOXICITY

Warning – May be fatal if swallowed, inhaled or absorbed through the skin. Avoid contact with skin and eyes and avoid inhalation of spray mist.

### ECOTOXIC

Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container. Very toxic in the soil environment. Harmful to terrestrial vertebrates. .

## HANDLING PRECAUTIONS

### STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.

Stores containing 100 kg are subject to secondary containment and signage and more than 100 kg require emergency response plans.

### PERSONAL PROTECTION

Avoid skin or eye contact and inhalation of spray mist. When mixing or applying wear eye protection, impervious gloves, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

### SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as above to clean up spills. Sweep up spilt material and place in waste containers. Absorb liquid spills with an inert (such as vermiculite, earth, sand or synthetic absorbent substance) material and place in waste containers. Was area with water and alkaline detergent then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

### DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

### FIRST AID

For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If inhaled, move the victim to fresh air immediately. If splashed in the eyes, flush with clean water. If spilt on the skin, remove contaminated clothing and was affected areas with soap and water.

**BEWARD: Apply this product carefully. Spray drift may cause serious damage to other desirable plants. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments.**

### RECORD KEEPING

Records of use as described in NZS 8409 Management of Agrichemicals.

Kentron 700 WG should be applied post emergence in beet crops. It has some residual activity.

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residues Levels for Agricultural Compounds.**

## DIRECTIONS FOR USE

| Crop           | Use rate                           | Critical comments                                                                                                                                                                                 |
|----------------|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Beet:          | 6.0kg (8.75 litre measure)/hectare | Apply early post emergence when weeds are small and the crops has fully expanded cotyledons but before the second true leaf stage. Use 200-300 litres of water per hectare as find misting spray. |
| Red            | 1.0 litre/hectare of               |                                                                                                                                                                                                   |
| Fodder         | Multi-film Extra                   |                                                                                                                                                                                                   |
| Sugar Mangolds |                                    |                                                                                                                                                                                                   |

### Susceptible:

Amaranthus spp., Buttercups (seedling), Chickweed, Docks (seedling), Fat hen, Galinsoga, Groundsel, Hawksbeard, Henbit, Matricaria spp. (Stinking mayweed and Chamomiles), Nettles, Pennycress, Annual poa, Wild portulaca, Scotch thistle (seedling), Shepherd's purse, Sow thistle, Speedwells, Spurrey, Twin cress, White clover, Yarrow (seedling).

### Moderately Susceptible:

Field pansy, Fumitory, Hedge mustard, Black nightshade, Scarlet pimpernel, Thorn apple, Wireweed.

### Non-susceptible:

Californian thistle, Cleavers, Cornbind, Wild oats and most grasses.

### RESISTANT WEEDS WARNING

Naturally occurring biotypes resistant to triazinones can become more prevalent after many years of continuous use. To delay the onset of, or control resistant weeds, use in rotation with herbicides having a different mode of action against the weed. Since the occurrence of resistant weeds is difficult to detect prior to use Kenso Corporation (M) Sdn Bhd accepts no liability for losses that may result from the failure of this product to control resistant weeds.

### SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: [www.kenso.co.nz](http://www.kenso.co.nz)

### CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



Product of China



9 421028 660877



Batch No.:  
Date of Manufacture:

UN NO: 3077

ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, SOLID, N.O.S.

(CONTAINS METAMITRON 70%)

PACKING GROUP III, HAZCHEM 2X

CONTAINS SPILLAGE, CLASS 9



In a transport emergency dial 111, Police or  
Fire Service. For specialist advice in emergency  
only, call 0800 243 622 (24 hours)