

DANGER

**KEEP OUT OF REACH OF CHILDREN
READ LABEL BEFORE MIXING OR APPLYING**

OX 240

HERBICIDE

**ACTIVE INGREDIENT: 240 g/L OXYFLUORFEN in the form
of an emulsifiable concentrate**

For pre- and post-emergence control of broadleaf weeds and some
annual grasses in apples, grapes, kiwifruit,
stonefruit and forest nurseries.

NET CONTENTS: 10L

Registered pursuant to ACVM Act 1997, Approval No. P9166
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to HSNO Act 1996, Approval No. HSR100984
See www.epa.govt.nz for approval conditions

Kenso Corporation (M) Sdn Bhd

2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand Ph: 09 410 0861

APPROVED HANDLER

This product must be under control of an approved handler when it is used in a wide dispersive manner or used by a commercial contractor.

HSNO CLASSIFICATION: 3.1D, 6.1E, 6.3B, 6.4A, 6.8A, 6.9B, 9.1B, 9.2A FLAMMABLE

Combustible liquid. Do not store or use near heat or naked flame. Will burn if ignited.

TOXICITY

Danger

May be harmful if swallowed or absorbed through the skin. May cause skin irritation. May cause serious eye irritation. May cause organ damage from repeated oral exposure at high doses. May cause reproductive/development damage from repeated oral exposure. Avoid skin and eye contact and inhalation.

ECOTOXIC

Toxic to aquatic organism. Avoid contamination of any water supply with product or empty container. Very toxic in the soil environment.

BEWARE: Apply this product carefully. Spray drift may cause serious damage to other desirable plants. A strategy to minimize spray drift should be employed at all times when applying spray near aquatic environments.

STORAGE

Store in original container, tightly closed, away from food stuffs in a cool dry, secured area. As a Class 9 Substance with Ecotoxicity Classifications, storage of Ox 240 Herbicide must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed as a means of meeting the secondary containment provisions of the HSNO Emergency Management Regulations.

DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

PERSONAL PROTECTION

When mixing or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, impervious, elbow-length gloves, and eye protection. Remove protective clothing and wash hands, arms and face with soap and water before meals and after work.

SPILLAGE

Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

FIRST AID

If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766) or a doctor immediately. If spill on the skin, remove contaminated clothing and wash affected areas of skin. DO NOT SCRUB THE SKIN. If concentrate is splashed in eyes flush with running water for at least 15 minutes. Take to hospital without delay.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website: www.kenso.co.nz

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



Product of Australia



9 421028 660716



Batch No.:
Date of Manufacture:

UN NO: 3082

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID N.O.S.

(CONTAINS OXYFLUORFEN)

PACKING GROUP III

HAZCHEM 2X



In a transport emergency dial 111, Police or Fire Service.
For specialist advice in emergency only,
call 0800 243 622 (24 hours)

DANGER

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

OX 240

HERBICIDE

ACTIVE INGREDIENT: 240 g/L OXYFLUORFEN in the form of an emulsifiable concentrate

For pre- and post-emergence control of broadleaf weeds and some annual grasses in apples, grapes, kiwifruit, stonefruit and forest nurseries.

Registered pursuant of ACVM Act 1997, Approval No. P9166
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to HSNO Act 1996, Approval Code HSR100984
See www.epa.govt.nz for approval conditions



Kenso Corporation (M) Sdn Bhd
2, Bond Crescent, Forrest Hill
Auckland 0620 NZ
Phone: (09) 410 0861



HSNO classification: 3.1D, 6.1E, 6.3B, 6.4A, 6.8A, 6.9B, 9.1B, 9.2A

APPROVED HANDLER

This product must be under the care of an approved handler when it is used in a wide dispersive manner or used by a commercial contractor.

RECORD KEEPING

Records of use must be kept under certain circumstances. See The New Zealand Standards for Management of Agrichemicals (NZS8409) for details.

FLAMMABLE

Combustible liquid. Do not store or use near heat or naked flame. Will burn if ignited..

TOXICITY

Danger

May be harmful if swallowed or absorbed through the skin. May cause skin irritation. May cause serious eye irritation. May cause organ damage from repeated oral exposure at high doses. May cause reproductive / development damage

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website: www.kenso.co.nz

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

Registered pursuant to ACVM Act 1997, Approval No. P9166

See www.foodsafety.govt.nz for registration conditions
Approved pursuant to HSNO Act 1996, Approval No. HSR100984

See www.epa.govt.nz for approval conditions

from repeated oral exposure. Avoid skin and eye contact and inhalation.

ECOTOXIC

Toxic to aquatic organism. Avoid contamination of any water supply with product or empty container. Very toxic in the soil environment.

BEWARE: Apply this product carefully. Spray drift may cause serious damage to other desirable plants. A strategy to minimize spray drift should be employed at all times when applying spray near aquatic environments.

PRECAUTIONS

Keep out of reach of children do not eat, drink or smoke while using.

STORAGE

Store in original container, tightly closed, away from food stuffs in a cool dry, secured area.

As a Class 9 Substance with Ecotoxicity Classifications, storage of OX 240 Herbicide must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed as a means of meeting the secondary containment provisions of the HSNO Emergency Management Regulations.

EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO : 3082



**ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID N.O.S.
(CONTAINS OXYFLUORFEN)
MARINE POLLUTANT
PACKING GROUP III
HAZCHEM 2X
CLASS 9**

In a transport emergency dial 111, Police or Fire Service.

For specialist advice in emergency only, call 0800 734 607 (24 hours).

DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

EQUIPMENT

Apply using accurately calibrated and maintained equipment in accordance with The New Zealand Standard for the Management of Agrichemicals (NZ8409).

FIRST AID

If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766) or a doctor immediately. If spilt on the skin, remove contaminated clothing and was affected areas of skin. DO NOT SCRUB THE SKIN. If concentrate is splashed in eyes flush with running water for at least 15 minutes. Take to hospital without delay.

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE NEW ZEALAND (MAXIMUM RESIDUE LIMITS OF AGRICULTURAL COMPOUNDS) FOOD STANDARDS.

DIRECTION FOR USE
RESTRAINTS

DO NOT apply during prolonged periods of dry weather when the soil is very dry.
DO NOT use near newly grafted or budded cuttings, or any plants less than 1 year old.

CROP	WEEDS CONTROLLED	RATE	CRITICAL COMMENTS
Apples Grapes Kiwifruit stonefruit	Bitter cress, Catsear, Cut-leaved geranium, Field madder, Field speedwell, Hedge mustard, Mallow species, Mouse-ear chickweed, Nettle, Parsley piert, Pennyroyal, Shepherds purse, Sow thistle, Storksbill, Twin cress	6 litres/ha	Residual control: Apply in 300-400 litres water to bare ground when trees and vines are dormant.
		Boom spray: 2-3 litres/ha + glyphosate at label rates. Hand gun or knapsack: 300ml/100 litres of water + glyphosate at label rates.	Post-emergent control: For difficult-to-kill weeds. Use sufficient water to obtain complete coverage of weeds. Use the higher rate on creeping mallow and weeds taller than 25cm. Thoroughly wet weeds. Use a wetting agent.
Forest nurseries	Bitter cress, Catsear, Cut-leaved geranium, Field madder, Field speedwell, Hedge mustard, Mallow species, Mouse-ear chickweed, Nettle, Parsley piert, Pennyroyal, Shepherds purse, Sow thistle, Storksbill, Twin cress		Pre-emergence: Apply in 300-400 litres water/ha to clean seedbeds immediately after sowing but before emergence.
Pinus, Cupressus species		2-4 litres/ha	
Eucalyptus Racosperma (Acacia) species		0.5-1 litre/ha	
		2-3 litres/ha	Post-emergence: Apply in sufficient water to obtain complete coverage of all weeds. Apply no sooner than 5 weeks after seedling emergence, and when weeds are no more than 5cm high. Foliage discolouration may occur in tree seedlings.

Apples, grapes, kiwifruit, stonefruit: For best results apply when soil is moist and weeds are small. Volatilisation of OX 240 herbicide early in the season may cause a reddening of young buds and an initial check to growth on kiwifruit vines, but plants should recover.
Forest nurseries: Some seedling damage can be expected with either pre-or post-emergence treatment.

GENERAL INSTRUCTIONS

OX 240 Herbicide is a contact herbicide with greatest activity when applied before weed emergence. Also has post-emergence activity but to be effective, weeds must be very small. As a soil residual treatment emerging weeds contact the chemical layer as they break the soil surface. The chemical is taken up by the emerging shoot and is activated in the presence of light. It is important to have an uninterrupted layer of chemical on the soil surface. For residual weed control rain following treatment is needed to move the herbicide into the surface layer of soil. For post-emergence treatment, do not apply if rain is likely to fall within 3 hours following application.

COMPATIBILITY
May be used in tank mixes with a wide range of herbicides.

APPLICATION
Use conventional spraying equipment capable of applying the necessary water volumes/ha. Even coverage of the soil and/or weeds is essential, and to this end fan nozzles should be used.

RESISTANT WEEDS WARNING
Naturally occurring weed biotypes resistant to diphenyl ether herbicides can become more prevalent after many years of continuous use. To delay the onset of, or control resistant weeds, use in rotation with herbicides of different mode of action. Since the occurrence of resistant weeds is difficult to detect prior to use Adria New Zealand Ltd accepts no liability for losses that may result from the failure of this product to control resistant weeds.

PERSONAL PROTECTION
When mixing or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, impervious, elbow-length gloves, and eye protection. Remove protective clothing and wash hands, arms and face with soap and water before meals and after work

SPILLAGE
Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).