

HARMFUL
KEEP OUT OF REACH OF CHILDREN
READ LABEL BEFORE USE

REBUKE 430

FUNGICIDE

**ACTIVE INGREDIENT: 430 g/L TEBUCONAZOLE in the form
of a suspension concentrate**

Systemic fungicide for control of diseases in wheat, barley, oats,
ryegrass seed crops, peas and onions



Registered pursuant to ACVM Act 1997, Approval No. P8771
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to HSNO Act 1996, Approval No. HSR000751
See www.epa.govt.nz for approval conditions

Kenso Corporation (M) Sdn Bhd

Office A, 49B, Apollo Drive, Rosedale, Auckland 0632 New Zealand Ph: 09 410 0861

REBUKE 430 FUNGICIDE

APPROVED HANDLER

This product must be under control of an approved handler during use. A record must be kept of the use and disposal of this product.

HSNO CLASSIFICATION: 6.1E, 6.4A, 6.9B, 9.1A WARNING

Harmful - may cause eye irritation.

Harmful - may cause organ damage from repeated oral exposure at high doses.

Toxic to aquatic organisms.

PRECAUTIONS

Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from food stuffs. Do not eat, drink or smoke while using. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Remove protective clothing and wash hands and face thoroughly before meals and after work. May be harmful if swallowed, inhaled or absorbed through the skin. Avoid skin contact or inhalation. Avoid contact with the eyes.

CONTAINER DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

FIRST AID

If splashed in the eyes, flush with clean water for several minutes. If eye irritation persist seek medical advice. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso Corporation (M) Sdn Bhd on request.

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



NET CONTENTS: 10L



EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

Product of Australia



Batch No.:

Date of Manufacture:

UN NO: 3082
ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID N.O.S.
(CONTAINS TEBUCONAZOLE)
PACKING GROUP III
HAZCHEM 2X



In a transport emergency dial 111,
Police or Fire Service.
For specialist advice in emergency only,
call 0800 243 622 (24 hours)

HARMFUL
KEEP OUT OF REACH OF CHILDREN
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

REBUKE 430

FUNGICIDE

ACTIVE INGREDIENT: 430 g/L TEBUCONAZOLE
in the form of a suspension concentrate

Systemic fungicide for control of diseases in wheat, barley, oats, ryegrass seed crops, peas and onions.

Registered pursuant to ACVM Act 1997, Approval No. P8771
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996, Approval Code HSR000751
See www.epa.govt.nz for approval conditions



Kenso Corporation (M) Sdn Bhd
Office A, 49B, Apollo Drive
Rosedale, Auckland 0632 NZ
Phone: (09) 410 0861

APPROVED HANDLER

This product must be under control of an approved handler during use. A record must be kept of the use and disposal of this product.



HSNO classification: 6.1E, 6.4A, 6.9B, 9.1A
WARNING

Harmful - may cause eye irritation.

Harmful - may cause organ damage from repeated oral exposure at high doses.

Toxic to aquatic organisms.

PRECAUTIONS

Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from food stuffs. Do not eat, drink or smoke while using. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Remove protective clothing and wash hands and face thoroughly before meals and after work. May be harmful if swallowed, inhaled or absorbed through the skin. Avoid skin contact or inhalation. Avoid contact with the eyes.

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

* Not a trademark of Kenso Corporation (M) Sdn Bhd.

Registered pursuant to ACVM Act 1997, Approval No. P8771

See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996, Approval No. HSR000751

See www.epa.govt.nz for approval conditions

CONTAINER DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

FIRST AID

Do not cause vomiting unless medical treatment is delayed more than an hour. Take patient to hospital without delay. Do not cause vomiting if patient is unconscious or convulsing. If concentrate is splashed in eye flush with running water for at least 15 minutes. Call the National Poisons Centre **0800 POISON (0800 764 766)** (24 hrs) or a doctor immediately for advice.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso Corporation (M) Sdn Bhd on request.

SPILLS

When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Contain the spill by damming, recover spilt product by absorbing with sawdust or an inert absorbent material then transfer the recovered spilt material to a properly labelled drum. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO : 3082



**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID N.O.S.**

(CONTAINS TEBUCONAZOLE)

PACKAGING GROUP III

HAZCHEM 2X

In a transport emergency dial 111, Police or Fire Service.

For specialist advice in emergency only, call 0800 243 622 (24 hours).

It is an offence to use this product on animals.

DIRECTIONS FOR USE

MIXING: Half fill the spray tank with water, pour in the required quantity of Rebuke 430 Fungicide with agitators running, then top up with water. Do not pre-mix.

RESISTANCE MANAGEMENT

Resistance to this fungicide and related DMI products could develop in some disease situations from repeated use. To minimise this risk, use strictly in accordance with label instructions. In cereals and ryegrass seed crops use a maximum of three DMI applications, including seed treatment per crop, at full recommended label rates.

Crop	Disease	Rate	Remarks
Wheat	Stripe rust, Leaf rust, Powdery mildew, Glume blotch, Speckled leaf blotch,	440ml/ha	Apply on first appearance of disease. Should disease pressure persist or reinfection occurs, a further application may be required 3-4 weeks later.
	Ear disease complex		Apply to fully emerged ears.
Barley	Scald, Net blotch, Spot blotch, Ramularia leaf spot, Leaf rust	440ml/ha	Apply on first appearance of disease. Should disease pressure persist or reinfection occurs, a further application may be required 3-4 weeks later.
	Ear disease complex		Apply to fully emerged ears.
Oats	Crown Rust	440ml/ha	Apply as for wheat.
Ryegrass seed crops	Crown rust, Stem rust	440ml/ha	Apply on first appearance of disease. Should disease pressure persist or reinfection occurs a further application may be required 3-4 weeks later.
	Blind seed disease	440ml/ha	Apply first application at start of flowering and a second 10-14 days later.
Peas	Powdery mildew	145ml/ha	Apply preventatively at flowering or first sign of disease. A second application may be required 14 days later.
Onions	White rot	875ml/ha	Apply in 1000 litres of water/ha. Make first applications 6-8 weeks after sowing and follow with two further applications at 3-4 week intervals. The use of a suitable seed treatment is recommended.

Apply Rebuke 430 Fungicide in at least 200 litres of water per hectare by ground or 50 litres per hectare by aerial application. Use high water volumes in dense or advanced crops especially under dry weather conditions.

Rebuke 430 Fungicide may cause yellow leaf spotting when applied after head emergence to some durum wheats especially Tara, and yellowing when applied with emulsifiable concentrate herbicide formulations in barley.

COMPATIBILITY

Rebuke 430 Fungicide is compatible with commonly used herbicides and insecticides.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.

WITHHOLDING PERIODS:

Cereals	49 days
Ryegrass seed crops	30 days
Peas	14 days
Onions	35 days
Fodder Cereals	28 days