

**HARMFUL • ECOTOXIC**

**KEEP OUT OF REACH OF CHILDREN**

**READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING**

# **SAVAGE**

## **350**

### **INSECTICIDE**

**ACTIVE INGREDIENT: 350 g/L IMIDACLOPRID in the form of a suspension concentrate**

A systemic insecticide for the control of aphids in vegetable brassicas, lettuce transplants and thrips on onions and mealy bugs on non-bearing grapevines or vines destined for removal.

Registered pursuant of ACVM Act 1997, Approval No. P8927

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

Approved pursuant to HSNO Act 1996, Approval No. HSR002691

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions

**NET CONTENTS: 20L**

**Kenso Corporation (M) Sdn Bhd** 49B, Apollo Drive, Rosedale, Auckland 0632 New Zealand Ph: 09 410 0861

## APPROVED HANDLER

This product must be under control of an approved handler during use. A record must be kept of the use and disposal of this product.

**HSNO CLASSIFICATION:** 6.1D, 6.9B, 9.1A, 9.2A, 9.3A, 9.4A

## TOXICITY

— may be harmful if swallowed, inhaled or absorbed through the skin. May cause liver damage from repeated oral exposure at high doses.

## ECOTOXIC

Very toxic to aquatic organisms with long lasting effects. Avoid contamination of any water supply with product or empty container. Very toxic to the soil environment. Very toxic to terrestrial vertebrates and terrestrial invertebrates. Spray must not be applied to plants in flower if they are likely to be visited by bees.

## PRECAUTIONS

Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from food stuffs. Stores containing 100 litres of Savage 350 Insecticide require signage and secondary containment, and more than 100 litres require emergency response plans. Do not eat, drink or smoke while using. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Avoid skin contact or inhalation. Avoid contact with the eyes.

## TRANSPORT

Do not carry more than 10 litre of Savage 350 Insecticide on a passenger service vehicle.

## DIRECTIONS FOR USE

CROP	PEST	RATE	NOTES
Onions	Thrips	225 ml / ha	Make the first application when monitoring indicates that the threshold has been reached. Repeat at 7-10 day intervals for up to 4 applications. Use 500-600 litres of water/ha. Ensure complete coverage. The addition of an appropriate wetting agent is recommended.
Vegetable brassicas (cell transplants)	Aphids	9 ml / 2.5L of water per 1000 plants	Apply evenly in a watering can to seedling trays one day before transplanting.
Lettuce (cell transplants)	Aphids	20-30ml / 2.5 litres of water per 1000 plants	Apply evenly in a watering can to seedling trays one day before transplanting.
Grapes - young non bearing vines and vines for removal	Mealybug	1.5ml / vine in 500ml water per vine	Apply as a single drench treatment in autumn or winter to the base of non-bearing replant vines or vines awaiting removal. If rainfall or overhead irrigation is not likely in the 2 days after drenching, apply 2L of water per vine once the drench has soaked in. Treated vines must be clearly identified. Any crop set on treated vines must be destroyed within 10 weeks of fruit set.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.  
It is an offence to use this product on animals.

## TRIPLE DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

## FIRST AID

Do not cause vomiting unless medical treatment is delayed more than an hour. Take patient to hospital without delay. Do not cause vomiting if patient is unconscious or convulsing. If concentrate is splashed in eye flush with running water for at least 15 minutes. Call the National Poisons Centre **0800 POISON (0800 764 766)** (24 hrs) or a doctor immediately for advice.

## SPILLS

When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Contain the spill by damming, recover split product by absorbing with an inert absorbent material then transfer the recovered split material to a properly labelled drum. Deal with all spillages immediately. Avoid contamination of any water supply with chemical or empty container. If contamination of drains, streams, watercourses, etc. is unavoidable, immediately warn the local authority pollution response unit. Refer to local authorities for hazardous waste disposal options.

## MIXING

Shake container thoroughly before use. Half fill the spray tank with water and while agitating, add the correct amount of Savage 350 Insecticide. Complete filling the tank. Keep agitated during use and agitate thoroughly after a stoppage before recommencing spraying.

## RESISTANCE MANAGEMENT

Savage 350 Insecticide contains a GROUP 4A INSECTICIDE and belongs to the neonicotinoid group of chemicals. Resistance to this insecticide could develop from excessive use. To minimise the risk use strictly in accordance with label instructions and recognised insecticide resistance management strategies.

## WITHHOLDING PERIOD

Onions - 7 days

Vegetables brassicas (cell transplants) - 70 days.

Lettuce (cell transplants) - 49 days

Grapes — fruit from treated vines must be destroyed, with no fruit harvested for human or animal consumption until the next season.

## SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: [www.kenso.co.nz](http://www.kenso.co.nz)

## CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within 30 days of delivery.



**EMERGENCY RESPONSE**  
Ring 0800 CHEMCALL, or  
0800 243 622 (24 hours)



9 421028 660365



Product of Malaysia

Batch No.:

Date of Manufacture:

UN NO: 3082

ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID N.O.S.

(CONTAINS IMIDACLOPRID 35%)

PACKING GROUP III, HAZCHEM 2X

HAZARD CLASS 9



In a transport emergency dial 111, Police or  
Fire Service. For specialist advice in  
emergency only, call 0800 243 622 (24 hours)