

DANGER

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

SPEEDY 250 HERBICIDE

**ACTIVE INGREDIENT: 135g/L PARAQUAT as the dichloride salt and
115g/L DIQUAT as the dibromide salt
in the form of a soluble concentrate**

For weed control in Market Gardens, Nurseries, Orchards and Vineyards.

Registered pursuant of ACVM Act 1997, Approval No. P8747
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to HSNO Act 1996, Approval No. HSR000447
See www.epa.govt.nz for approval conditions



SPEEDY 250 HERBICIDE

APPROVED HANDLER

This product MUST NOT be used for any purpose or in any manner contrary to the controls and conditions of this registration. This product MUST be Tracked and controlled by an Approved Handler.

HSNO classification: 6.1A, 6.1B, 6.3A, 6.4A, 6.5B, 6.9A, 9.1A, 9.3A, 9.4C

DANGER

May be fatal if swallowed, inhaled or if absorbed through the skin. May cause skin irritation. May cause eye irritation. May cause sensitisation from prolonged skin contact. May cause eye and organ damage from repeated oral exposure at high doses. Very toxic to aquatic organisms. Very toxic to terrestrial vertebrates. Harmful to terrestrial invertebrates.

PRECAUTIONS

Store in original container, tightly closed, away from foodstuffs and under lock and key.

DO NOT use Speedy 250 Herbicide in a mistblower. When handling the concentrate, wear full protective clothing such as overalls, gloves and face shield. Avoid contact with seeds, fertilisers and other pesticides. Wash splashes of concentrate from skin or eyes immediately. When spraying, wear face mask, overalls and gloves. Avoid contact with skin, eyes and inhalation of spray mist. DO NOT eat, drink or smoke while using. Wash hands and face before eating, drinking or smoking and after work. Wash protective clothing after use. Apply with well maintained and calibrated spray equipment. Tracking records MUST be kept. Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409. DO NOT carry on a passenger service vehicle. Avoid contamination of any water supply with chemical or empty container.

CONTAINER DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

FIRST AID

If poisoning is suspected rush to an Accident and Emergency Department of the nearest hospital after alerting them by telephone. If swallowed, DO NOT

induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If breathing has stopped, commence mouth to nose resuscitation (rather than mouth to mouth). Use alternative respiratory or proper respiratory device. Wash splashes of concentrate from the skin immediately. Remove contaminated clothing and immediately wash affected areas of skin. DO NOT scrub the skin. If the concentrate is splashed in the eyes flush with running water for 15 minutes then get medical attention.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso Corporation (M) Sdn Bhd on request.

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



NET CONTENTS: 20L



EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

Product of Australia



UN NO: 3016

BIPYRIDILIUM LIQUID, TOXIC,
N.O.S. (CONTAINS PARAQUAT
13.5% and DIQUAT 11.5%)

PACKING GROUP III

HAZCHEM 2XE

CONTAIN SPILLAGE



In a transport emergency dial 111,
Police or Fire Service.

For specialist advice in emergency
only, call 0800 243 622 (24 hours)

DANGER
KEEP OUT OF REACH OF CHILDREN
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

SPEEDY 250 HERBICIDE

ACTIVE INGREDIENT: 135g/L PARAQUAT as the dichloride salt and 115g/L DIQUAT as the dibromide salt in the form of soluble concentrate

For weed control in Market Gardens, Nurseries, Orchards and Vineyards.

Registered pursuant to ACVM Act 1997, Approval No. P8747
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996, Approval No. HSR000447
See www.epa.govt.nz for approval conditions



Kenso Corporation (M) Sdn Bhd
Office A, 49B, Apollo Drive
Rosedale, Auckland 0632 NZ
Phone: (09) 410 0861

FIRST AID

If poisoning is suspected rush to an Accident and Emergency Department of the nearest hospital after alerting them by telephone. If swallowed, DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If breathing has stopped, commence mouth to nose resuscitation (rather than mouth to mouth). Use alternative respiratory or proper respiratory device. Wash splashes of concentrate from the skin immediately. Remove contaminated clothing and immediately wash affected areas of skin. DO NOT scrub the skin. If the concentrate is splashed in the eyes flush with running water for 15 minutes then get medical attention.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso Corporation (M) Sdn Bhd on request.

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and

such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

* Not a trademark of Kenso Corporation (M) Sdn Bhd.

Registered pursuant to ACVM Act 1997, Approval No.: P8747
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996, Approval No.: HSR000447
See www.epa.govt.nz for approval conditions

Batch No. :

Date of Manufacture :

SYMPTOMS OF POISONING

An early symptom of poisoning may be vomiting, although other symptoms include stomach pains, nausea and burning of the mouth. In the event of any of the above symptoms, the first aid treatment prescribed below must be followed in full.

CONTAINER DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

SPILLS

In the event of a leak or spillage - contain the spillage, taking particular care to prevent entry to drains or waterways.

- Keep people away.
- Absorb spillage with material such as sawdust or soil, and dispose of safely. Soil offers the added advantage of inactivating the active ingredient on contact.
- Sweep up contaminated material and place in drums for disposal in accordance with the requirements of the EPA New Zealand controls and in a manner acceptable to the local authorities. For major spillages, inform the Fire Service immediately, and then local health protection officers at your District Health Board or hospital.
- Overalls, eye protection, gloves and gumboots should be worn during clean up and disposal.

EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)



UN NO : 3016
BIPYRIDILIUM LIQUID, TOXIC, N.O.S.
(CONTAINS PARAQUAT 13.5% and DIQUAT 11.5%)
PACKAGING GROUP III
HAZCHEM 2XE
CONTAIN SPILLAGE
In a transport emergency dial 111, Police or Fire Service.
For specialist advice in emergency only, call 0800 243 622 (24 hours).

APPROVED HANDLER

This product MUST NOT be used for any purpose or in any manner contrary to the controls and conditions of this registration.

This product MUST be Tracked and controlled by an Approved Handler.



HSNO classification: 6.1A, 6.1B, 6.3A, 6.4A, 6.5B, 6.9A, 9.1A, 9.3A, 9.4C

DANGER

May be fatal if swallowed, inhaled or if absorbed through the skin. May cause skin irritation. May cause eye irritation. May cause sensitisation from prolonged skin contact. May cause eye and organ damage from repeated oral exposure at high doses. Very toxic to aquatic organisms. Very toxic to terrestrial vertebrates. Harmful to terrestrial invertebrates.

PRECAUTIONS

Store in original container, tightly closed, away from foodstuffs and under lock and key. DO NOT use Speedy 250 Herbicide in a mistblower. When handling the concentrate, wear full protective clothing such as overalls, gloves and face shield. Avoid contact with seeds, fertilisers and other pesticides. Wash splashes of concentrate from skin or eyes immediately. When spraying, wear face mask, overalls and gloves. Avoid contact with skin, eyes and inhalation of spray mist. DO NOT eat, drink or smoke while using. Wash hands and face before eating, drinking or smoking and after work. Wash protective clothing after use. Apply with well maintained and calibrated spray equipment. Tracking records MUST be kept. Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409. DO NOT carry on a passenger service vehicle. Avoid contamination of any water supply with chemical or empty container.

GENERAL INFORMATION

Speedy 250 Herbicide is a non-residual fast acting herbicide active on green plant tissues only. It is particularly effective in controlling most annual and many perennial grass and broadleaf weeds. It is relatively rainfast; rain falling 20 minutes or more after treatment will not adversely affect results. Speedy 250 Herbicide is inactivated on contact with soil.

BEWARE: Apply this product carefully. Spray drift may cause serious damage to other desirable plants.

MIXING

Use clean water only as dirty water will adversely affect the action of the chemical. Partially fill the spray tank with water, add the desired quantity of Speedy 250 Herbicide, mix and top up with water to the required total volume. Speedy 250 Herbicide contains sufficient wetting agent for normal usage so the addition of further quantities is not normally necessary. Under dusty conditions or when treating plants with very waxy surfaces add a non-ionic wetting agent at label rates.

APPLICATION

Conventional spray equipment may be used for application. Thorough weed coverage is essential for satisfactory results. For boom spraying use at least 200 litres of water per hectare with higher volumes being necessary for dense or tall weed growth. To minimise spray drift onto crops low pressures should be used, i.e. 200 to 400 kPa. At the completion of spraying all application equipment should be thoroughly washed. Three changes of clean water are usually sufficient.

It is an offence for users of this product to cause residues exceeding the MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.

DIRECTION FOR USE

Rate of applications:

Dilution rates are based on thorough coverage being obtained.

Stage of Weed Growth	Boom and Band Spraying - Rate/ Treated ha	Gun Spraying - Rate/100 litres	Knapsack - Rate/10 litres	Boom Spraying - Water Rate/ha
Seedling weeds	1.9 to 2.8 litres	190 to 280 ml	19 to 28 ml	200 to 300 litres
Established annual and most seedling perennial weeds	2.8 to 3.7 litres	280 to 370 ml	28 to 37 ml	300 to 400 litres
Established annual and many established perennial weeds	3.7 to 5.5 litres	370 to 550 ml	37 to 55 ml	400 to 500 litres

USES

Situation	Critical comments
Before cultivation	For quick clean up of mixed weeds prior to cultivation. Apply at least 2 to 3 days before cultivation commences.
Before sowing or transplanting	Prepare the soil as long as possible before seeding or transplanting to permit maximum weed emergence. Apply Speedy 250 Herbicide immediately before seeding or transplanting.
Before crop emergence	To control weeds that have germinated ahead of the crop apply Speedy 250 Herbicide at least 2 to 3 days before the crop emerges.
Inter-row weeding in vegetable and fruit row crops	Can be carried out in any row crop provided the crop is shielded to prevent spray contact. Use low pressures to minimise crop spotting. The chemical will desiccate green plant tissue.
Orchards, Vineyards (eg Avocados, Citrus, Kiwifruit, Pipfruit, Stonefruit, Vineyards and other woody perennial fruit crops)	Speedy 250 Herbicide is recommended for weed control under and around fruit trees and vines once the bark has matured and become brown. On young plants damage can be avoided by using a shield to protect the bark and foliage from spray contact and using low pressure nozzles. Where residual weed control is required, in apples, stonefruit and vineyards, compatible soil residual herbicide may be tank mixed with Speedy 250 Herbicide in accordance with label directions.
Berryfruits, Brambles (eg Blackberries Blackcurrants, Blueberries, Boysenberries, Gooseberries, Loganberries and Raspberries)	Apply Speedy 250 Herbicide during the dormant period before bud movement. Apply to the base of bushes or canes as a low pressure directed spray.
Forest Nursery beds	For control of weeds in forest nursery beds, apply Speedy 250 Herbicide as indicated in “Before crop emergence” and “Inter-row weeding” above.
Headlands and around glasshouses, buildings, nursery frames, etc	For a quick clean up of nuisance weeds. A compatible oil residual herbicide may be added where longer term residual weed control is required.
Drains, drainbanks and waterways	Apply 750 ml of Speedy 250 Herbicide per 100 litres of water as a directed spray to weeds before expected water movement in spring and autumn.