

HARMFUL • ECOTOXIC

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

TIMBERWOLF

900 WG

HERBICIDE

ACTIVE INGREDIENT: 900g/kg TERBUTHYLAZINE in the form of a water dispersible granule.

A residual and knockdown herbicide for the control of grass and broadleaf weeds in
Forestry, established Lucerne, Maize, Sweetcorn, Orchards and Peas.

Registered pursuant of ACVM Act 1997, Approval No. P9036
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to HSNO Act 1996, Approval No. HSR100964
See www.epa.govt.nz for approval conditions

NET CONTENTS: 10KG

HSNO CLASSIFICATION: 6.1D, 6.3B, 9.1A, 9.2A, 9.3C

APPROVED HANDLER: This product must be under the control of an approved handler when it is applied in a wide dispersive manner or used by a commercial contractor.

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

TOXICITY

May be harmful if swallowed, inhaled or absorbed through the skin.

ECOTOXIC

Very toxic to aquatic organisms and soil organisms. Avoid contamination of any water supplier with product or empty container. Very toxic to the soil environment.

Selective Herbicide – very toxic to some plant species. Avoid use near desirable plants or in areas where their roots may extend.

Beware: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Do not allow spray drift to occur outside the treated property.

HANDLING PRECAUTIONS STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100 kg are subject to signage, and more than 100 kg require emergency response plans.

PERSONAL PROTECTION

Avoid contact with eyes and skin. Avoid inhalation of spray mist. When mixing or applying, wear overalls, boots, gloves and eye protection. Clean protective clothing daily after work. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill.

FIRST AID

If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

UN NO: 3077


ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S.

(Terbutylazine 90%)

PACKING GROUP III

HAZCHEM 2X

CLASS 9



Product of China



EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

Batch No.:

Date of Manufacture:

HARMFUL • ECOTOXIC
KEEP OUT OF REACH OF CHILDREN
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

TIMBERWOLF

900 WG

HERBICIDE

ACTIVE INGREDIENT: 900 g/kg TERBUTHYLAZINE in the form of a water dispersible granule.

A residual and knockdown herbicide for the control of grass and broadleaf weeds in Forestry, established Lucerne, Maize, Sweetcorn, Orchards and Peas.

Registered pursuant to ACVM Act 1997, Approval No. P9036
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996, Approval Code HSR100964
See www.epa.govt.nz for approval conditions



Kenso Corporation (M) Sdn Bhd
2 Bond Crescent, Forrest Hill,
Auckland 0620 NZ
Phone: (09) 410 0861



HSNO CLASSIFICATION: 6.1D, 6.3B, 9.1A, 9.2A, 9.3C

APPROVED HANDLER: This product must be under the control of an approved handler when it is applied in a wide dispersive manner or used by a commercial contractor.

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

TOXICITY

May be harmful if swallowed, inhaled or absorbed through the skin.

ECOTOXIC

Very toxic to aquatic organisms and soil organisms. Avoid contamination of any water supplier with product or empty container. Very toxic to the soil environment.

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

Batch No. :

Date of Manufacture :

* Not a trademark of Kenso Corporation (M) Sdn Bhd.

Registered pursuant to ACVM Act 1997, Approval No. P9036

See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996, Approval No. HSR100964

See www.epa.govt.nz for approval conditions

Selective Herbicide – very toxic to some plant species. Avoid use near desirable plants or in areas where their roots may extend.

Beware: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Do not allow spray drift to occur outside the treated property.

HANDLING PRECAUTIONS STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Storage must be in accordance with NZS 8409 Management of Agrichemicals.

Stores containing 100 kg are subject to signage, and more than 100 kg require emergency response plans.

PERSONAL PROTECTION

Avoid contact with eyes and skin. Avoid inhalation of spray mist. When mixing or applying, wear overalls, boots, gloves and eye protection. Clean protective clothing daily after work. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO: 3077



**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S.**

**(CONTAINS TERBUTHYLAZINE 90%)
PACKING GROUP III, HAZCHEM 2X
CLASS 9**

**In a transport emergency dial 111,
Police or Fire Service.
For specialist advice in emergency only,
call 0800 243 622 (24 hours)**

EQUIPMENT

Apply using accurately calibrated and well maintained equipment. Do not use strainers finer than 300 micrometres. Flush equipment thoroughly with clean water after use.

DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill.

FIRST AID

If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

SPILLAGE

Wear appropriate protective clothing and prevent material from entering waterways. Absorb spill with inert material such as soil, sand, etc, and place in a waste container. Wash area with water and detergent, and absorb with further inert material. Dispose of safely to a suitable landfill.

TRANSPORT

Do not carry more than 10 kg Timberwolf 900 WG Herbicide on a passenger service vehicle.

TRACKING/RECORD KEEPING

Record of use as described in NZS 8409 Management of Agrichemicals must be kept if 3kg or more of Timberwolf 900 WG Herbicide is used within 24 hours.

MIXING AND COMPATIBILITY

Timberwolf 900 WG Herbicide mixes readily with water. With the agitation system going, slowly add the required quantity to half-filled spray tank. Complete filling within water. Maintain agitation during filling and spraying and agitate thoroughly after a stoppage before recommencing spraying Timberwolf 900 WG Herbicide is compatible with most other commonly used herbicides. When using with liquid herbicides, add the Timberwolf 900 WG Herbicide first and ensure it is thoroughly mixed before adding the other herbicides.

DIRECTIONS FOR USE

Crop	Rate	Notes
Lucerne (Established)	830 g – 1.1 kg/ha in 200 – 300L water/ha	Stand must be at least 2 years old. Use in a mix with 2-3L of paraquat 20% a.i. Lucerne must be completely dormant and closely grazed. Apply in mid-winter preferably. Use the higher rate for clovers or where longer residual control is required. Do not exceed the higher rate as yield may be affected.
Orchards: -Pipfruit -Citrus -Grapes -Kiwifruit	3.3 – 4.4 kg/ha in 200-300L water/ha	Do not apply to trees / vines less than one year old or plants growing in light sandy loams. Pre-emergence: Apply in spring to weed-free soil. Post-emergence: To control established weeds tank mix with Max-Out 540 Herbicide.
Maize and Sweetcorn	1.7 – 2 kg/ha in 200 – 300L water/ha 1.7 kg/ha in 200 – 300L water/ha	Pre-emergence: Addition of a suitable grass weed =herbicide is needed to control grass weeds. Apply to a freshly worked seedbed after the crop has been sown but before the seedlings have emerged. Post-emergence: Apply to actively growing weeds no larger than 5cm high. Add a suitable non-ionic surfactant at recommended label rates. Note: Where weeds such as father are resistant to triazine herbicides an appropriate post-emergence herbicide such as Dicamba is required for control.
Peas	830 g – 1.1 kg/ha in 200 – 300L water/ha	Use the higher rate for dry conditions. Apply to a freshly worked seedbed after the crop has been sown but before seedlings have emerged. Do not use on light sandy soils or on soils which are low in organic matter.
Industrial Weed Control	8.3 – 11 kg/ha	For long term residual weed control in non-crop areas such as roadsides, footpaths, pipelines, industrial storage and waste sites and around farm buildings. Add Max-Out 540 Herbicide for deep-rooted perennial weeds.

GENERAL INFORMATION

Timberwolf 900 WG Herbicide controls a wide range of weeds including Barley Grass, Black Nightshade, Browntop, Catsear, Chickweed, Clovers, Cocksfoot, Dove's Foot, Fathen, Kentucky Bluegrass, Lotus, Nodding Thistle, Poa Spp., Redroot, Scotch Thistle, Seeding Gorse, Shepherd's Purse, Storksbill, Sweet Vernal, Willow Weed, Yorkshire Fog, plus many other annual grasses and broadleaf weeds it does not control deep rooted perennial grasses such as Paspalum, Kikuyu and India Doab.

Timberwolf 900 WG Herbicide is absorbed through the roots and leaves, with effects taking 1-3 weeks to become apparent. Rainfall within three hours of spraying will lessen the effect of post-emergence application. For both pre- and post-emergence treatments, rainfall or irrigation within one week of spraying is necessary for good residual control. For pre-emergence use Timberwolf 900 WG Herbicide should be applied to a clean soil surface with a firm fine tilth and good soil moisture.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.

WITHHOLDING PERIOD: Lucerne...28 days

FORESTRY - Radiata Pine, Douglas Fir and Eucalyptus species (E. delegatensis, fastigata and saligna)

Timberwolf 900 WG Herbicide may be applied either pre-planting or as a release treatment over newly planted bare rooted trees.

Best control will be obtained if treatments are applied to bare ground or when existing vegetation is less than 10cm high, before it undergoes rapid spring growth.

Note: Where grass weeds predominate, especially the more difficult to kill perennial grasses, it is recommended that Timberwolf 900 WG Herbicide be tank-mixed with an approved selective grasskiller such as Cletho 240.

Broadcast Treatment: Apply 8.3-11.0 kg Timberwolf 900 WG Herbicide in 150-300 litres water/ha (refer application table for more detail).

Spot Treatment: Carefully calibrate equipment to apply 0.83-1.1g Timberwolf 900 WG Herbicide per square metre in sufficient water for good coverage. Treat approximately two square metres around each tree (refer application table for suggested dilution rate).

Forestry Use:

Product	Rate		Notes
	Broadcast Treatment Rate/ha applied in 150 – 300L water/ha	Spot Treatment Rate/L applied at 20ml spray solution per sq. metre	
Timberwolf 900 WG Herbicide	8.3 – 11.0 kg	42 – 55 g	General broadleaf and grass weed control, where existing vegetation is below 10cm in height. Add a suitable non-ionic surfactant at recommended label rates.
Timberwolf 900 WG Herbicide +Cletho 240 + Bonza*	8.3 – 11.0 kg 1L 1L/100L water	42 – 55 g 3.5 ml 10 ml	For improved knockdown where grass weeds predominate and exceed 10cm in height
Note: Timberwolf 900 WG Herbicide – use the higher rate to control gorse seedlings.			