

# CAUTION

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

# TIMBERWOLF XTRA

HERBICIDE

**ACTIVE INGREDIENT: 435 g/litre TERBUTHYLAZINE and 65 g/litre HEXAZINONE  
in the form of a suspension concentrate.**

For selective control in forestry and non-selective weed control in industrial situation.

**NET CONTENTS: 1000L**

Approved pursuant to HSNO Act 1996, Approval No. HSR101107  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions

# TIMBERWOLF 500 SC HERBICIDE

**HSNO CLASSIFICATION: 6.1E, 6.1E, 6.4A, 9.1A, 9.2A, 9.3C**

**WARNING: TOXIC, ECOTOXIC**

May be harmful if swallowed. May cause serious eye irritation. Avoid contact with eyes. Avoid inhalation of spray mist. May cause organ damage from repeated oral exposure at high doses. Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container. Very toxic to the soil environment. Harmful to terrestrial vertebrates.

**HANDLING PRECAUTIONS**

**APPROVED HANDLER**

This product must be under the personal control of an approved handler when applied in a wide dispersive manner, used by a commercial contractor or applied directly onto or into water.

**STORAGE**

Store in the original, tightly closed container, in a cool, dry and well ventilated area, avoiding sunlight and temperature below -5oC and above 35oC. When stored appropriately this product should show no significant degradation for two years from the date of manufacture.

**PERSONAL PROTECTION**

When mixing or applying this product, overalls, boots, gloves and eye protection should be worn. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

**EQUIPMENT**

Apply with well-maintained and calibrated spray equipment.

**DISPOSAL**

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)). Otherwise, crush and bury in a suitable landfill. Dispose of product only by using according to the label, or at an appropriate landfill. Do not burn. Do not use container for any other purpose.

**ENVIRONMENTAL**

Use this product carefully. Do not contaminate aquatic environments with product, spray drift or empty container. Spray drift or equipment contamination may cause

serious damage to desirable plants. Do not allow spray drift outside the target area to occur.

**FIRST AID**

If swallowed do not induce vomiting. If splashed in eyes, wash out immediately with running water for several minutes. If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. Call the National Poisons Centre 0800 POISON (0800 764 766) (24 hrs) or a doctor immediately for advice.

**SAFETY DATA SHEET**

A Safety Data Sheet is available from the Kenso NZ website: [www.kenso.co.nz](http://www.kenso.co.nz)

**CONDITIONS OF SALE**

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



**EMERGENCY RESPONSE**  
Ring 0800 CHEMCALL, or  
0800 243 622 (24 hours)

Product of China



9 421028 660853



Batch No.:

Date of Manufacture:

UN NO: 3082  
ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID, N.O.S.  
(CONTAINS TERBUTHYLAZINE,  
HEXAZINONE)  
PACKING GROUP III, HAZCHEM 3Z  
CLASS 9



In a transport emergency dial 111, Police or Fire Service. For specialist advice in emergency only, call 0800 243 622 (24 hours)

# CAUTION

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

# TIMBERWOLF XTRA

## HERBICIDE

**ACTIVE INGREDIENT: 500 g/litre TERBUTHYLAZINE  
and 65 g/litre HEXAZINONE in the form of a  
suspension concentrate.**

For selective control in forestry and non-selective weed  
control in industrial situation.

Approved pursuant to HSNO Act 1996, Approval No.  
HSR101107

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions



**Kenson Corporation (M) Sdn Bhd**  
2, Bond Crescent, Forrest Hill,  
Auckland 0620 NZ  
Phone: (09) 410 0861



**HSNO CLASSIFICATION: 6.1E, 6.4A, 9.1A, 9.2A, 9.3C**

**WARNING: TOXIC, ECOTOXIC**

May be harmful if swallowed. May cause serious eye irritation.  
Avoid contact with eyes. Avoid inhalation of spray mist. May  
cause organ damage from repeated oral exposure at high  
doses. Very toxic to aquatic organisms. Avoid contamination of  
any water supply with product or empty container. Very toxic to  
the soil environment. Harmful to terrestrial vertebrates.

### HANDLING PRECAUTIONS

#### APPROVED HANDLER

This product must be under the personal control of an  
approved handler when apply in a wide dispersive manner,  
used by a commercial contractor or applied directly onto or into  
water.

### STORAGE

Store in the original, tightly closed container, in a cool, dry and  
well ventilated area, avoiding sunlight and temperature below  
-5oC and above 35oC. When stored appropriately this product  
should show no significant degradation for two years from the  
date of manufacture.

### PERSONAL PROTECTION

When mixing or applying this product, overalls, boots, gloves  
and eye protection should be worn. Do not eat, drink or smoke  
while using. Remove protective clothing and wash hands and  
face thoroughly before meals and after work.

### EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or  
0800 243 622 (24 hours)

**UN NO : 3082**



**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,  
LIQUID, N.O.S. (CONTAINS TERBUTHYLAZINE  
53.4%, HEXAZINONE 6.5%)**

**PACKING GROUP III, HAZCHEM 3Z  
CLASS 9**

**In a transport emergency dial 111,  
Police or Fire Service.**

**For specialist advice in emergency only,  
call 0800 243 622 (24 hours).**

### EQUIPMENT

Apply with well-maintained and calibrated spray equipment.

### DISPOSAL

Triple rinse empty container and add residue to spray tank.  
Recycle empty container through Agrecovery (0800 247 326,  
[www.agrecovery.co.nz](http://www.agrecovery.co.nz)). Otherwise, crush and bury in a suitable  
landfill. Dispose of product only by using according to the label, or  
at an appropriate landfill. Do not burn. Do not use container for  
any other purpose.

### ENVIRONMENTAL

Use this product carefully. Do not contaminate aquatic  
environments with product, spray drift or empty container. Spray  
drift or equipment contamination may cause serious damage to  
desirable plants. Do not allow spray drift outside the target area to  
occur.

### SPILLAGE

Exclude non-essential people from the area. Wear protective  
clothing and prevent material from entering waterways. Absorb  
spill with inert material such as soil, sand, etc, and place in a  
waste container. Wash area with water and detergent, and absorb  
with further inert material. Dispose of safely to an approved  
landfill.

### FIRST AID

If swallowed do not induce vomiting. If splashed in eyes, wash out  
immediately with running water for several minutes. If skin or hair  
contact occurs, remove contaminated clothing and wash with soap  
and running water. Call the National Poisons Centre 0800 POISON  
(0800 764 766) (24 hrs) or a doctor immediately for advice.

## SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: [www.kenso.co.nz](http://www.kenso.co.nz)

## GENERAL INFORMATION

Timberwolf Xtra is a selective herbicide for use in Radiata pine forestry. It can also be used for non-selective weed control in industrial situations. This product is absorbed mainly by the roots, although some foliar absorption does take place. This product works by inhibiting photosynthesis.

## MIXING

Invert container several times before opening. Stir well. Add the full quantity of product to the partly filled spray tank while agitating. Fill tank and agitate to ensure thorough mixing and continue agitation while spraying. Agitate vigorously from the bottom if allowed to stand.

## APPLICATION

Timberwolf Xtra may be applied through all conventional spray equipment. Do not use strainers finer than 300 micrometres.

## SPRAY DRIFT WARNING

Beware: Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Ensure compliance with relevant regional air management plans.

## AERIAL APPLICATION

To minimise the risk of damage from spray drift, especially where susceptible vegetation in within 500 metres, use low drift-nozzles which minimise the product of small droplets (<100 microns). Preferable to spray in a light constant breeze that is away from sensitive crops.

## WITHHOLDING PERIOD

Not applicable.

## DIRECTIONS FOR USE

### WEED CONTROLLED

Timberwolf Xtra controls a wide range of weeds including barley grass, black nightshade, brown top, catsear, chickweed, clovers, cocksfoot, doves foot, fathen, fireweed, Kentucky bluegrass, nodding thistle, poa species, ratstail, redroot, ryegrass species, Scotch thistle, seedling gorse, seedling pampas, shepherds purse, storksbill, sweet vernal, tall fescue, willow weed, Yorkshire fog, seedling broom, plus annual grasses and broadleaf weeds. For pre-plant spraying Ken-Up Aquatic 360 may be added to the spray mix at the label rates.

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residues Limits) of Agricultural Compounds) Food Standards.**

| CROPS                                                                                            | APPLICATION | RATE                                   | CRITICAL COMMENTS                                                                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------|-------------|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Forestry</b><br>Radiata Pine                                                                  | Broadcast   | 15-20 L/ha in<br>150-300 L of<br>water | Apply prior to spring growth. Use the higher rate where longer residual activity is required. For the control of paspalum, kikuyu and other perennial grasses, the addition of an approved selective grass killer at label rates is recommended.        |
|                                                                                                  | Spot        | 2.0ml per<br>square<br>metre           | Apply with sufficient water to obtain good coverage. For spot spraying the normal water rate is 15-20ml per square metre of area.                                                                                                                       |
| <b>Non Cropland<br/>areas</b><br>Industrial areas,<br>roadsides<br>footpaths,<br>fencelines, etc | Broadcast   | 15-22L/ha in<br>200-300L of<br>water   | Apply sufficient spray to evenly cover the vegetation. Use the lower rate on light soils and the higher rate on soils with a high clay content and where long term weed control is desired. Where paspalum is present, add Ken-Up Aquatic 360 at 5L/ha. |
|                                                                                                  | Handgun     | 2.0L in 100L<br>of water               | Apply to obtain good even coverage of the vegetation ensuring that the application rate equates to around 1000L of spray mix per ha. Apply in spring and autumn prior to major growth periods.                                                          |

## CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

Batch No. :

Date of Manufacture :

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

Approved pursuant to HSNO Act 1996, Approval No. HSR100978

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions