

ECOTOXIC

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

STRIBOR 500 WG

FUNGICIDE

ACTIVE INGREDIENT: 500 g/kg TRIFLOXYSTROBIN in the form
of a water dispersible granule

GROUP **11** FUNGICIDE

A Strobilurin fungicide for the control of black spot and powdery mildew in apples, black spot in pears, powdery mildew in winter squash and pumpkins, Sclerotinia in kiwifruit, brown rot in stone fruit (except cherries) and scab in citrus.



Registered pursuant of ACVM Act 1997, No. P009978

See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSN0 Act 1996, Approval No. HSR000642

See www.epa.govt.nz for approval conditions

NET CONTENTS: 1KG

Registrant:

Kenso Corporation (M) Sdn Bhd

Lot 29, Jalan Sungai Pinang 5/4, Taman Perindustrian
Pulau Indah, 42920 Pelabuhan Klang, Selangor, Malaysia.

NZ Agent:

Kenso NZ Limited

2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand.
Ph: 0800 536 766

STRIBOR 500 WG FUNGICIDE

HAZARD CLASSIFICATION

Skin sensitisation, Category 1; Specific target organ toxicity (repeated exposure), Category 2, Hazardous to the aquatic environment, acute, Category 1.

PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

WARNING

May cause sensitisation from prolonged skin contact.
May cause organ damage from repeated oral exposure at high doses.

ECOTOXIC

Very toxic to aquatic life with long lasting effects. Do not apply into or onto water. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

PRECAUTIONS

PERSONAL PROTECTION

KEEP OUT OF REACH OF CHILDREN. Do not eat, drink or smoke while using. Avoid skin and eye contact. Avoid breathing dust or spray mist. When handling, wear cotton overalls buttoned to the neck and wrist, a washable hat, suitable gloves and goggles or a face shield. Remove protective clothing and wash hands and face thoroughly with soap and water before meals and after work. Wash protective clothing immediately after use. Store work clothing separately.

STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Avoid storage at temperature above 35 °C. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing more than 100 kg require emergency response plans and secondary containment and are subject to signage. Otherwise, crush and bury in a suitable landfill. Do NOT use the container for any other purpose. Avoid contamination of any water supply with chemical or empty container.

FIRST AID

If swallowed do NOT induce vomiting. Rinse mouth. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If splashed in eyes, wash out immediately with running water for several minutes. If eye irritation persists, get medical advice. If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. If irritation or rash persists, get medical advice. If inhaled, immediately move to fresh air and rest. Maintain half upright position if breathing is difficult.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website:
www.kenso.co.nz

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

PRODUCT OF CHINA



Batch No.:

Date of Manufacture:

UN NO: 3077

ENVIRONMENTALLY
HAZARDOUS SUBSTANCE,
SOLID, N.O.S. (CONTAINS
TRIFLOXYSTROBIN)
PACKING GROUP III,
HAZCHEM 2Z, CLASS 9



In a transport emergency dial 111,
Police or Fire Service.

For specialist advice in emergency
only, call 0800 243 622 (24 hours)

ECOTOXIC
KEEP OUT OF REACH OF CHILDREN
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

STRIBOR 500 WG

FUNGICIDE

ACTIVE INGREDIENT: 500 g/Kg of TRIFLOXYSTROBIN in the form of a water dispersible granule

GROUP **11** FUNGICIDE

A Strobilurin fungicide for the control of black spot and powdery mildew in apples, black spot in pears, powdery mildew in winter squash and pumpkins, Sclerotinia in kiwifruit, brown rot in stone fruit (except cherries) and scab in citrus.

Registered pursuant to ACVM Act 1997, No. P009978
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996, Approval Code HSR000642
See www.epa.govt.nz for approval conditions



Kenso Corporation (M) Sdn Bhd
2 Bond Crescent, Forrest Hill,
Auckland 0620 NZ
Phone: 0800 536 766



HAZARD CLASSIFICATION

Skin sensitisation, Category 1; Specific target organ toxicity (repeated exposure), Category 2, Hazardous to the aquatic environment, acute, Category 1.

PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

WARNING

May cause sensitisation from prolonged skin contact.
May cause organ damage from repeated oral exposure at high doses.

ECOTOXIC

Very toxic to aquatic life with long lasting effects. Do not apply into or onto water. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

PRECAUTIONS

PERSONAL PROTECTION

KEEP OUT OF REACH OF CHILDREN. Do not eat, drink or smoke while using.

Avoid skin and eye contact. Avoid breathing dust or spray mist. When handling, wear chemical resistant: coveralls, gloves, boots and goggles or a face shield. Remove protective clothing and wash hands and face

EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO: 3077



**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S.**

**(CONTAINS TRIFLOXYSTROBIN)
PACKING GROUP III, HAZCHEM 2Z
In a transport emergency dial 111,
Police or Fire Service.**

**For specialist advice in emergency only,
call 0800 243 622 (24 hours)**

thoroughly with soap and water before meals and after work. Wash protective clothing immediately after use. Store work clothing separately.

TRANSPORT

Do not carry this product on passenger service vehicles.

RECORD KEEPING

Records of use as described in the New Zealand Standard 8409 Management of Agrichemicals, must be kept if 3 kg or more of Stribor 500 is applied in a place where it is likely to enter air or water and leave the place.

MIXING

Stribor 500 mixes readily with water. Add the required amount of Stribor 500 to the spray tank filled to one-sixth of its capacity. Under agitation add the remainder of the water and ensure complete mixing before spraying. Continue agitation during spraying and after a stoppage before recommencing spraying.

COMPATIBILITY

Stribor 500 is compatible with most of the commonly used insecticides and fungicides. DO NOT add other products to Stribor 500 when used over the flowering - early fruit set period.

PRODUCT INFORMATION:

Stribor 500 is a mesostemic strobilurin fungicide with preventative properties for the control of black spot and powdery mildew in apples, black spot in pears, powdery mildew in winter squash and pumpkins, Sclerotinia in kiwifruit, brown rot in stone fruit (except cherries) and scab in citrus.

Stribor 500 is a synthetic analogue of a naturally occurring fungicide produced by a wood decaying fungi. Stribor 500 is compatible with IMC programmes based on *Typhlodromus pyri*.

It is an offence to use this product on animals.

DIRECTIONS FOR USE

The rates suggested are for high volume spraying of a dilute spray without excessive run-off. For concentrate spraying adjust dilution rate accordingly. Do not add wetting agents to Stribor 500.

Crop	Disease	Rate / Remarks
Apples	Black Spot, Powdery mildew	Apply 10g/100 litres (17.5ml measure) of water. DO NOT add other products (including wetting agents) when used over the flowering - early fruit set period.
Pears	Black spot	Apply as for apples.

Timing: For apples and pears apply Stribor 500 as a preventative application at 7-9 day intervals during the period covering flowering to the end of extension growth.

The 7 day interval is recommended when conditions are conducive to severe Black Spot infection and during periods of rapid tree growth. If the interval exceeds 9 days and there has been a recent infection period, the addition of a DMI black spot fungicide product is required, used according to label recommendations. If a protectant fungicide follows a Stribor 500 application, it should be applied no later than 7 days after the last Stribor 500 spray.

For Resistance Management apply Stribor 500 in a maximum of two consecutive applications but do not exceed four total applications per season.

Crop	Disease	Rate / Remarks
Winter squash, Pumpkins	Powdery mildew	Apply 125g/ha (220ml measure) in sufficient water to obtain uniform coverage. Apply no more than 2 applications, 14 days apart.
Kiwifruit	Sclerotinia	Apply 15g/100 litres (26.25ml measure) of water (minimum 300g/ha) during flowering.
Stonefruit (except cherries)	Brown rot	Apply 12.5g/100 litres (22ml measure) (minimum 250g/ha) in a regular blossom programme from pink to petal fall inclusive. Thereafter apply alternative non-Qol fungicides through until harvest. For resistance management apply no more than 3 applications per season.
Citrus	Scab	Apply 10g/100 litres (17.5ml measure) as a full cover spray to the point of run-off. Make 2 applications, the first application at flowering/fruit set and the second up to 1 month after fruit set.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD

Apples, pears:	70 days
Winter squash, pumpkins:	14 days
Kiwifruit:	Do NOT apply after flowering
Stone fruit (except cherries):	Do NOT apply after petal fall
Citrus (multi flowering):	28 days
Citrus (Clementine/ Satsuma mandarins):	120 days

RESISTANCE MANAGEMENT

GROUP 11 FUNGICIDE

Stribor 500 is a GROUP 11 fungicide. Resistance to this fungicide and related Qol products could develop in some disease situations from repeated use. To minimise this risk, use strictly in accordance with the label instructions. In winter squash pumpkins and citrus apply no more than two applications of Stribor 500 or other Qol fungicides per season. Follow individual crop resistance management strategies or refer to the NZPPS website at www.resistance.nzpps.org for alternate modes of action and the details of resistance management strategies (if any) for the crops listed on the label.

STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Avoid storage at temperature above 35 oC. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing more than 100 kg require emergency response plans and secondary containment and are subject to signage.

DISPOSAL

Dispose of this product only by using to the label or at an approved landfill. Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Recycle empty container. Otherwise, submit container to a local authority waste receipt facility. Do NOT use the container for any other purpose. Avoid contamination of any water supply with chemical or empty container.

FIRST AID

If swallowed do NOT induce vomiting. Rinse mouth. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

If splashed in eyes, wash out immediately with running water for several minutes. If eye irritation persists, get medical advice. If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. If irritation or rash persists, get medical advice. If inhaled, immediately move to fresh air and rest. Maintain half upright position if breathing is difficult.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website www.kenso.co.nz

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

Registered pursuant to ACVM Act 1997, No. P009978
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to HSNO Act 1996, Approval No.: HSR000642
See www.epa.govt.nz for approval conditions

Batch No. :

Date of Manufacture :