

Product Safety Card



EMERGENCY INFORMATION AND STORAGE GUIDE / DANGEROUS GOODS DECLARATION

SPEEDY 250 Herbicide

Substance: Dark green/blue liquid (soluble concentrate) containing 135g/L paraquat dichloride (CAS No. 1910-42-5) and 115g/L diquat dibromide (CAS No. 85-00-7)

Proper shipping name: BIPYRIDILUM PESTICIDE, LIQUID, TOXIC, N.O.S. (CONTAINS PARAQUAT, DIQUAT)

UN No.: 3016	DG Class: 6	Subsidiary Risk Class: NA	Packing Group: III	Flash Point (°C): NA	HAZCHEM: 2X	Marine Pollutant: Yes	Maximum Transport Quantity: 250L
Hazard Classifications: [EPA Approval Code: HSR000447] Acute Tox. 1 (Inhalation), Acute Tox. 2 (oral), Acute Tox. 2 (dermal), Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT Rep. Exp. 1, Aquatic Acute 1, Aquatic Chronic 1, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates					Tracking Required: Yes	Certified Handler: All stages	IER Guide: 34

EMERGENCY PROCEDURES

24 HOUR ADVICE IN AN EMERGENCY ONLY: 0800 243 622

IF THIS HAPPENS	DO THIS
Tanker/Vehicle Accident	Switch off engine and electrical equipment. Keep people away, warn other traffic. Check for spills, leaks. Call the emergency services: Dial 111
Spill or leak	Do NOT touch or walk through spilled material. Wear chemical resistant Coveralls, chemical resistant gloves, respiratory protection (organic vapor minimum specification) facemask or goggles. Stop leak when safe to do so. Prevent entry into waterways, drains, or confined areas. Absorb spilled product and place in sealable container for disposal. Wash down affected area with water plus detergent. Absorb and collect washings and place in the same sealable, labelled container for disposal. Seek advice from the local authority regarding disposal.
Fire	Call the Fire Service: Dial 111. Wear chemical resistant protective clothing and breathing apparatus. Extinguish fires with water fog, foam, dry chemical or carbon dioxide. During a fire, toxic fumes may be released. Cool sealed drums with water to prevent rupture due to thermal expansion. Contain run-off. Keep non-involved persons away. I During a fire, combustion products are toxic and or irritant. DO NOT use direct jet of water. Cool sealed drums with water to prevent rupture due to thermal expansion. Contain run-off. Keep non-involved persons away.

FIRST AID

If Swallowed:	Rush the patient to the Accident and Emergency Department of the nearest hospital after alerting them by telephone of the estimated arrival time so that treatment is not delayed. Do NOT induce vomiting. Do NOT delay the start of treatment. Take off all contaminated clothing immediately. Begin artificial respiration if the patient is not breathing. Use the mouth to nose rather than mouth to mouth technique. For advice, contact the National Poisons Centre on 2800 POISON (0800 764 766) or an emergency trauma doctor immediately.
If in Eyes:	Immediately irrigate with copious quantities of water for at least 20 minutes. Eyelids to be held open. Urgently seek medical assistance. Arrange transport to nearest hospital or medical emergency center.
If on Skin:	Immediately take off all contaminated clothing. Thoroughly wash skin immediately with copious amounts of water followed by soap and water. If swelling, redness, blistering or irritation occurs seek immediate medical attention. Contaminated clothing should be disposed of or thoroughly laundered before reuse.
If Inhaled:	Remove victim from exposure. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Begin artificial respiration if the patient is not breathing. Use the mouth to nose rather than mouth to mouth technique. Obtain immediate medication attention.

STORAGE AND SEGREGATION SUMMARY

Storage: Keep out of reach of children. Store in locked, secure facility in the original container in a secure, cool, dry, ventilated place away from direct heat or direct sunlight. Store away from foodstuffs, medicines, remedies, seeds, fertilisers, and ensure uncontrolled access to people and/or animals. Keep container sealed when not in use.

Aggregate Storage Volume Thresholds: When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Emergency Management Regulations.

Location Certificate:	Hazardous Atmosphere Zone:	Number of Fire Extinguishers:	Hazard Class & Emergency Action Signage:	Emergency Information:	Emergency Plan:	Secondary Containment:
NA	NA	NA	≥50L	Any quantity	>100L	≥100L

DO NOT Store or Load With: HSNO Classes 1 Explosives, 5 Oxidisers, animal & human medicines/remedies, foodstuffs, food packaging.

Segregate from: DG Class: 1, 5, animal & human medicines/remedies, foodstuffs, food packaging.

Segregation: Check the latest NZS5433: 2020 Transport of Dangerous Goods on Land and the Land Transport Rule: Dangerous Goods 2005 for additional information. Sea transport may require additional segregation.

No & Kind of Packages:	Gross Wgt: kg	Volume: m3
Consignor:	Consignee:	
Dangerous Goods Declaration: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name and are classified, packaged, marked and labelled, and are in all respects in proper condition for transport according to the applicable international and national rules, regulations and legislation.	Name:	Date:
	Title:	
	Signature:	

DISCLAIMER: The information provided above is based upon sources believed to be accurate. However, Kenso assumes no responsibility for the accuracy, completeness Or suitability of this information. The consignor and consignee are responsible to determine the suitability of this information for their particular purposes.

Issued/revised: 13/01/23