


SECTION 1 – IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

Product Name	Pasture Star Herbicide
Company Name	Kenso Corporation (M) Sdn Bhd
Address	2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand
Telephone	(0800 536 766)
Hazardous Substances	
Emergency Telephone	0800 CHEMCALL (0800 243 622) (24 hours)
National Poisons Centre	0800 POISON (0800 764 766) (24 hours)
Use	For the control of broadleaf weeds in young and established pastures, cereals, peas and in white clover and grass seed crops.

SECTION 2 – HAZARDS IDENTIFICATION

Hazard Pictograms		
GHS Signal Word	WARNING	
Hazard Classification	Hazard Statement	
Acute Tox. 4 (oral)	H302: Harmful if swallowed.	
Eye Irrit. 2	H319: Cause serious eye irritation.	
Repr. 2	H361: Suspected of damaging fertility or the unborn child.	
STOT Rep. Exp. 2	H373: May cause damage to organs through prolonged or repeated exposure.	
Aquatic Acute 1	H400: Very toxic to aquatic life.	
Aquatic Chronic 1	H410: Very toxic to aquatic life with long lasting effects.	
Prevention	P201: Obtain special instruction before use. P202: Do not handle until all safety precautions have been read and understood. P260: Do not breathe dust/fume/gas/mist/vapours/spray. P264: Wash contacted area thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection.	
Response	P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313: If exposed or concerned: Get medical advice/attention. P310: Immediately call a POISON CENTER or doctor/physician. P330: Rinse mouth. P391: Collect spillage.	
Storage	P405: Store locked up.	
Disposal	P501: Dispose of contents/container as specified on the registered label.	

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS No	Proportion
MCPB (as sodium salt)	94-81-5	37.5% w/v
MCPA (as sodium salt)	94-74-6	2.5% w/v
Inert ingredients	secret	To 100% w/v

SECTION 4 – FIRST AID MEASURES

Ingestion	If swallowed, DO NOT induce vomiting. Seek medical advice or contact Poisons Information Centre (Ph 0800 POISON – 0800 764 766)
Eye	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open.
Skin	Remove contaminated clothing. Wash affected areas or skin thoroughly with soap and water. Seek medical advice if irritation develops.
Inhalation	Remove to fresh air until recovered. If symptoms persist, seek medical advice.
Advice to Doctor	Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Fire/Explosion Hazard	May produce irritating vapours under fire conditions. Combustible liquid. Breathable air apparatus may be required in confined spaces.
HAZCHEM Code	2X
IER Guide No	47
Extinguishing Media	Extinguish fire with foam, dry powder, carbon dioxide or water spray.
Fire Fighting Instructions	Evacuate personnel to a safe area. Always wear positive-pressure self-contained breathing apparatus and full protective clothing. Do not allow water from fire-fighting to enter water supplies or drainage systems.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions	For appropriate personal protective equipment (PPE), refer to section 8.
Spillage	Contain spill and absorb with non-organic absorbent materials such as sand, zeolite clay or proprietary absorbent (vermiculite). Prevent from entering drains, waterways or sewers. Collect contaminated absorbents in sealed open top containers for disposal. Wash area with detergent and water and absorb washings with further inert material. Dispose of recovered material through a designated hazardous substances disposal facility or contact the local regional/district council for disposal information.
Environmental Precautions	Concentrate, solutions and washings must be prevented from entering surface water drains, storm water drains or waterways.

SECTION 7 – HANDLING AND STORAGE

Storage	Keep out of reach of children. Store under lock and key, in original container, tightly closed, away from human and animal foodstuffs, medicines and remedies, seeds and fertilisers. Segregate from incompatible hazardous substances (Classes 1, 4 & 5). Store in a cool, dry, well ventilated place and protect from sunlight.
Handling	Avoid contact with skin and eyes and inhalation of concentrate or spray mist. When using, do not eat, drink or smoke. Wash face and hands before eating, drinking or smoking.
Handler Competence	Persons responsible for the storage, handling, mixing, applying or disposing of this product must be trained, experienced or supervised in accordance with requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.
Additional Requirements	All aspects of storage, handling, use, disposal and record keeping must be in accordance with NZS 8409:2021 'Management of Agrichemicals', and relevant local and regional council plans.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls	Handle in well ventilated areas only. Product is used outdoors. Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. If airborne mists or vapours are generated, use respiratory protection to a minimum of Organic Vapour cartridge type and/or local exhaust ventilation controls. Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit. Follow precaution statements on the label and the use and safety directions in Code of Practice for the Management of Agrichemical NZS8409.
Personal Protection	Use only protective equipment bearing the mark of the Standards Association of Australia/ New Zealand. In case of exposure, when mixing, applying or when likely to have any exposure to concentrate, mixes or mists/vapours suitable chemical resistant clothing must be worn including; coveralls, face shield, respiratory protection (organic vapour minimum specification) gauntlet gloves and boots/footwear.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form	Soluble liquid
Colour	Clear brown colour
Odour	Slight ammoniacal odour
pH	10-12
Specific gravity	1.14
Melting point (°C)	NA
Flammability Limits	Non combustible
Miscibility	Soluble
Oxidising properties	Not oxidising
Explosive properties	Not explosive

SECTION 10 – STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Incompatibility	Incompatible with strong acids and bases, oxidizing agents.
Hazardous Reactions	No

SECTION 11 – TOXICOLOGICAL INFORMATION

This section describes effects which could occur if this product is not handled in accordance with this data sheet.

Toxicology Information	No specific toxicological data is available for this product. Data below Information is for the similar composition.
Acute Toxicity	Acute Oral, LD ₅₀ (rat) > 300 mg/kg Acute Dermal, LD ₅₀ (rabbit) > 5000 mg/kg Inhalation, LC ₅₀ (rat) (4hrs) > 5 mg/l
Eye Irritating	Irritant
Skin Irritation	None
Sensitisation Effects	Not a sensitizer
Carcinogenic Effects	None
Tetratogenic (Birth) Effects	None
Reproductive Effects	Extended animal feeding studies on MCPB have found changes such as decreased testes size and spermatogenic activity, tubular atrophy, and prostrate atrophy
Specific Organ Toxicity	Extended animal feeding studies on MCPA and MCPB have found effects on liver, kidney and alimentary system
Mutagenic Effects	None
Systemic Effects	None

SECTION 12 – ECOTOXICITY INFORMATION

This section describes effects which could occur if this material is not handled in accordance with this data sheet.

The following information is presented in respect of the active ingredients:

Ecotoxic Effects	MCPB Acute Oral LD ₅₀ (Bobwhite quail) 282 mg/kg LC ₅₀ (96hr) (Rainbow trout) 4.3 mg/l EC ₅₀ (48hr) (Daphnia) 55 mg/l EC ₅₀ (120hr) (Algae) 0.42 mg/l Non toxic to bees MCPA Acute Oral LD ₅₀ (Bobwhite quail) 377 mg/kg LC ₅₀ (96hr) (Rainbow trout) 232 mg/l EC ₅₀ (120hr) (Algae) >392 mg/l Non toxic to bees
Persistent/ degradability	Biodegradable. DT ₅₀ (soil) for MCPB 7 days Biodegradable: DT ₅₀ (soil) for MCPA 24 days
Bioaccumulative Potential	Octanol water partition coefficient: LogP = 1.32 (low) for MCPB LogP = -0.81 (low) for MCPA
Soil Mobility	Soil organic carbon water partitioning coefficient:

SAFETY DATA SHEET



Environmental Exposure Limit	No data available for MCPB No data available for MCPA None established
-------------------------------------	--

SECTION 13 – DISPOSAL CONSIDERATIONS

Product	Dispose of this product only by using according to the label, or at an approved hazardous substance waste receival facility or other approved waste transfer station/facility.
Container	Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, submit to local authority refuse receival facility. Do not burn. DO NOT reuse this container for any other purpose.

SECTION 14 – TRANSPORT INFORMATION

Dangerous Goods	
UN Number	3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains MCPB and MCPA)
Class	9
Subsidiary Class	None
Packaging Group	III
Additional Information	MARINE POLLUTANT
MTQ (Non-Commercial)	250 L

SECTION 15 – REGULATORY INFORMATION

HSNO Approval No	HSR000726
ACVM Approval No	P10148

SECTION 16 – OTHER INFORMATION

This SDS contains only safety-related information. For other data see product literature.	
Contact Points	
Police, Ambulance and Fire Service	111
National Poisons Information Centre	0800 POISON (0800 764 766)
Hazardous Substances Emergency	0800 Chemcall (0800 243 622)