Safety data sheet



SECTION 1 - IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

Avior 250 SC Fungicide **Product Name Company Name** Kenso Corporation (M) Sdn Bhd

Address 2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand

Telephone 0800 536 766

Hazardous Substances

Emergency Telephone National Poisons Centre

0800 CHEMCALL (0800 243 622) (24 hours) 0800 POISON (0800 764 766) (24 hours)

Use For the control of a wide range of diseases in Wheat, Barley, Potatoes,

Ryegrass seed crops, Sweetcorn and Maize

SECTION 2 – HAZARDS IDENTIFICATION

Hazard Pictograms









GHS Signal Word

DANGER

Hazard Classification Acute oral toxicity Category 4, Acute inhalation toxicity Category 4, Serious

eye damage Category 1, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment chronic Category 2

H302: Harmful if swallowed. **Hazard Statement**

H332: Harmful if inhaled.

H318: Cause serious eye damage.

H373: May cause damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

Prevention P260: Do not breathe dust/fume/gas/mist/ vapours/spray.

P261: Avoid breathing dust/fume/gas/mist/ vapours/spray. P264: Wash contacted area thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician Response

if you feel unwell.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician. P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P330: Rinse mouth. P391: Collect spillage.

Disposal P501: Dispose of contents/container as specified on the registered label.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients CAS No **Proportion** Azoxystrobin 131860-33-8 25% w/v Inert ingredients secret To 100% w/v

SECTION 4 - FIRST AID MEASURES

Ingestion If swallowed DO NOT induce vomiting.

If concentrate or spray solution enters the eyes wash it out immediately with Eye

water. Remove contact lenses.

Skin If skin contact occurs remove contaminated clothing and wash affected areas

thoroughly with running water.

Inhalation If inhaled move the victim to fresh air immediately.

Advice to Doctor Treat symptomatically.

Issued on 30 August 2024 Page 1

SAFETY DATA SHEET



SECTION 5 – FIRE FIGHTING MEASURES

Fire/Explosion Hazard Non flammable.

HAZCHEM Code 2X IER Guide No 47

Extinguishing MediaWater spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Fire Fighting Instructions During a fire, toxic fumes may be emitted. Wear self-contained breathing

apparatus. Contain runoff.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions Wear suitable protective clothing including chemical resistant; coveralls, face

shield gloves and boots.

Spillage Prevent the product or spilled material from entering water bodies. Absorb

liquid spills with inert material such as earth or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of recovered product and contaminated material in an approved hazardous substances waste management facility or local authority transfer

facility capable of hazardous waste disposal.

Environmental Washings must be prevented from entering surface water drains or

Precautions waterways.

SECTION 7 – HANDLING AND STORAGE

Storage Keep out of reach of children. Store in original container, tightly closed, away

from animal and human foodstuffs, food packaging, seeds and fertilisers. Store in, a cool, dry, well ventilated place and protect from sunlight. Avoid

temperatures below -5°C or above 35°C.

Handling Avoid contact with skin and eyes and inhalation of concentrate or spray mist.

When using, do not eat, drink or smoke. Wash face and hands before eating,

drinking or smoking.

Handler Competence Persons responsible for the storage, handling, mixing, applying or disposing of

this product must be either a Certified Handler, or be trained, experienced or supervised in accordance with the requirements of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 & 4.6 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4

Subpart C.

Record Keeping Not required.

Additional Requirements All aspects of storage, handling, use, disposal and record keeping must be in

accordance with NZS 8409:2021 'Management of Agrichemicals', and relevant

local and regional council plans.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Workplace Exposure Azoxystrobin

Standards 8 h TWA: 2 mg/m³ (Source: Syngenta)

(Source: Syngenta Propane-1,2-diol

8 h TWA: 10 mg/m³ (Particulates)

8 h TWA: 470 mg/m³ (Total [vapour & particulates])

(Source: UK HSE)

Engineering Controls No special requirements. Product is used outdoors. Containment and/or

segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. If airborne mists or vapours are generated, use local exhaust ventilation controls. Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit. Follow precaution statements on the label and the use and safety directions in Code

of Practice for the Management of agrichemical NZS8409.

Personal Protection Use only protective equipment bearing the mark of the Standards Association

of Australia/ New Zealand. In case of actual or potential exposure while mixing, applying or handling the product, wear chemical resistant: coveralls, gloves, footwear and respiratory protection (at least to organic vapour

specification) and eye/ face protection (goggles/ face mask).

SAFETY DATA SHEET



SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form Liquid

Colour Off-white to beige Odour Non specific

5-8 Hq NA Flash point (°C)

Non flammable Flammability Limits

Density (at 20°C) 1.090 Miscibility Miscible **Oxidising properties** Not oxidisina **Explosive properties** Not explosive

SECTION 10 – STABILITY AND REACTIVITY

Stability Stable under normal conditions

Incompatibility None known

Decomposition Combustion or thermal decomposition will evolve toxic and irritant vapours. Products arising from combustion or thermal decomposition may be toxic, **Dangerous Reactions**

corrosive or flammable.

SECTION 11 – TOXICOLOGICAL INFORMATION

This section describes effects which could occur if this product is not handled in accordance with this data sheet.

Ingestion Not known – no cases of human poisoning known

Eye Irritant Skin Not irritant

Inhalation Not known – no cases of human poisoning known

Acute Toxicity (Active Acute Oral LD50 (rats): >2000 mg/kg

Ingredient) Acute Dermal LD₅₀ (rats): >2000 mg/kg Acute Inhalation LC₅₀ (rats) (4hr): >6.32 mg/l

Sensitisation Effects Not a sensitizer

Mutagenic Effects None **Carcinogenic Effects** None Reproductive Effects None **Teratogenic (Birth)** None

Effects

Systemic Effects None

SECTION 12 – ECOTOXICITY INFORMATION

This section describes effects which could occur if this material is not handled in accordance with this data

The following information is presented in respect of the active ingredient:

Ecotoxic Effects Acute toxicity to Birds

LD₅₀ (mallard ducks and bobwhite quail) = >2000mg/kg

Acute toxicity to Fish

 LC_{50} (96 h) (rainbow trout) = 1.2mg/L

 LC_{50} (96 h) (carp) = 2.8mg/L

Growth Inhibition, Algae EC_{50} (72 h) = 2.2mg/L

Toxicity to aquatic Invertebrates

 LC_{50} (48 h) (daphnia magna) = 0.83 mg/L

Toxicity to soil dwelling organisms

 LC_{50} (14 days) (earthworms) = 283 mg/kg

Toxicity to honey bees

LD₅₀ (14 days) >283ug/bee

Environmental Fate Azoxystrobin has medium bioaccumulation potential.

 DT_{50} (water) = >12 days; DT_{50} (soil) = 59.5 days.

Partition Co-Efficient $Log P = 2.5 (20^{\circ}C).$

(Kow) **Environmental Exposure** None established.

Issued on 30 August 2024 Page 3





Limit

SECTION 13 – DISPOSAL CONSIDERATIONS

Product Dispose of this product only by using according to the label, or at an approved

hazardous substances waste management facility or other approved facility.

Container Ensure the container is empty. Triple rinse empty container and add rinsate to

the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise submit to any local authority waste Transfer Station or Hazardous Substance waste receival facility. DO NOT

reuse this container for any other purpose.

SECTION 14 – TRANSPORT INFORMATION

Dangerous Goods

UN Number 3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS AZOXYSTROBIN)

Class 9
Subsidiary Class None
Packaging Group

Additional Information MARINE POLLUTANT

MTQ (Non-Commercial) 250 L

SECTION 15 - REGULATORY INFORMATION

HSNO Approval No HSR100907 ACVM Approval No P008909

SECTION 16 – OTHER INFORMATION

This SDS contains only safety-related information. For other data see product literature.

Contact Points

Police, Ambulance and Fire Service 111

National Poisons Information Centre 0800 POISON (0800 764 766)
Hazardous Substances Emergency 0800 Chemcall (0800 243 622)

Issued on 30 August 2024