


SECTION 1 – IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

Product Name	Avior 800 WG Fungicide
Company Name	Kenso Corporation (M) Sdn Bhd
Address	2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand
Telephone	0800 536 766
Hazardous Substances	
Emergency Telephone	0800 CHEMCALL (0800 243 622) (24 hours)
National Poisons Centre	0800 POISON (0800 764 766) (24 hours)
Use	For the control of a wide range of diseases in wheat, barley, sweetcorn, maize, grapes, field tomatoes, onions, peas, turf, potatoes and ryegrass seed crops.

SECTION 2 – HAZARDS IDENTIFICATION

Hazard Pictograms		
GHS Signal Word	DANGER	
Hazard Classification	Acute inhalation toxicity Category 3, Skin irritation Category 2, Eye irritation Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to soil organisms, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1	
Hazard Statement	<p>H331: Toxic if inhaled.</p> <p>H315: Causes skin irritation.</p> <p>H319: Causes serious eye irritation.</p> <p>H373: May cause damage to organs through prolonged or repeated exposure.</p> <p>H400: Very toxic to aquatic life.</p> <p>H410: Very toxic to aquatic life with long lasting effects.</p>	
Prevention	<p>P260: Do not breathe dust/fume/gas/mist/ vapours/spray.</p> <p>P261: Avoid breathing dust/fume/gas/mist/ vapours/spray.</p> <p>P264: Wash contacted area thoroughly after handling.</p> <p>P271: Use only outdoors or in a well-ventilated area.</p> <p>P273: Avoid release to the environment.</p> <p>P280: Wear protective gloves/protective clothing/eye protection/face protection.</p>	
Response	<p>P302 + P352: IF ON SKIN: Wash with plenty of soap and water.</p> <p>P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</p> <p>P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310: Immediate call a POISON CENTER/doctor/physician.</p> <p>P320: Specific treatment is urgent (see FIRST AID on this label).</p> <p>P332 + P313: If skin irritation occurs: Get medical advice/attention.</p> <p>P337 + P313: If eye irritation persists: Get medical advice/attention.</p> <p>P362 + P364: Take off contaminated clothing and wash it before reuse.</p> <p>P391: Collect spillage.</p>	
Storage	<p>P403 + P233: Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405: Store locked up.</p>	
Disposal	P501: Dispose of contents/container as specified on the registered label.	

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS No	Proportion
Azoxystrobin	131860-33-8	80% w/w
Inert ingredients	secret	To 100% w/w

SECTION 4 – FIRST AID MEASURES

Ingestion	If swallowed DO NOT induce vomiting.
Eye	If concentrate or spray solution enters the eyes wash it out immediately with water. Remove contact lenses.
Skin	If skin contact occurs remove contaminated clothing and wash affected areas

Inhalation Advice to Doctor	thoroughly with running water. If inhaled move the victim to fresh air immediately. Treat symptomatically.
------------------------------------	--

SECTION 5 – FIRE FIGHTING MEASURES

Fire/Explosion Hazard	Non flammable.
HAZCHEM Code	2X
IER Guide No	47
Extinguishing Media	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Fire Fighting Instructions	During a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions	Wear suitable protective clothing including chemical resistant; coveralls, face shield/ goggles, respiratory protection, gloves and boots.
Spillage	Prevent the product or spilled material from entering water bodies. Sweep up split material and wash area with water and absorb with inert material. Dispose of recovered product and contaminated material in an approved hazardous substances waste management facility or local authority transfer facility capable of hazardous waste disposal.
Environmental Precautions	Washings must be prevented from entering surface water drains or waterways.

SECTION 7 – HANDLING AND STORAGE

Storage	Keep out of reach of children. Store in original container, tightly closed, away from animal and human foodstuffs, seeds and fertilisers and other incompatible hazardous substances. Store in a cool, dry, well ventilated place and protect from sunlight. Avoid temperatures below -5°C or above 35°C.
Handling	Avoid contact with skin and eyes and inhalation of concentrate or spray mist. When using, do not eat, drink or smoke. Wash face and hands before eating, drinking or smoking.
Handler Competence	Persons responsible for the storage, handling, mixing, applying or disposing of this product must be either a Certified Handler, or to be trained, experienced or supervised in accordance with the requirements of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.
Record Keeping	Not required.
Additional Requirements	All aspects of storage, handling, use, disposal and record keeping must be in accordance with NZS 8409:2021 'Management of Agrichemicals', and relevant local and regional council plans.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Workplace Exposure Standards	Azoxystrobin 8 h TWA: 2 mg/m ³ (Source: Syngenta) Propane-1,2-diol 8 h TWA: 10 mg/m ³ (Particulates) 8 h TWA: 470 mg/m ³ (Total [vapour & particulates]) (Source: UK HSE)
Engineering Controls	No special requirements. Product is used outdoors. Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. If airborne mists or vapours are generated, use local exhaust ventilation controls. Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit. Follow precaution statements on the label and the use and safety directions in Code of Practice for the Management of agrichemical NZS8409.

Personal Protection	Use only protective equipment bearing the mark of the Standards Association of Australia/ New Zealand. In case of potential or expected exposure, wear full respiratory protection (at least to organic vapour specification) eye protection, chemical resistant coveralls and gloves and boots.
----------------------------	--

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form	Granules
Colour	Off white to light brown
Odour	Non specific
pH	6-9
Flash point (°C)	NA
Flammability Limits	Non flammable
Miscibility	Miscible
Oxidising properties	Not oxidising
Explosive properties	Not explosive

SECTION 10 – STABILITY AND REACTIVITY

Stability	Stable under normal conditions
Incompatibility	None known
Decomposition	Combustion or thermal decomposition will evolve toxic and irritant vapours.
Dangerous Reactions	Products arising from combustion or thermal decomposition may be toxic, corrosive or flammable.

SECTION 11 – TOXICOLOGICAL INFORMATION

This section describes effects which could occur if this product is not handled in accordance with this data sheet.

Ingestion	May be fatal
Eye	Irritant
Skin	Irritant
Inhalation	May be fatal
Acute Toxicity (Active Ingredient)	Acute Oral LD ₅₀ (rats) : >2000 mg/kg Acute Dermal LD ₅₀ (rats) : >2000 mg/kg Acute Inhalation LC ₅₀ (rats) (4hr) : >6.32 mg/l
Sensitisation Effects	Not a sensitizer
Mutagenic Effects	None
Carcinogenic Effects	None
Reproductive Effects	None
Teratogenic (Birth) Effects	None
Systemic Effects	None

SECTION 12 – ECOTOXICITY INFORMATION

This section describes effects which could occur if this material is not handled in accordance with this data sheet.

The following information is presented in respect of the active ingredient:

Ecotoxic Effects	Acute toxicity to Birds LD ₅₀ (mallard ducks and bobwhite quail) = >2000mg/kg Acute toxicity to Fish LC ₅₀ (96 h) (rainbow trout) = 1.2mg/L LC ₅₀ (96 h) (carp) = 2.8mg/L Growth Inhibition, Algae EC ₅₀ (72 h) = 2.2mg/L Toxicity to aquatic Invertebrates LC ₅₀ (48 h) (daphnia magna) = 0.83 mg/L Toxicity to soil dwelling organisms LC ₅₀ (14 days) (earthworms) = 283 mg/kg Toxicity to honey bees LD ₅₀ (14 days) >283ug/bee
Environmental Fate	Azoxystrobin has medium bioaccumulation potential.

Partition (Kow)	Co-Efficient	DT ₅₀ (water) = >12 days; DT ₅₀ (soil) = 59.5 days.
Environmental Limit	Exposure Limit	Log P = 2.5 (20°C). None established.

SECTION 13 – DISPOSAL CONSIDERATIONS	
Product	Dispose of this product only by using according to the label, or at an approved I hazardous substances waste management facility or other approved waste facility.
Container	Ensure the container is empty. Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise submit to a suitable refuse transfer station or hazardous waste receival facility. DO NOT reuse this container for any other purpose.

SECTION 14 – TRANSPORT INFORMATION	
Dangerous Goods	
UN Number	3077
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS AZOXYSTROBIN)
Class	9
Subsidiary Class	None
Packaging Group	III
Additional Information	MARINE POLLUTANT
MTQ (Non-Commercial)	250 KG

SECTION 15 – REGULATORY INFORMATION	
HSNO Approval No	HSR100836
ACVM Approval No	P008910

SECTION 16 – OTHER INFORMATION	
This SDS contains only safety-related information. For other data see product literature.	
Contact Points	
Police, Ambulance and Fire Service	111
National Poisons Information Centre	0800 POISON (0800 764 766)
Hazardous Substances Emergency	0800 Chemcall (0800 243 622)