



SECTION 1 – IDENTIFIC	ATION OF THE CHEMICAL PRODUCT AND COMPANY
Product Name	Ken-Tac 100 Insecticide
Company Name	Kenso Corporation (M) Sdn Bhd
Address	2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand
Telephone	0800 536 766
Hazardous Substance	
Emergency Telephone	0800 CHEMCALL (0800 243 622) (24 hours)
National Poisons Centre	0800 POISON (0800 764 766) (24 hours)
Use	For the control of a range of caterpillar pests in vegetable brassicas, maize
	and sweetcorn and tomatoes, thrips and aphids in onions and tomatoes, grass
	grub beetle on non-bearing fruit trees and non-flowering newly planted shelter
	belts.
SECTION 2 – HAZARDS	
Hazard Pictograms	
Hazaru Fictogranis	
GHS Signal Word Hazard Classification	WARNING
Hazard Classification	Flammable liquid Category 4, Acute oral toxicity Category 4, Eye irritation
	Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates,
	Hazardous to the aquatic environment acute Category 1, Hazardous to the
	aquatic environment chronic Category 1
Hazard Statement	H227: Combustible liquid.
Hazaru Statement	H302: Harmful if swallowed.
	H319: Causes serious eye irritation.
	H373: May cause damage to organs through prolonged or repeated exposure.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
Prevention	P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
	P260: Do not breathe dust/fume/gas/mist/vapours/spray.
	P264: Wash contacted area thoroughly after handling.
	P270: Do not eat, drink or smoke when using this product.
	P273: Avoid release to the environment.
	P280: Wear protective gloves/protective clothing/eye protection/face
	protection.
Response	P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician
	if you feel unwell.
	P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P314: Get medical advice/attention if you feel unwell.
	P330: Rinse mouth.
	P337 + P313: If eye irritation persists: Get medical advice/attention.
	P370 + P378: In case of fire: Use carbon dioxide, dry chemical, foam and
	water fog for extinction.
Storago	P391: Collect spillage. P403: Store in a well-ventilated place
Storage Disposal	P403: Store in a well-ventilated place. P501: Dispose of contents/container as specified on the registered label.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredients	CAS No	Proportion
Alpha-cypermethrin	67375-30-8	10% w/v
Inert ingredients	secret	To 100% w/v

SECTION 4 – FIRST AID	MEASURES
Ingestion	Never give anything by mouth to an unconscious person. If swallowed do NOT
	induce vomiting. For advice, contact the National Poisons Centre (0800 764 766). Seek medical assistance immediately.





Eye	Flush eyes with plenty of water for 15 minutes holding eyelids open if necessary. Seek medical assistance.
Skin	Immediately flush body and clothes with large amounts of water. Remove contaminated clothing and footwear. Wash affected areas with soap and water.
Inhalation	If a large area is affected seek medical assistance. Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Advice to Doctor	Treat symptomatically.

SECTION 5 – FIRE FIGH	TING MEASURES
Fire/Explosion Hazard	Combustible
HAZCHEM Code	2X
IER Guide No	47
Extinguishing Media	Dry Chemical, water spray, carbon dioxide
Fire Fighting Instructions	During a fire, toxic fumes may be emitted. Wear self-contained breathing
	apparatus. Contain runoff.
SECTION 6 – ACCIDENT	AL RELEASE MEASURES
Personal Precautions	For appropriate personal protective equipment (PPE), refer to section 8.
Spillage	Wear suitable chemical resistant clothing including; coveralls, face shield/ eye protection, respiratory protection (organic vapour minimum specification) gauntlet gloves and boots. Prevent the product or spilled material from entering drains or water bodies. Contain and absorb spills with inert material such as zeolite clay or sand and place in waste containers. Wash area with water and detergent and absorb with further inert material. Dispose of through a designated hazardous substances disposal facility or contact the local regional/district council for disposal information.
Environmental	Washings must be prevented from entering surface water drains or
Precautions	waterways.

SECTION 7 – HANDLING	AND STORAGE
Storage	Keep out of reach of children. Store in original container, tightly closed, away
	from foodstuffs, medicines, animal remedies, seeds and fertilisers. Store in a
	cool, dry, well ventilated place and protect from sunlight.
Handling	Avoid contact with skin and eyes and inhalation of concentrate or spray mist.
	When using, do not eat, drink or smoke. Wash face and hands before eating,
	drinking or smoking.
Handler Competence	Persons responsible for the storage, handling, mixing, applying or disposing of
	this product must be either be a Certified Handler, or to be trained,
	experienced or supervised in accordance with the requirements of the Health
	and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and
	the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4
	Subpart C.
Record Keeping	Tracking is not required.
Additional Requirements	All aspects of storage, handling, use, disposal and record keeping must be in
	accordance with NZS 8409:2021 'Management of Agrichemicals', and relevant
	local and regional council plans.

	special requirements. Product is used outdoors. Containment and/or
	regation is the most reliable technical protection measure The extent of
the	se protection measures depends on the actual risks in use. If airborne
	ts or vapours are generated, use local exhaust ventilation controls or
ade	equate respiratory protection (organic vapour minimum). Assess exposure
and	I use any additional measures to keep airborne levels below any relevant
exp	osure limit. Follow precaution statements on the label and the use and
safe	ety directions in Code of Practice for the Management of Agrichemicals
NZ	S8409.
Personal Protection Use	e only protective equipment bearing the mark of the Standards Association





of Australia/ New Zealand. In case of expected or potential exposure, wear full respiratory protection (at least to organic vapour specification) eye protection, chemical resistant coveralls and gloves and footwear.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES	
Form	Liquid
Colour	Clear brown
Odour	Solvent odour
pH	5-7
Flash point (°C)	NA
Flammability Limits	Combustible
Miscibility	Forms emulsion
Oxidising properties	Not oxidising
Explosive properties	Not explosive

SECTION 10 – STABILITY AND REACTIVITY	
Stability	Stable under normal conditions. Do not store below 4 °C.
Incompatibility	None known
Decomposition	Combustion or thermal decomposition will evolve toxic and irritant vapours.
Dangerous Reactions	Products arising from combustion or thermal decomposition may be toxic,
-	corrosive or flammable

SECTION 11 – TOXICOLOGICAL INFORMATION

This section describes effects which could occur if this product is not handled in accordance with this data sheet.

The following information is presented in respect of the active ingredient:	
Ingestion	Harmful if swallowed.
Eye	The concentrate may cause irritation of the eyes.
Skin	May irritate the skin.
Inhalation	Not known – no cases of human poisoning known
Acute Toxicity (Active	Acute Oral LD ₅₀ (rats) : 79-474 mg/kg
Ingredient)	Acute Dermal LD ₅₀ (rats) : >2000 mg/kg
	Acute Dermal LD ₅₀ (rabbits) : >2000 mg/kg
	Acute Inhalation LC ₅₀ (rats) (4hr) : >0.32 mg/l
Sensitisation Effects	Not a sensitizer
Mutagenic Effects	None
Carcinogenic Effects	None
Reproductive Effects	None
Teratogenic (Birth)	None
Effects	
Systemic Effects	Repeated exposure could result in peripheral nervous system damage.

SECTION 12 - ECOTOX	
This section describes effe	cts which could occur if this material is not handled in accordance with this data
The following information	is presented in respect of the active ingredient:
Ecotoxic Effects	Acute toxicity to Fish
	LC ₅₀ (96 h) (rainbow trout) = 0.0028 mg/L
	Acute toxicity to Daphnia
	LC_{50} (48 h) = 0.0003 mg/L
	Growth Inhibition, Algae
	EC_{50} (72 h) (green alga) = 1.8 mg/L
	Toxicity to bees
	LD ₅₀ = 0.059 µg/bee
SECTION 13 – DISPOSA	AL CONSIDERATIONS

Product	Dispose of this product only by using according to the label, or at an approved
	hazardous substances waste management facility.
Container	Ensure the container is empty. Triple rinse empty container and add rinsate to





the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise submit to an approved waste disposal/recycling facility. DO NOT reuse this container for any other purpose.

SECTION 14 – TRANSPORT INFORMATION			
Dangerous Goods			
UN Number	3082		
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		
	(CONTAINS ALPHA-CYPERMETHRIN)		
Class	9		
Subsidiary Class	None		
Packaging Group			
Additional Information	MARINE POLLUTANT		
MTQ (Non-Commercial)	250 L		

SECTION 15 – REGULATORY INFORMATION			
HSNO Approval No	HSR001759		
ACVM Approval No	P009649		
SECTION 16 – OTHER INFORMATION			
This SDS contains only safety-related information. For other data see product literature.			
Contact Points			
Police, Ambulance and Fire Service		111	
National Poisons Information Centre		0800 POISON (0800 764 766)	
Hazardous Substances Emergency		0800 Chemcall (0800 243 622)	