

WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

CAPELLA

FUNGICIDE

ACTIVE INGREDIENT: 375 g/kg CYPRODINIL and 250 g/kg FLUDIOXONIL
in the form of a water dispersible granule

GROUP 9 | 12 FUNGICIDE

For the control of Botrytis in Grapes and Onions and Botrytis, Anthracnose and Rhizopus in Strawberries.

Registered pursuant to the ACVM Act 1997, No. P009230
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSN0 Act 1996, Approval No. HSR000645
See www.epa.govt.nz for approval conditions



NET CONTENTS: 2.5KG

Registrant:

Kenso Corporation (M) Sdn Bhd

Lot 29, Jalan Sungai Pinang 5/4, Taman Perindustrian
Pulau Indah, 42920 Pelabuhan Klang, Selangor, Malaysia.

NZ Agent:

Kenso NZ Limited

2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand.
Ph: 0800 536 766

CAPELLA FUNGICIDE

PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

HAZARD CLASSIFICATION

Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1

WARNING

May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

HANDLING PRECAUTIONS

STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing quantities of 100 kg or more require signage and secondary containment.

DISPOSAL

Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery collection point (0800 247 326, www.agrecovery.co.nz) for disposal. Avoid contamination of any water supply with chemical or empty container.

FIRST AID

If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if breathing has stopped. Use mouth to nose rather than mouth to mouth. Obtain medical attention. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. DO NOT scrub the skin. If

splashed in the eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

Product of China



9 421028 660860



Batch No.:

Date of Manufacture:

UN NO: 3077
ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S.
(CYPRODINIL, FLUDIOXINIL)
MARINE POLLUTANT,
PACKING GROUP III
HAZCHEM 2X
CONTAIN SPILLAGE



In a transport emergency dial 111,
Police or Fire Service.
For specialist advice in an emergency
only, call 0800 243 622 (24 hours).

WARNING

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

CAPELLA

FUNGICIDE

ACTIVE INGREDIENT: 375 g/kg CYPRODINIL and
275 g/kg FLUDIOXINIL in the form
of a water dispersible granule

GROUP 9 | 12 FUNGICIDE

For the control of Botrytis in Grapes and Onions and Botrytis,
Anthracnose and Rhizopus in Strawberries.

Registered pursuant to the ACVM Act 1997, No. P009230
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval No.
HSR000645
See www.epa.govt.nz for approval conditions



Kenso Corporation (M) Sdn Bhd
2 Bond Crescent, Forrest Hill,
Auckland 0620 New Zealand
Phone: 0800 536 766

EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO: 3077



**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S.
(CONTAINS CYPRODINIL, FLUDIOXINIL)
PACKING GROUP III, HAZCHEM 2X
In a transport emergency dial 111,
Police or Fire Service.
For specialist advice in emergency only,
call 0800 243 622 (24 hours)**

PERSONNEL QUALIFICATION & EXPERIENCE
This product must be under the control of an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.



HAZARD CLASSIFICATION
Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1

WARNING
May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

HANDLING PRECAUTIONS
STORAGE
Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing quantities of 100 kg or more require signage and secondary containment.

PRECAUTIONS
When mixing or applying wear protective clothing, including face shield, waterproof gloves and footwear. Avoid contact with skin and eyes and inhalation of concentrate or spray mist. If clothing becomes contaminated with product, remove clothing immediately. DO NOT eat, drink or smoke while using. Wash hands and face before eating, drinking or smoking. Wash protective clothing daily after work. Apply with well-maintained and calibrated spray equipment. DO NOT re-enter site until spray has dried. Records of use must be kept. Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409. DO NOT carry on a passenger service vehicle. Avoid contamination of any water supply with chemical or empty container.

DISPOSAL
Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery collection point (0800 247 326, www.agrecovery.co.nz) for disposal. Avoid contamination of any water supply with chemical or empty container.

SPILLAGE
Wear suitable protective clothing including face shield, impervious gloves and boots. Prevent the product or spilled material from entering water bodies. Absorb liquid spills with inert material such as earth or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of safely.

RESISTANCE MANAGEMENT **GROUP 9 | 12 FUNGICIDE**
Capella Fungicide contains a Group 9 fungicide (cyprodinil, belonging to the anilinopyrimidine class of chemistry) and Group 12 fungicide (fludioxonil, belonging to the phenylpyrrole class of chemistry). Resistance to this fungicide and related anilinopyrimidine products could develop in some situations from repeated use. To minimise this risk use strictly in accordance with the label instructions

GENERAL INFORMATION
Capella Fungicide is a mixture of anilinopyrimidine and phenylpyrrole fungicides, which in combination have protectant and systemic activity against Botrytis (grey mould) infections in grapes and onions and Botrytis (grey mould), Colletotrichum (anthracnose) and Rhizopus (leak) infections in strawberry. Capella Fungicide has multi-site action, inhibiting spore germination, penetration of the germ tube and mycelial growth. It is rainfast within 2 hours following application.

MIXING
Add the required amount of Capella into the mixing chamber of the partly filled spray tank and add the remainder of the water ensuring complete mixing before spraying. Continue agitation during spraying.

COMPATIBILITY
Capella Fungicide is compatible with other commonly used fungicides and insecticides.

DIRECTIONS FOR USE

It is an offence to use this product on animals.

CROP	DISEASE	RATE	CRITICAL COMMENTS
Bulb Onions	Botrytis	800g/ha	A maximum of 2 applications of Capella can be made per season at key timings for botrytis control i.e. flag leaf and pre harvest. Apply in sufficient water to ensure thorough and uniform coverage. Applications MUST be made with the addition of a non-ionic wetting agent at manufacturer's label rates.
Grapes		80g/100 litres of water	The rate suggested is for high volume spraying to run off. For concentrate spraying, adjust dilution rate accordingly. It is essential that good coverage of the bunch zone is achieved. The addition of a non-ionic wetting agent at manufacturer's label rates will assist coverage. A maximum of 2 applications per season can be made. Capella can be applied at either early flowering (5% capfall), later flowering (80% capfall), pre bunch closure or in the period from the beginning of berry ripening up until 28 days before harvest. Apply an approved fungicide from a different chemical group for the remainder of the season. Leaf plucking in vineyards: Sheep must not be sent for slaughter or milked for 6 months after being removed from the vineyards (and placed on clean feed).
Strawberries	Grey Mould (<i>Botrytis</i>), Anthracnose (<i>Colletotrichum</i>) and leak (<i>Rhizopus</i>)	80g/100 litres of water, applying sufficient mixture to ensure 800g product/ha	The rate suggested is for high volume spraying to run off. For concentrate spraying, adjust dilution rate accordingly. It is essential that good coverage is achieved. The addition of a non-ionic wetting agent at manufacturer's label rates will assist coverage. Capella can be applied at 7 to 14 day intervals from flowering onwards. The closer interval is recommended when conditions are conducive to disease infection. Capella applications may be applied in a block or in alternation with other non anilinopyrimidine fungicides registered for botrytis control. See resistance management for the maximum number of applications.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD

Bulb Onions..... 7 days
Grapes..... 28 days
Strawberries..... 3 days

GRAPES AND ONIONS: DO NOT USE MORE THAN 2 APPLICATIONS OF CAPELLA FUNGICIDE OR ANY OTHER ANILINOPYRIMIDINE FUNGICIDE ON THE SAME CROP DURING THE SEASON.

STRAWBERRIES: A MAXIMUM OF 3 APPLICATIONS OF CAPELLA FUNGICIDE OR ANY OTHER ANILINOPYRIMIDINE FUNGICIDE PER SEASON CAN BE MADE IF MORE THAN SIX SPRAYS IN TOTAL ARE MADE FOR BOTRYTIS CONTROL. IF 6 OR LESS BOTRYTIS CONTROL SPRAYS ARE MADE THEN DO NOT APPLY MORE THAN 2 APPLICATIONS OF CAPELLA FUNGICIDE OR ANY OTHER ANILINOPYRIMIDINE FUNGICIDE PER SEASON.

REFER TO THE NZCPR WEB SITE ([HTTP://RESISTANCE.NZPPS.ORG](http://RESISTANCE.NZPPS.ORG)) FOR MORE DETAILED INFORMATION.
to the crop in one season up to a maximum of four applications.

FIRST AID

If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if breathing has stopped. Use mouth to nose rather than mouth to mouth. Obtain medical attention. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. DO NOT scrub the skin. If splashed in the eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

* Not a trademark of Kenso Corporation (M) Sdn Bhd.

Registered pursuant to the ACVM Act 1997, No. P009230
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval No. HSR000645
See www.epa.govt.nz for approval conditions