

WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

KENDIZOL 250 EC

FUNGICIDE

ACTIVE INGREDIENT: 250 g/litre DIFENOCONAZOLE in the form of an emulsion concentrate

GROUP **3** FUNGICIDE

For the control of Leaf Spots on Carrots, Ring Spot on horticultural Brassicas,
Early Blight on Potatoes and Stemphylium Leaf Spot on Asparagus.



Registered pursuant to the ACVM Act 1997, No. P009344
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval No. HSR101138
See www.epa.govt.nz for approval controls

NET CONTENTS: 20L

Registrant:
Kenso Corporation (M) Sdn Bhd
Lot 29, Jalan Sungai Pinang 5/4, Taman Perindustrian Pulau
Indah, 42920 Pelabuhan Klang, Selangor, Malaysia.

NZ Agent:
Kenso NZ Limited
2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand.
Ph: 0800 536 766

KENDIZOL 250 EC FUNGICIDE

This product MUST NOT be used for any purpose or in any manner contrary to the controls and conditions of this registration.

This product MUST be under the control of an appropriately trained and experienced applicator when used by a commercial contractor.

HAZARD CLASSIFICATION

Flammable liquid Category 4, Aspiration hazard Category 1, Eye irritation Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

WARNING

Combustible liquid. Causes serious eye irritation. May be fatal if swallowed and enters airways. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

HANDLING PRECAUTIONS

STORAGE

Store in original container, tightly closed, away from foodstuffs. Keep away from flames and hot surfaces. In case of fire use fine water spray or foam. During a fire this product may release smoke and hazardous decomposition products. When fighting a major fire wear an air-supplied respirator. When mixing and applying, wear protective clothing, including face shield, impervious gloves and footwear. Avoid contact with skin and eyes. If clothing becomes contaminated with product, remove clothing immediately. DO NOT eat, drink or smoke while using. Wash hands and face before eating, drinking or smoking and after work. Wash protective clothing daily after use. Apply with well-maintained and calibrated spray equipment. Records of use must be kept. Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409. DO NOT carry on a passenger service vehicle. Avoid contamination of any water supply with chemical or empty container.

CONTAINER DISPOSAL

Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery collection point (0800 247 326, www.agrecovery.co.nz) for disposal. Avoid contamination of any water supply with chemical or empty container.

PRODUCT DISPOSAL

Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

FIRST AID

If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if breathing has stopped. Use mouth to nose rather than mouth to mouth. Obtain medical attention. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. DO NOT scrub the skin. If splashed in the eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

Product of Malaysia



9 421028 661553



Batch No.:

Date of Manufacture:

UN NO: 3082
ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(CONTAINS DIFENOCONAZOLE)
PACKING GROUP III
HAZCHEM 2X, CLASS 9



In a transport emergency dial 111, Police or Fire Service. For specialist advice in emergency only, call 0800 243 622 (24 hours)

WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

KENDIZOL 250 EC FUNGICIDE

ACTIVE INGREDIENT: 250 g/L DIFENOCONAZOLE in
the form of an emulsifiable concentrate

GROUP **3** FUNGICIDE

For the control of Leaf Spots on Carrots, Ring Spot on
horticultural Brassicas, Early Blight on Potatoes and
Stemphylium Leaf Spot on Asparagus.

Registered pursuant to the ACVM Act 1997, No. P009344
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval No. HSR101138
See www.epa.govt.nz for approval controls



Kenso Corporation (M) Sdn Bhd
2, Bond Crescent, Forrest Hill
Auckland 0620 NZ
Phone: 0800 536 766

EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO : 3082



**ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(CONTAINS DIFENOCONAZOLE)
MARINE POLLUTANT
PACKING GROUP III
HAZCHEM 2X, CLASS 9**

**In a transport emergency dial 111, Police or Fire
Service.**

**For specialist advice in emergency only, call 0800
734 607 (24 hours).**



**This product MUST NOT be used for any purpose or in any manner
contrary to the controls and conditions of this registration.
This product MUST be under the control of an appropriately trained and
experienced applicator when used by a commercial contractor.**

HAZARD CLASSIFICATION

Flammable liquid Category 4, Aspiration hazard Category 1, Eye irritation
Category 2, Specific target organ toxicity (repeated exposure) Category 2,
Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment
acute Category 1, Hazardous to the aquatic environment chronic Category 1

WARNING

Combustible liquid. Causes serious eye irritation. May be fatal if swallowed and
enters airways. May cause damage to organs through prolonged or repeated
exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting
effects.

HANDLING PRECAUTIONS

STORAGE

Store in original container, tightly closed, away from foodstuffs. Keep away from
flames and hot surfaces. In case of fire use fine water spray or foam. During a
fire this product may release smoke and hazardous decomposition products.
When fighting a major fire wear an air-supplied respirator. When mixing and
applying, wear protective clothing, including fac shield, impervious gloves and
footwear. Avoid contact with skin and eyes. If clothing becomes contaminated
with product, remove clothing immediately. DO NOT eat, drink or smoke while
using. Wash hands and face before eating, drinking or smoking and after work.
Wash protective clothing daily after use. Apply with well-maintained and
calibrated spray equipment. Records of use must be kept. Application, storage
and record keeping should be as described in the Management of
Agrichemicals NZS8409. DO NOT carry on a passenger service vehicle. Avoid
contamination of any water supply with chemical or empty container.

FIRST AID

If swallowed DO NOT induce vomiting. For advice, contact the National Poisons
Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial
respiration if breathing has stopped. Use mouth to nose rather than mouth to
mouth. Obtain medical attention. If skin or hair contact occurs, remove
contaminated clothing and flush skin and hair with running water. DO NOT
scrub the skin. If splashed in the eyes, wash out immediately with water. If
inhaled, move the victim to fresh air immediately. Begin artificial respiration if
breathing has stopped.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website:
www.kenso.co.nz

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever
and howsoever arising and whether for consequential loss or otherwise in
connection with the supply of these goods other than responsibility for the
merchantable quality of the goods and such responsibilities mandatorily
imposed by Statutes applicable to the sale or supply of these goods. To the
extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd.
is limited to the replacement of the goods or (at the option of Kenso Corporation
(M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of
the goods to enable proper examination being returned to Kenso Corporation
(M) Sdn.Bhd. within thirty days of delivery.

Registered pursuant to the ACVM Act 1997, No. P009344
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval No. HSR101138
See www.epa.govt.nz for approval controls

CONTAINER DISPOSAL

Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery collection point (0800 247 326, www.agrecovery.co.nz) for disposal. Avoid contamination of any water supply with chemical or empty container.

PRODUCT DISPOSAL

Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

SPILLAGE

Wear suitable protective clothing including face shield, impervious gloves and boots. Prevent the product or spilled material from entering water bodies. Absorb liquid spills with inert material such as earth or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of safely.

GENERAL INFORMATION

KENDIZOL 250 EC FUNGICIDE is a systemic triazole (DMI) fungicide with preventative and curative properties for the control of Leaf Spots on carrots, Ring Spot on horticultural brassicas, Early Blight on potatoes and Stemphylium Leaf Spot on asparagus. KENDIZOL 250 EC FUNGICIDE penetrates rapidly into the leaf tissue, where it acts curatively on the developing fungal infections by inhibiting the creation of sterols in fungal cell walls.

RESISTANCE MANAGEMENT **GROUP 3 FUNGICIDE**

KENDIZOL 250 EC FUNGICIDE is a member of the Demethylation Inhibitors (DMI) group of fungicides. Resistance to this fungicide and related DMI products could develop in some disease situations from repeated use. To minimise this risk, use strictly in accordance with the label instructions. Consult <http://resistance.nzpps.org/> for alternate modes of action and the details of resistance management strategies (if any) for the crops listed on the label.

MIXING

KENDIZOL 250 EC FUNGICIDE mixes readily with water. Add the required amount of KENDIZOL 250 EC FUNGICIDE to the partly filled spray tank and add the remainder of the water with agitation.

APPLICATION

Ground - apply as a broadcast foliar application avoiding run-off.

COMPATIBILITY

KENDIZOL 250 EC FUNGICIDE is compatible with other commonly used fungicides and insecticides.

STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Storage must be in accordance with NZS 8409 Management of Agrichemicals.

Stores containing quantities of 100 litres or more require signage and secondary containment. Stores with quantities of 500 litres or more require fire extinguishers.

DIRECTIONS FOR USE

It is an offence to use this product on animals.

Crop	Disease	Rate	Critical comments
Asparagus	<i>Stemphylium</i> Leaf Spot	500 ml in 500 to 700 litres of water/ha	After close up of beds, apply at the first sign of the disease and repeat at 3 week intervals with a maximum of 3 applications during active fern growth. The addition of a non-ionic wetting agent at manufacturer's label recommendations is essential to assist coverage. Apply an approved protectant fungicide at other times. Aerial application - apply in a minimum of 100 litres water/ha to achieve satisfactory coverage.
Carrots	Leaf Spots (<i>Alternaria</i> / <i>Cercospora</i>)		Apply at the first sign of the diseases and repeat at 2 to 3 week intervals with a maximum of 3 applications during active crop growth. Apply an approved protectant fungicide at other times.
Brassicas Horticultural	Ring Spot		Apply at the first signs of the disease and depending on disease pressure, repeat at 2 to 3 week intervals with a maximum of 3 applications during active crop growth. Apply an approved protectant fungicide during crop maturity.
Potatoes	Early Blight		Apply at the first sign of disease and repeat at 2 week intervals with a maximum of 3 applications. Apply an approved protectant fungicide at other times.

WITHHOLDING PERIODS

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: **Maximum Residue Levels for Agricultural Compounds.**

Carrots14 days

Horticultural Brassicas14 days

Potatoes14 days