

WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

KENTRON 700 SC

HERBICIDE

**ACTIVE INGREDIENT: 700 g/litre METAMITRON in the form
of a suspension concentrate.**

GROUP 5 HERBICIDE

A post emergence use in Red beet, Fodder beet,
Sugar beet and Mangolds.

Registered pursuant to the ACVM Act 1997, No. P009620

See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101345

See www.epa.govt.nz for approval controls



NET CONTENTS: 10L

Registrant:

Kenso Corporation (M) Sdn Bhd

Lot 29, Jalan Sungai Pinang 5/4, Taman Perindustrian Pulau
Indah, 42920 Pelabuhan Klang, Selangor, Malaysia.

NZ Agent:

Kenso NZ Limited

2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand.
Ph: 0800 536 766

KENTRON 700 SC HERBICIDE

PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

HAZARD CLASSIFICATION

Acute oral toxicity Category 4, Acute dermal toxicity Category 4, Acute inhalation toxicity Category 4, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1

WARNING

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

ECOTOXIC

Very toxic to aquatic organisms with long lasting effects. Avoid contamination of any water supply with product or empty container. For the protection of aquatic organisms a buffer zone (in all directions) of greater than 4 meters must be observed from water bodies.

Selective herbicide – very toxic to some plant species.

Beware: Apply this product carefully. Spray drift may cause serious damage to other desirable plants.

Harmful to terrestrial vertebrates.

This product must not be applied into or onto water.

HANDLING PRECAUTIONS

STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from human and animal foodstuffs, seeds and fertilisers. Store in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100 litres are subject to secondary containment and signage and more than 100 litres require emergency response plans.

DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

FIRST AID

If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water. If inhaled move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

Product of China




9 421028 661799



Batch No.:

Date of Manufacture:

UN NO: 3082
ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(CONTAINS METAMITRON)
PACKING GROUP III
HAZCHEM 2X



In a
transport
emergency dial
111, Police or Fire
Service. For specialist
advice in emergency only,
call 0800 243 622 (24 hours)

WARNING

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

KENTRON 700 SC

HERBICIDE

ACTIVE INGREDIENT: 700 g/litre METAMITRON
in the form of a suspension concentrate.

GROUP **5** HERBICIDE

A post emergence use in Red beet, Fodder beet,
Sugar beet and Mangolds.

Registered pursuant to the ACVM Act 1997, No. P009620
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval No.
HSR101345
See www.epa.govt.nz for approval controls



Kenso Corporation (M) Sdn Bhd
2, Bond Crescent, Forrest Hill,
Auckland 0620 NZ
Phone: 0800 536 766

PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.



HAZARD CLASSIFICATION

Acute oral toxicity Category 4, Acute dermal toxicity Category 4, Acute inhalation toxicity Category 4, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1

WARNING

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

ECOTOXIC

Very toxic to aquatic organisms with long lasting effects. Avoid contamination of any water supply with product or empty container. For the protection of aquatic organisms a buffer zone (in all directions) of greater than 4 meters must be observed from water bodies.

Selective herbicide – very toxic to some plant species.
Beware: Apply this product carefully. Spray drift may cause serious damage to other desirable plants.

Harmful to terrestrial vertebrates.

This product must not be applied into or onto water.

HANDLING PRECAUTIONS

STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from human and animal foodstuffs, seeds and fertilisers. Store in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100 litres are subject to secondary containment and signage and more than 100 litres require emergency response plans.

EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO : 3082



**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (CONTAINS METAMITRON)
PACKING GROUP III, HAZCHEM 2X
CLASS 9**

**In a transport emergency dial 111,
Police or Fire Service.**

**For specialist advice in emergency only,
call 0800 243 6225 (24 hours).**

PERSONAL PROTECTION

Avoid skin or eye contact and inhalation of spray mist. When mixing, applying or conducting spill control wear eye protection, respiratory protection, chemical resistant gloves, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

EQUIPMENT

Apply with well-maintained and calibrated equipment. Flush spray equipment thoroughly with clean water after use

DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

GENERAL INFORMATION

Kentron 700 SC Herbicide should be applied post-emergence in beet crops. It is a selective, systemic herbicide which has both pre and post-emergence activity against weeds. It is absorbed by both leaves and roots and translocated into the leaves where it disrupts photosynthesis.

Application is limited to ground based low boom application using coarse to medium sized droplets. Smaller sized droplets or other application methods are not permitted.

The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in the substance leaching into ground water. Do not apply when heavy rainfall is expected.

For the protection of non-target plants a 15 metre buffer zone from downwind non-target vegetation is recommended. Where threatened non-target plants are present in areas adjacent to the application area, extra care should be taken not to impact these plants. Local conditions may require the user to take into account site specific conditions on the day of application and amend the size of the buffer zone as necessary.

Mixing:

Shake container thoroughly before use. Half fill the spray tank and commence agitation. Add the measured quantity of Kentron 700 SC Herbicide and with the agitator running top up with the remainder of the water. Maintain agitation during spraying. Do not allow the spray mixture to stand overnight. Kentron 700SC Herbicide is compatible with most other post-emergent beet herbicides

DIRECTIONS FOR USE

Crop	Use rate	Critical comments
Beet: Red Fodder Sugar	6.0L/ha in 200 – 300L water/ha	Apply early post emergence when weeds are small and the crops has fully expanded cotyledons but before the second true leaf stage.

Re-entry:

If re-entry work is required within 24 hours of application, personal protective equipment must be worn. Public access must not occur during this period.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

Susceptible:

Amaranthus spp., Buttercups (seedling), Chickweed, Docks (seedling), Fat hen, Galinsoga, Groundsel, Hawksbeard, Henbit, Matricaria spp. (Stinking mayweed and Chamomiles), Nettles, Pennycress, Annual poa, Wild portulaca, Scotch thistle (seedling), Shepherd's purse, Sow thistle, Speedwells, Spurrey, Twin cross, White clover, Yarrow (seedling).

Moderately Susceptible:

Field pansy, Fumitory, Hedge mustard, Black nightshade, Scarlet pimpernel, Thorn apple, Wireweed.

Non-susceptible:

Californian thistle, Cleavers, Cornbind, Wild oats and most grasses.

RESISTANCE MANAGEMENT

GROUP 5 HERBICIDE

Kentron 700 SC Herbicide contains a GROUP 5 HERBICIDE belonging to the triazinones group of chemistry, with the inhibition of photosynthesis at photosystem II mode of action. Naturally occurring biotypes resistant to triazinones may exist and become more prevalent after many years of continuous use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies (if any) at www.resistance.nzpps.org/

SPILLAGE

Wear appropriate protective clothing and prevent material from entering waterways. Contain liquid spills and absorb with inert material. Dispose of waste safely in an approved landfill.

TRANSPORT

Do not carry this product on a passenger service vehicle.

FIRST AID

If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water. If inhaled move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website www.kenso.co.nz

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

Batch No. :

Date of Manufacture :

Registered pursuant to the ACVM Act 1997, No. P009620

See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101345

See www.epa.govt.nz for approval controls