

WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

REBUKE 430 FUNGICIDE

ACTIVE INGREDIENT: 430 g/L TEBUCONAZOLE in the form
of a suspension concentrate

GROUP 3 FUNGICIDE

Systemic fungicide for control of diseases in Wheat, Barley, Oats,
Ryegrass Seed crops, Peas and Onions



Registered pursuant to the ACVM Act 1997, No. P008771

See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR000751

See www.epa.govt.nz for approval controls

NET CONTENTS: 10L

Registrant:

Kenso Corporation (M) Sdn Bhd

Lot 29, Jalan Sungai Pinang 5/4, Taman Perindustrian Pulau
Indah, 42920 Pelabuhan Klang, Selangor, Malaysia.

NZ Agent:

Kenso NZ Limited

2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand.
Ph: 0800 536 766

REBUKE 430 FUNGICIDE

PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of a Certified Handler or an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

HAZARD CLASSIFICATION

Eye irritation Category 2, Reproductive toxicity Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1, Hazardous to terrestrial vertebrates.

WARNING

Cause serious eye irritation. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

HANDLING PRECAUTIONS STORAGE

Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from animal and human food stuffs, medicines, remedies, seeds and fertilisers.

CONTAINER DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, submit empty, triple rinsed containers to a local authority waste receipt facility. DO NOT reuse this container for any other purpose.

FIRST AID

If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

If skin contact occurs, remove contaminated clothing and flash skin with running water. If irritation occurs, seek

medical advice. If splashed in eyes, was out immediately with water. If irritation persists, get medical advice. If inhaled, move the victim to fresh air immediately.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

Product of Malaysia



9 421028 660280



Batch No.:

Date of Manufacture:

UN NO: 3082

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.

(CONTAINS TEBUCONAZOLE)

PACKING GROUP III

HAZCHEM 2X



In a
transport
emergency dial
111, Police or Fire
Service. For specialist
advice in emergency only,
call 0800 243 622 (24 hours)

WARNING

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

REBUKE 430 FUNGICIDE

**ACTIVE INGREDIENT: 430 g/L TEBUCONAZOLE
in the form of a suspension concentrate**

GROUP 3 FUNGICIDE

Systemic fungicide for control of diseases in Wheat,
Barley, Oats, Ryegrass Seed crops, Peas and Onions.

Registered pursuant to the ACVM Act 1997, No. P008771
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval Code HSR000751
See www.epa.govt.nz for approval controls



Kenso Corporation (M) Sdn Bhd
2 Bond Crescent, Forrest Hill,
Auckland 0620 New Zealand
Phone: 0800 536 766

PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of a Certified Handler or an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.



HAZARD CLASSIFICATION

Eye irritation Category 2, Reproductive toxicity Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1, Hazardous to terrestrial vertebrates.

WARNING

Cause serious eye irritation. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

HANDLING PRECAUTIONS

STORAGE

Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from animal and human food stuffs, medicines, remedies, seeds and fertilisers.

CONTAINER DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, submit empty, triple rinsed containers to a local authority waste reception facility. DO NOT reuse this container for any other purpose.

SPILLS

When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Contain the spill

EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO : 3082



**ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(CONTAINS TEBUCONAZOLE)
PACKAGING GROUP III
HAZCHEM 2X**

In a transport emergency dial 111, Police or Fire Service.

For specialist advice in emergency only, call 0800 243 622 (24 hours).

by damming, recover spilt product by absorbing with soil, sand or clays or an inert absorbent material then transfer the recovered spilt material to a properly labelled drum. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, immediately contact the local regional authority.

FIRST AID

If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin contact occurs, remove contaminated clothing and flush skin with running water. If irritation occurs, seek medical advice. If splashed in eyes, wash out immediately with water. If irritation persists, get medical advice. If inhaled, move the victim to fresh air immediately.

SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

Registered pursuant to the ACVM Act 1997, No. P008771
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval No. HSR000751
See www.epa.govt.nz for approval controls

It is an offence to use this product on animals.

DIRECTIONS FOR USE

MIXING: Half fill the spray tank with water, pour in the required quantity of Rebuke 430 Fungicide with agitators running, then top up with water. Do not pre-mix.

Crop	Disease	Rate	Remarks
Wheat	Stripe rust, Leaf rust, Powdery mildew, Glume blotch, Speckled leaf blotch,	440ml/ha	Apply on first appearance of disease. Should disease pressure persist or reinfection occurs, a further application may be required 3-4 weeks later.
	Ear disease complex		Apply to fully emerged ears.
Barley	Scald, Net blotch, Spot blotch, Ramularia leaf spot, Leaf rust	440ml/ha	Apply on first appearance of disease. Should disease pressure persist or reinfection occurs, a further application may be required 3-4 weeks later.
	Ear disease complex		Apply to fully emerged ears.
Oats	Crown Rust	440ml/ha	Apply as for wheat.
Ryegrass seed crops	Crown rust, Stem rust	440ml/ha	Apply on first appearance of disease. Should disease pressure persist or reinfection occurs a further application may be required 3-4 weeks later.
	Blind seed disease	440ml/ha	Apply first application at start of flowering and a second 10-14 days later.
Peas	Powdery mildew	145ml/ha	Apply preventatively at flowering or first sign of disease. A second application may be required 14 days later.
Onions	White rot	875ml/ha	Apply in 1000 litres of water/ha. Make first applications 6-8 weeks after sowing and follow with two further applications at 3-4 week intervals. The use of a suitable seed treatment is recommended.

Apply Rebuke 430 Fungicide in at least 200 litres of water per hectare by ground or 50 litres per hectare by aerial application. Use high water volumes in dense or advanced crops especially under dry weather conditions.

Rebuke 430 Fungicide may cause yellow leaf spotting when applied after head emergence to some durum wheats especially Tara, and yellowing when applied with emulsifiable concentrate herbicide formulations on Barley.

COMPATIBILITY

Rebuke 430 Fungicide is compatible with commonly used herbicides and insecticides.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

Cereals	49 days
Ryegrass seed crops	30 days
Peas	14 days
Onions	35 days
Fodder Cereals	28 days

RESISTANCE MANAGEMENT GROUP 3 FUNGICIDE

Rebuke 430 Fungicide contains the Group 3 Fungicide belonging to the DMI group of chemistry. Resistance to this fungicide and related DMI products could develop in some disease situations from repeated use. To minimise this risk, use strictly in accordance with label instructions. In cereals and ryegrass seed crops use a maximum of three DMI applications, including seed treatment per crop, at full recommended label rates. For further information please refer to www.resistance.nzpps.org/