

# WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

# SAVAGE

# 350

## INSECTICIDE

ACTIVE INGREDIENT: 350 g/L IMIDACLOPRID in the form of a suspension concentrate

GROUP	<b>4</b>	INSECTICIDE
-------	----------	-------------

A systemic insecticide for the control of aphids in vegetable Brassicas, Lettuce transplants and thrips on Onions and mealy bugs on non-bearing grapevines or vines destined for removal.



Registered pursuant to the ACVM Act 1997, No. P008927

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR002691

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls

**NET CONTENTS: 5 L**

Registrant:

**Kenso Corporation (M) Sdn Bhd**

Lot 29, Jalan Sungai Pinang 5/4, Taman Perindustrian  
Pulau Indah, 42920 Pelabuhan Klang, Selangor, Malaysia.

NZ Agent:

**Kenso NZ Limited**

2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand.  
Ph: 0800 536 766

# SAVAGE 350 INSECTICIDE

## PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of a Certified Handler or an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

## HAZARD CLASSIFICATION

Acute oral toxicity Category 4, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

## WARNING

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

## ECOTOXIC

Very toxic to aquatic organisms with long lasting effects. Avoid contamination of any water supply with product or empty container. Very toxic to the soil environment. Very toxic to terrestrial vertebrates and terrestrial invertebrates. Spray must not be applied to plants in flower if they are likely to be visited by bees.

## HANDLING PRECAUTION STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from animal and human foodstuffs, seeds, and fertilisers. Storage in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100 litres of Savage 350 Insecticide require signage and secondary containment and more than 100 litres require emergency response plans.

## CONTAINER DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

## FIRST AID

Do not cause vomiting unless medical treatment is delayed more than an hour. Take patient to hospital without delay. Do not cause vomiting if patient is unconscious or convulsing. If concentrate is splashed in eye flush with running water for at least 15 minutes. Call the National Poisons Centre 0800 POISON (0800 764 766) (24 hrs) or a doctor immediately for advice.

## SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website [www.kenso.co.nz](http://www.kenso.co.nz)

## CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



EMERGENCY RESPONSE  
Ring 0800 CHEMCALL, or  
0800 243 622 (24 hours)

Product of Malaysia



9 421028 660396



Batch No.:

Date of Manufacture:

UN NO: 3082  
ENVIRONMENTALLY  
HAZARDOUS SUBSTANCE,  
LIQUID, N.O.S.  
(CONTAINS IMIDACLOPRID)  
PACKING GROUP III  
HAZCHEM 2X



In a transport emergency dial 111,  
Police or Fire Service.  
For specialist advice in an emergency  
only, call 0800 243 622 (24 hours).

# WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

# SAVAGE 350

INSECTICIDE

**ACTIVE INGREDIENT: 350 g/L IMIDACLOPRID in the form of a suspension concentrate.**

**GROUP 4 INSECTICIDE**

A systemic insecticide for the control of aphids in vegetable Brassicas, Lettuce transplants and thrips on Onions and mealy bugs on non-bearing Grapevines or vines destined for removal.

Registered pursuant to the ACVM Act 1997, No. P008927  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR002691  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls



**Kenso Corporation (M) Sdn Bhd**  
2 Bond Crescent, Forrest Hill,  
Auckland 0620 New Zealand  
Phone: 0800 536 766

## PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of a Certified Handler or an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.



## HAZARD CLASSIFICATION

Acute oral toxicity Category 4, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

## WARNING

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

## ECOTOXIC

Very toxic to aquatic organisms with long lasting effects. Avoid contamination of any water supply with product or empty container. Very toxic to the soil environment. Very toxic to terrestrial vertebrates and terrestrial invertebrates. Spray must not be applied to plants in flower if they are likely to be visited by bees.

## HANDLING PRECAUTION

### STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from animal and human foodstuffs, seeds, and fertilisers. Storage in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100 litres of Savage 350 Insecticide require signage and secondary containment and more than 100 litres require emergency response plans.

## EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or  
0800 243 622 (24 hours)

UN NO: 3082



**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,  
LIQUID, N.O.S.**

**(CONTAINS IMIDACLOPRID)**

**PACKING GROUP III, HAZCHEM 2X**

**CONTAINS SPILLAGE, CLASS 9**

**In a transport emergency dial 111,  
Police or Fire Service.**

**For specialist advice in emergency only,  
call 0800 243 622 (24 hours)**

## TRANSPORT

Do not carry more than 10 litre of Savage 350 Insecticide on a passenger service vehicle.

## CONTAINER DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)). Otherwise, crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

## SPILLS

When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Contain the spill by damming, recover spilt product by absorbing with an inert absorbent material then transfer the recovered spilt material to a properly labelled drum. Deal with all spillages immediately. Avoid contamination of any water supply with chemical or empty container. If contamination of drains, streams, watercourses, etc. is unavoidable, immediately warn the local authority pollution response unit. Refer to local authorities for hazardous waste disposal options.

## MIXING

Shake container thoroughly before use. Half fill the spray tank with water and while agitating, add the correct amount of Savage 350 Insecticide. Complete filling the tank. Keep agitated during use and agitate thoroughly after a stoppage before recommencing spraying.

## PERSONAL PROTECTION

When mixing or applying wear chemical resistant: coveralls, eye protection, gloves and footwear. Use respiratory protection as specified in NZS 8409; Management of Agrichemicals (Organic Vapour protection minimum specification) where inhalation of spray mists and vapours will, or is likely to occur. Wash splashes of concentrate from skin or eyes immediately. Wash hands and face before eating, drinking or smoking and after work. Thoroughly wash/decontaminate protective clothing after use.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

It is an offence to use this product on animals.

#### DIRECTIONS FOR USE

CROP	PEST	RATE	NOTES
Onions	Thrips	225 ml / ha	Make the first application when monitoring indicates that the threshold has been reached. Repeat at 7-10 day intervals for up to 4 applications. Use 500-600 litres of water/ha. Ensure complete coverage. The addition of an appropriate wetting agent is recommended.
Vegetable Brassicas (cell transplants)	Aphids	9 ml / 2.5L of water per 1000 plants	Apply evenly in a watering can to seedling trays one day before transplanting.
Lettuce (cell transplants)	Aphids	20-30ml / 2.5 litres of water per 1000 plants	Apply evenly in a watering can to seedling trays one day before transplanting.
Grapes - young non bearing vines and vines for removal	Mealybug	1.5ml / vine in 500ml water per vine	Apply as a single drench treatment in autumn or winter to the base of non-bearing replant vines or vines awaiting removal. If rainfall or overhead irrigation is not likely in the 2 days after drenching, apply 2L of water per vine once the drench has soaked in. Treated vines must be clearly identified. Any crop set on treated vines must be destroyed within 10 weeks of fruit set.

#### WITHHOLDING PERIOD

Onions - 7 days.

Vegetables brassicas (cell transplants) - 70 days.

Lettuce (cell transplants) - 49 days.

Grapes – fruit from treated vines must be destroyed, with no fruit harvested for human or animal consumption until the next season.

#### RESISTANCE MANAGEMENT **GROUP 4 INSECTICIDE**

Savage 350 Insecticide contains a GROUP 4 INSECTICIDE and belongs to the neonicotinoid group of chemicals. Resistance to this insecticide could develop from excessive use. To minimise this risk, use strictly in accordance with label instructions. Consult <http://resistance.nzpps.org/index.php> for alternative modes of action and details of resistance management strategies (if any) for the insect pests listed on this label. For further resistance management information refer to <https://resistance.nzpps.org>.

#### FIRST AID

Do not cause vomiting unless medical treatment is delayed more than an hour. Take patient to hospital without delay. Do not cause vomiting if patient is unconscious or convulsing. If concentrate is splashed in eye flush with running water for at least 15 minutes. Call the National Poisons Centre 0800 POISON (0800 764 766) (24 hrs) or a doctor immediately for advice.

#### SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website [www.kenso.co.nz](http://www.kenso.co.nz)

#### CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

Registered pursuant to the ACVM Act 1997, No. P008927

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR002691

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls

Batch No :

Date of Manufacture :