

**WARNING**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING**

# ACETOKEN 840 EC

**HERBICIDE**

**ACTIVE INGREDIENT: 840 g/litre ACETOCHLOR in the form of an emulsifiable concentrate.**

**GROUP 15 HERBICIDE**

For the selective pre-emergence control of annual grasses and many broadleaf weeds in GRAIN AND SILAGE MAIZE.

Registered pursuant of ACVM Act 1997, No. P009618  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions  
Approved pursuant to HSNO Act 1996, Approval No. HSR101324  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls



**NET CONTENTS: 20L**

Registrant:  
**Kenso Corporation (M) Sdn Bhd**  
Lot 29, Jalan Sungai Pinang 5/4, Taman Perindustrian Pulau Indah, 42920 Pelabuhan Klang, Selangor, Malaysia.

NZ Agent:  
**Kenso NZ Limited**  
2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand.  
Ph: 0800 536 766

## PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property/Controls) Notice 2017 Part 4 Subpart C.

## HAZARD CLASSIFICATION

Acute oral toxicity Category 4, Skin irritation Category 2, Eye irritation Category 2, Skin sensitisation Category 1, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1

## WARNING

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic organisms and to some plant species. Hazardous to soil organisms. Hazardous to terrestrial vertebrates.

## HANDLING PRECAUTIONS

### STORAGE

Keep out of reach of children. Store in the original, tightly closed container, in a cool, dry and secure place away from seeds, feed or foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. Store containing 100 litres of Acetoken 840 EC Herbicide require secondary containment and signage, and more than 100 litres require emergency response plans. Avoid contact with skin or eyes. When handling wear waterproof gloves, appropriate eye protection, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

## DISPOSAL

Triple rinse container and add rinsate to spray tank. Return empty container to an Agrecovery collection point (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)) for disposal. Otherwise submit empty container to any approved local authority refuse reception facility. DO NOT reuse this container for any other purpose. Avoid contamination of any water supply with chemical or empty container.

## ENVIRONMENTAL

Use this product carefully. Do not contaminate aquatic environments with product, spray drift or empty container. Spray drift or equipment contamination may cause serious damage to desirable plants. Do not allow spray drift outside the target area to occur.

## SPILLAGE

Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and detergent and absorb with further inert material. Dispose of waste safely to a suitable local authority refuse reception facility or approved hazardous substances waste disposal facility.

## RESISTANCE MANAGEMENT

**GROUP 15 HERBICIDE**

Acetoken 840 EC Herbicide is a member of the chloroacetamide chemical family. Resistance to this herbicide could develop from excessive use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies [www.resistance.nzpps.org](http://www.resistance.nzpps.org) if any of the crops listed on this label.

## EQUIPMENT

Apply using well-maintained spray equipment that is accurately calibrated to apply up to 300 litres of water/ha. Water rates of less than 50 litres/ha are not recommended. Avoid spray overlap e.g. corners. Clean equipment thoroughly after use.

## COMPATIBILITY AND MIXING

Acetoken 840 EC Herbicide is compatible with Atrazine 900 WG and Flowable Atrazine. Half fill the spray tank and with the agitator operating add the required amount of atrazine and ensure complete dispersion. Then add Acetoken 840 EC Herbicide and continue agitation while filling and using.

## GENERAL INFORMATION

Acetoken 840 EC Herbicide is a selective pre-emergence herbicide for the control of annual grasses and many broadleaf weeds in grain and silage maize and sweetcorn. Acetoken 840 EC Herbicide is absorbed by the shoots and roots of weeds and kills them as they germinate.

## WEEDS CONTROLLED

Commonly occurring annual grass weeds including; summer grass, barnyard grass, bristle grass, green bristle grass, rough bristle grass, seedling Johnson grass, smooth witch grass, witch grass. Broadleaf weeds include; amaranthus spp, black nightshade, chickweed, redroot, Scotch thistle, seedling dock, Shepherd's purse, stinking mayweed, twin cress. The following weeds are only moderately susceptible: Cornbind, fathen, field pansy, fumitory, spurrey, wild radish, willow weed, wireweed.

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residues Levels for Agricultural Compounds.**

## DIRECTIONS FOR USE

### GRAIN AND SILAGE MAIZE AND SWEETCORN

Apply 2.5 – 3.0 litres in at least 200 litres of water per hectare immediately after sowing and prior to crop and weed emergence. Use the higher rate on soils high in clay or organic matter content. For best results apply Acetoken 840 EC Herbicide within seven days of last cultivation. The soil surface should be firm and free of trash and clods.

Under very dry conditions a preplant soil incorporated application may be beneficial. Paddocks that have high fathen and willow weed populations may require a follow-up treatment of Dicamba 500, Atrazine 900 WG or Flowable Atrazine.

When Acetoken 840 EC Herbicide is used on raw peat, it is recommended that the soil is cultivated prior to establishing pasture following harvest of crop.

## TRANSPORT

Do not carry this product on a passenger service vehicle.

## FIRST AID

If swallowed do not induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) (24 hrs) or a doctor immediately for advice. If splashed in eyes, wash out immediately with running water for several minutes. If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water.

## SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: [www.kenso.co.nz](http://www.kenso.co.nz)

## CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



EMERGENCY RESPONSE  
Ring 0800 CHEMCALL, or  
0800 243 622 (24 hours)

Product of China



Batch No.:

Date of Manufacture:

UN NO: 3082  
ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID N.O.S.  
(CONTAINS ACETOCHLOR)  
PACKING GROUP III,  
HAZCHEM 2X



In a transport emergency dial 111, Police or  
Fire Service. For specialist advice in emergency  
only, call 0800 243 622 (24 hours)