SAFETY DATA SHEET



SECTION 1 - IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

Product Name Lavor 500 SC Fungicide
Company Name Lavor 500 SC Fungicide
Kenso Corporation (M) Sdn Bhd

Address 2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand

Telephone 0800 536 766

Hazardous Substances Emergency Telephone 0800 CHEMCALL (0800 243 622) (24 hours)

National Poisons Centre 0800 POISON (0800 764 766) (24 hours)

For the control of a wide range of fungal diseases in many fruit crops,

asparagus, glasshouse tomatoes, ornamentals and the fine turf.

SECTION 2 – HAZARDS IDENTIFICATION

Hazard Pictograms

Use





GHS Signal Word WARNING

Hazard Classification Specific target organ toxicity (repeated exposure) Category 2, Hazardous to

the aquatic environment acute Category 1, Hazardous to the aquatic

environment chronic Category 1

Hazard Statement H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Prevention P260: Do not breathe.

P273: Avoid release to the environment.

Response P314: Get medical advice/attention if you feel unwell.

P391: Collect spillage.

Disposal P501: Dispose of contents/container as specified on the registered label.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

IngredientsCAS NoProportionIprodione36734-19-750% w/vInert ingredientssecretTo 100% w/v

SECTION 4 - FIRST AID MEASURES

Ingestion If swallowed DO NOT induce vomiting.

Eye If concentrate or spray solution enters the eyes wash it out immediately with

water. Remove contact lenses.

Skin If skin contact occurs remove contaminated clothing and wash affected areas

thoroughly with running water.

Inhalation If inhaled move the victim to fresh air immediately.

Advice to Doctor Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Fire/Explosion Hazard Non flammable.

HAZCHEM Code 3Z IER Guide No 47

Extinguishing Media Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Fire Fighting Instructions During a fire, toxic fumes may be emitted. Wear self-contained breathing

apparatus. Contain runoff.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions Wear suitable protective clothing including chemical resistant; coveralls, face

shield gloves and boots.

Spillage Prevent the product or spilled material from entering water bodies. Absorb

liquid spills with inert material such as earth or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of recovered product and contaminated material in an approved

SAFETY DATA SHEET



hazardous substances waste management facility or local authority transfer

facility capable of hazardous waste disposal.

Environmental Washings must be prevented from entering surface water drains or **Precautions** waterways.

SECTION 7 – HANDLING AND STORAGE

Storage Keep out of reach of children. Store in original container, tightly closed, away

from animal and human foodstuffs, food packaging, seeds and fertilisers. Store in, a cool, dry, well ventilated place and protect from sunlight. Avoid

temperatures below -5°C or above 35°C.

Handling Avoid contact with skin and eyes and inhalation of concentrate or spray mist.

When using, do not eat, drink or smoke. Wash face and hands before eating,

drinking or smoking.

Persons responsible for the storage, handling, mixing, applying or disposing of **Handler Competence**

> this product must be trained, experienced or supervised in accordance with requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

Record Keeping Not required.

Additional Requirements All aspects of storage, handling, use, disposal and record keeping must be in

accordance with NZS 8409:2021 'Management of Agrichemicals', and relevant

local and regional council plans.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls Handle in well ventilated areas, generally natural ventilation is adequate.

Follow precaution statements on the label and the use and safety directions in

Code of Practice for the Management of agrichemical NZS8409.

Personal Protection Use only protective equipment bearing the mark of the Standards Association

of Australia/ New Zealand. In case of exposure, wear full respiratory protection (at least to organic vapour standard) eye protection, chemical resistant

coveralls and gloves.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form Liquid Colour Beige Odour Non specific

рН 5-7 Flash point (°C) NA

Flammability Limits Non flammable

Density (at 20°C) 1.170 Miscible **Miscibility Oxidising properties** Not oxidising **Explosive properties** Not explosive

SECTION 10 – STABILITY AND REACTIVITY

Stable under normal conditions **Stability**

Incompatibility None known

Decomposition Combustion or thermal decomposition will evolve toxic and irritant vapours. **Dangerous Reactions** Products arising from combustion or thermal decomposition may be toxic,

corrosive or flammable.

SECTION 11 – TOXICOLOGICAL INFORMATION

This section describes effects which could occur if this product is not handled in accordance with this data sheet.

No specific toxicological data is available for this product. Data below **Toxicology Information**

Information is for active constituent.

Acute Toxicity (Active

Acute Oral LD₅₀ (rats): >2000 mg/kg Acute Dermal LD₅₀ (rats): >2000 mg/kg Ingredient)

Acute Inhalation: no data

SAFETY DATA SHEET



Skin Irritation
Eye Irritation
Sensitisation Effects
Non irritant
Non irritant
Not a sensitizer

Mutagenic Effects
Carcinogenic Effects
Reproductive Effects
None
Teratogenic (Birth)
None

Effects

Systemic Effects None

SECTION 12 – ECOTOXICITY INFORMATION

This section describes effects which could occur if this material is not handled in accordance with this data sheet.

The following information is presented in respect of the active ingredient:

Ecotoxic Effects Acute toxicity to Birds

 LD_{50} (Bobtail quail) > 2000 mg/kg LD_{50} (Mallard duck) > 10,400 mg/kg

Acute toxicity to Fish

 LC_{50} (96 h) (Rainbow trout) = 4.1 mg/L LC_{50} (96 h) (Bluegill sunfish) = 3.7 mg/L

Growth Inhibition, Algae

EC₅₀ (72 h) (Selenastrum capricomutum) = 15.3 mg/L

Toxicity to aquatic Invertebrates

 LC_{50} (48 h) (daphnia magna) = 0.25 mg/L

Environmental Fate | Iprodione is rapidly metabolized in soil with formation of carbon dioxide. DT

(lab.) 20-80 days; (field 919 days). Rate of degradation increase with

successive treatments, hence accumulation does not occur.

Environmental Exposure

Limit

None established.

SECTION 13 – DISPOSAL CONSIDERATIONS

Product Dispose of this product only by using according to the label, or at an approved

hazardous substances waste management facility or other approved facility.

Container

Ensure the container is empty. Triple rinse empty container and add rinsate

Ensure the container is empty. Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. DO

NOT reuse this container for any other purpose.

SECTION 14 – TRANSPORT INFORMATION

Dangerous Goods

UN Number 3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS IPRODIONE)

Class 9

Subsidiary Class None Packaging Group

Additional Information MARINE POLLUTANT

MTQ (Non-Commercial) 250 L

SECTION 15 – REGULATORY INFORMATION

HSNO Approval No HSR000623 ACVM Approval No P009809

SECTION 16 - OTHER INFORMATION

This SDS contains only safety-related information. For other data see product literature.

Contact Points

Police, Ambulance and Fire Service 11

National Poisons Information Centre 0800 POISON (0800 764 766)





Hazardous Substances Emergency

0800 Chemcall (0800 243 622)