


## SECTION 1 – IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

<b>Product Name</b>	<b>Zonate 480 SL Herbicide</b>
<b>Company Name</b>	Kenso Corporation (M) Sdn Bhd
<b>Address</b>	2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand
<b>Telephone</b>	0800 536 766
<b>Hazardous Substances</b>	
<b>Emergency Telephone</b>	<b>0800 CHEMCALL (0800 243 622) (24 hours)</b>
<b>National Poisons Centre Use</b>	<b>0800 POISON (0800 764 766) (24 hours)</b>
	Selective broad leaf post-emergence herbicide for use on onions, cereals, clover and grass seed crops, pasture (grass/ clover), potatoes, soya beans, peas, lucerne and turf.

## SECTION 2 – HAZARDS IDENTIFICATION

<b>Hazard Pictograms</b>	
<b>GHS Signal Word</b>	<b>WARNING</b>
<b>Hazard Classification</b>	Acute oral toxicity Category 4, Eye irritation Category 2, Skin sensitisation Category 1, Hazardous to the aquatic environment chronic Category 2, Hazardous to terrestrial vertebrates.
<b>Hazard Statement</b>	H302: Harmful if swallowed. H319: Causes serious eye irritation. H317: May cause an allergic skin reaction. H412: Harmful to aquatic life with long lasting effects.
<b>Prevention</b>	P261: Avoid breathing dust/fume/gas/mist/ vapours/spray. P264: Was contacted area thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P272: Contaminated work clothing should not be allowed out of the workplace. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection.
<b>Response</b>	P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321: Specific treatment (see FIRST AID on this label). P333 + P313: If skin irritation or rash occurs: Get medical advice/attention. P337 + P317: If eye irritation persists: Get medical advice/attention. P330: Rinse mouth. P362 + P364: Take off contaminated clothing and wash it before reuse.
<b>Disposal</b>	P501: Dispose of contents/container as specified on the registered label.

## SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

<b>Ingredients</b>	<b>CAS No</b>	<b>Proportion</b>
Bentazone (as sodium salt)	25057-89-0	48% w/v
Inert ingredients	secret	To 100% w/v

## SECTION 4 – FIRST AID MEASURES

<b>Ingestion</b>	If swallowed, DO NOT induce vomiting. Seek medical advice or contact Poisons Information Centre (Ph 0800 POISON – 0800 764 766)
<b>Eye</b>	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open.
<b>Skin</b>	Remove contaminated clothing. Wash affected areas or skin thoroughly with soap and water. Seek medical advice if irritation develops.
<b>Inhalation</b>	Remove to fresh air until recovered. If symptoms persist, seek medical advice.
<b>Advice to Doctor</b>	Treat symptomatically.

## SECTION 5 – FIRE FIGHTING MEASURES

<b>Fire/Explosion Hazard</b>	Not a fire or explosion hazard.
<b>HAZCHEM Code</b>	NA
<b>IER Guide No</b>	NA
<b>Extinguishing Media</b>	Extinguish fire with foam, dry powder, carbon dioxide or water spray.
<b>Fire Fighting Instructions</b>	Evacuate personnel to a safe area. Always wear positive-pressure self-contained breathing apparatus and full protective clothing. Do not allow water from fire-fighting to enter water supplies or drainage systems.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	For appropriate personal protective equipment (PPE), refer to section 8.
<b>Spillage</b>	Contain spill and absorb with non-organic absorbent materials such as sand, zeolite clay or proprietary absorbent (vermiculite). Prevent from entering drains, waterways or sewers. Collect contaminated absorbents in sealed open top containers for disposal. Wash area with detergent and water and absorb washings with further inert material. Dispose of recovered material through a designated hazardous substances disposal facility or contact the local regional/district council for disposal information.
<b>Environmental Precautions</b>	Concentrate, solutions and washings must be prevented from entering surface water drains, storm water drains or waterways.

## SECTION 7 – HANDLING AND STORAGE

<b>Storage</b>	Keep out of reach of children. Store under lock and key, in original container, tightly closed, away from human and animal foodstuffs, medicines and remedies, seeds and fertilisers. Segregate from incompatible hazardous substances (Classes 1, 4 & 5). Store in a cool, dry, well ventilated place and protect from sunlight.
<b>Handling</b>	Avoid contact with skin and eyes and inhalation of concentrate or spray mist. When using, do not eat, drink or smoke. Wash face and hands before eating, drinking or smoking.
<b>Handler Competence</b>	Persons responsible for the storage, handling, mixing, applying or disposing of this product must either be a Certified Handler, or be trained, experienced or supervised in accordance with the requirements of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 & 4.6 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.
<b>Additional Requirements</b>	All aspects of storage, handling, use, disposal and record keeping must be in accordance with NZS 8409:2021 'Management of Agrichemicals', and relevant local and regional council plans.

## SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

<b>Engineering Controls</b>	Handle in well ventilated areas. Product is used outdoors. Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. If airborne mists or vapours are generated, use respiratory protection to a minimum of Organic Vapour cartridge type and/or local exhaust ventilation controls. Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit. Follow precaution statements on the label and the use and safety directions in Code of Practice for the Management of Agrichemical NZS8409.
<b>Personal Protection</b>	Use only protective equipment bearing the mark of the Standards Association of Australia/ New Zealand. In case of exposure, when mixing, applying or when likely to have any exposure to concentrate, mixes or mists/vapours suitable <b>chemical resistant</b> clothing must be worn including; coveralls, face shield, respiratory protection (organic vapour minimum specification) gauntlet gloves and boots/footwear.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form	Soluble liquid
Colour	Clear yellow brown colour
Odour	Mild odour
pH	7 - 9
Specific gravity	1.16 - 1.22
Melting point (°C)	NA
Flammability Limits	Non combustible
Miscibility	Soluble
Oxidising properties	Not oxidising
Explosive properties	Not explosive

## SECTION 10 – STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Incompatibility	Incompatible with strong acids and bases, oxidizing agents.
Hazardous Reactions	No

## SECTION 11 – TOXICOLOGICAL INFORMATION

This section describes effects which could occur if this product is not handled in accordance with this data sheet.

Acute Toxicity (Active Ingredient)	Acute Oral, LD <sub>50</sub> (male rat): 1480 mg/kg, (female rat): 1336 mg/kg Acute Dermal, LD <sub>50</sub> (rabbit) > 5000 mg/kg Inhalation, LC <sub>50</sub> (rat) (4hrs): 5.1 mg/l
Eye Irritating	Irritant.
Skin Irritation	May cause irritation.
Sensitisation Effects	Not a sensitizer
Carcinogenic Effects	None
Tetratogenic (Birth) Effects	None
Reproductive Effects	None
Specific Organ Toxicity	None
Mutagenic Effects	None
Systemic Effects	None

## SECTION 12 – ECOTOXICITY INFORMATION

This section describes effects which could occur if this material is not handled in accordance with this data sheet.

The following information is presented in respect of the active ingredients:

Ecotoxic Effects	Bentazone Acute Oral LD <sub>50</sub> (Bobwhite quail) 1140 mg/kg LC <sub>50</sub> (96hr) (Rainbow trout and bluegill sunfish) > 100 mg/l EC <sub>50</sub> (48hr) (Daphnia) 125 mg/l EC <sub>50</sub> (72hr) (Algae) 47.3 mg/l Non toxic to bees, LD <sub>50</sub> (oral) > 100 µg/bee.
Persistent/ degradability	Biodegradable. DT <sub>50</sub> (soil) < 14 days
Bioaccumulative Potential	No data available
Soil Mobility	No data available
Environmental Exposure Limit	None established

## SECTION 13 – DISPOSAL CONSIDERATIONS

Product	Dispose of this product only by using according to the label, or at an approved hazardous substance waste receival facility or other approved waste transfer station/facility.
Container	Ensure the container is empty. Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, <a href="http://www.agrecovery.co.nz">www.agrecovery.co.nz</a> ). Otherwise submit to a suitable refuse transfer station or hazardous waste receival facility. DO NOT reuse this container for any other purpose.

## SECTION 14 – TRANSPORT INFORMATION

<b>Dangerous Goods</b>	
UN Number	NA
Proper Shipping Name	NA
Class	NA
Subsidiary Class	NA
Packaging Group	NA
Additional Information	NA
MTQ (Non-Commercial)	NA

## SECTION 15 – REGULATORY INFORMATION

HSNO Approval No	HSR000426
ACVM Approval No	P010237

## SECTION 16 – OTHER INFORMATION

This SDS contains only safety-related information. For other data see product literature.

<b>Contact Points</b>	
Police, Ambulance and Fire Service	111
National Poisons Information Centre	0800 POISON (0800 764 766)
Hazardous Substances Emergency	0800 Chemcall (0800 243 622)