

# DANGER

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

# PROPI 250 EC

FUNGICIDE

ACTIVE INGREDIENT: 250 g/litre PROPICONAZOLE in the  
form of an emulsifiable concentrate

GROUP **3** FUNGICIDE

A systemic fungicide for disease control in CEREAL and  
RYEGRASS SEED CROPS as shown under Directions for Use



Registered pursuant to the ACVM Act 1997, No. P010452

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101041

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls

NET CONTENTS: 5 L

Registrant:

**Kenso Corporation (M) Sdn Bhd**

Lot 29, Jalan Sungai Pinang 5/4, Taman Perindustrian  
Pulau Indah, 42920 Pelabuhan Klang, Selangor, Malaysia.

NZ Agent:

**Kenso NZ Limited**

2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand.  
Ph: 0800 536 766

# PROPI 250 EC FUNGICIDE

## PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of a Certified Handler or an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 & 4.6 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

## HAZARD CLASSIFICATION

Flammable liquid Category 4, Eye irritation Category 2, Skin sensitisation Category 1, Reproductive toxicity Category 1, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

## FLAMMABILITY

Combustible liquid. Keep away from heat/ sparks/ open flame/ hot surfaces. No smoking.

## DANGER

Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility or the unborn child.

## ECOTOXIC

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Harmful to soil organisms and to terrestrial vertebrates. Avoid contamination of any water supply with product or empty container. Do not apply directly into or onto water.

## HANDLING PRECAUTIONS STORAGE

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, insecticide and fertilisers. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100 L or more are subject to requirements for signage, secondary containment and emergency response plan. Stores containing 500 L or more require fire extinguishers.

## DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)). Otherwise, submit empty containers to a local authority approved waste receival facility. DO NOT reuse this container for any other purpose.

## FIRST AID

If swallowed do NOT induce vomiting. If splashed in eyes, wash out immediately with running water. Continue until advised to stop by the National Poisons Centre, or for at least 15 minutes. If skin and hair contact occur, remove contaminated clothing and flush skin and hair with running water. If inhaled, immediately move to fresh air and rest. Maintain half upright position if breathing is difficult. Call National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately for advice.

## SAFETY DATA SHEET

A Safety Data Sheet is available from the Kenso NZ website: [www.kenso.co.nz](http://www.kenso.co.nz)

## CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



## EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or  
0800 243 622 (24 hours)

Product of Malaysia



9 42 1028 66 1966



Batch No.:  
Date of Manufacture:

UN NO: 3082

ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID, N.O.S.


(CONTAINS PROPICONAZOLE)

PACKING GROUP III

CONTAINS SPILLAGE

HAZCHEM 3Z

CLASS 9



In a  
transport  
emergency dial  
111, Police or Fire  
Service. For specialist  
advice in emergency only,  
call 0800 243 622 (24 hours)

# DANGER

KEEP OUT OF REACH OF CHILDREN  
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

# PROPI 250 EC

## FUNGICIDE

**ACTIVE INGREDIENT: 250 g/litre PROPICONAZOLE**  
in the form of an emulsifiable concentrate

**GROUP 3 FUNGICIDE**

A systemic fungicide for disease control in CEREAL  
and RYEGRASS SEED CROPS as shown under  
Directions for Use

EMERGENCY RESPONSE  
Ring 0800 CHEMCALL, or  
0800 243 622 (24 hours)

UN NO : 3082



**ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID, N.O.S.  
(CONTAINS PROPICONAZOLE)  
MARINE POLLUTANT  
PACKING GROUP III, HAZCHEM 3Z  
CONTAIN SPILLAGE, CLASS 9**  
In a transport emergency dial 111,  
Police or Fire Service.  
For specialist advice in emergency only,  
call 0800 243 622 (24 hours).

Registered pursuant to the ACVM Act 1997, No. P010452  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions  
Approved pursuant to the HSNO Act 1996, Approval No. HSR100907  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls



**Kenso Corporation (M) Sdn Bhd**  
2, Bond Crescent, Forrest Hill  
Auckland 0620 NZ  
Phone: 0800 536 766

### PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of a Certified Handler or an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 & 4.6 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.



### HAZARD CLASSIFICATION

Flammable liquid Category 4, Eye irritation Category 2, Skin sensitisation Category 1, Reproductive toxicity Category 1, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

### FLAMMABILITY

Combustible liquid. Keep away from heat/ sparks/ open flame/ hot surfaces. No smoking.

### DANGER

Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility or the unborn child.

### ECOTOXIC

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Harmful to soil organisms and to terrestrial vertebrates. Avoid contamination of any water supply with product or empty container. Do not apply directly into or onto water.

### HANDLING PRECAUTIONS

#### STORAGE

Store in original container tightly closed and in a locked, dry, cool

area away from foodstuffs, seeds, insecticide and fertilisers. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100 L or more are subject to requirements for signage, secondary containment and emergency response plan. Stores containing 500 L or more require fire extinguishers.

### DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)). Otherwise, submit empty containers to a local authority approved waste receive facility. DO NOT reuse this container for any other purpose.

### PERSONAL PROTECTION

Do not breathe spray mist. Wear protective clothing including chemical resistant: coveralls, gloves, eye and face protection footwear and respiratory protection (organic vapour minimum specification) when handling concentrates, mixing or applying. Remove protective clothing and wash hands and face thoroughly before meals and after work.

### EQUIPMENT

Apply with well-maintained and calibrated spray equipment. DO NOT re-enter site until spray has dried.

### SPILLAGE

Wear protective clothing as specified above. Prevent the product or spilled material from entering waterways. Absorb spills with inert material such as earth, clay or sand and place in sealable waste containers. Wash area with detergent and water and absorb with further inert material. Dispose of recovered product and contaminated material in an approved hazardous substances waste management facility or local authority transfer facility capable of hazardous waste disposal.

## GENERAL INFORMATION

Propi 250 EC Fungicide s a DMI fungicide with eradicant and protectant activity against certain diseases in cereals and ryegrass seed crops. It is best used as a protectant and applied at first sign of disease symptoms. Activity will last from 2 - 4 weeks depending on disease incidence and severity.

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.**

**It is an offence to use this product on animals.**

Crop	Diseases	Rate per hectare	Critical Comments
Barley	Leaf Scald, Net Blotch, Spot Blotch, Ovularia Leaf Spot  Leaf Rust	0.5 litre in a minimum of 200 litres water	Apply at first signs of disease. If weather conditions favour disease a further application may be necessary 3 - 4 weeks later.  Apply as a preventative spray at ear emergence on susceptible cultivars. On less susceptible cultivars apply at first sign of disease.
Wheat	Glume Blotch  Leaf Rust  Stripe Rust, Speckled Leaf Blotch	0.5 litre in a minimum of 200 litres water	Apply as a preventative spray at ear emergence on susceptible cultivars, especially during cool, moist conditions which favour spread of disease. On less susceptible cultivars apply at first sign of disease.  Apply as preventative spray at ear emergence on susceptible cultivars. On less susceptible cultivars apply at first sign of disease.  Apply as preventative spray on susceptible cultivars and at first sign of disease on less susceptible ones.
Oats	Crown Rust	0.5 litre in a minimum of 200 litres water	Apply as a preventative spray at flag leaf emergence on susceptible cultivars, and at first sign of disease up to the completion of flowering on less susceptible ones.
Ryegrass Seed Crops	Leaf Rust, Stem Rust	0.5 litre in a minimum of 200 litres water	For best control on susceptible cultivars apply as a preventative spray after closing up for seed and repeat at 3 - 4 week intervals while disease pressure remains high. For control on less susceptible cultivars, apply at first sign of disease.

## WITHHOLDING PERIOD

Cereals: 42 days  
Ryegrass Seed Crops: 30 days

## APPLICATION METHODS

**Ground Application:** Use a minimum of 200 litres of water per hectare.

**Aerial Application:** Use 0.5 litres of Propi 250 EC Fungicide in sufficient water to ensure more than 20 droplets/cm<sup>2</sup> on all leaves.

## MIXING

Partly fill the spray tank with water, and add the required quantity of Propi 250 EC Fungicide. Maintain agitation through filling and spraying.

## COMPATIBILITY

Compatible with most commonly used fungicides, herbicides and insecticides.

## RAINFALL

Do not spray if rain is expected within 2 hours of spraying.

## RESISTANCE MANAGEMENT **GROUP 3 FUNGICIDE**

Propi 250 EC Fungicide contains the fungicide propiconazole, which belongs to the DMI (DeMethylation Inhibitor) activity group. Resistance to this fungicide could develop from excessive use. To minimise this risk, use strictly in accordance with label instructions. Apply a maximum of 3 DMI fungicides per crop, per season, (including seed treatment) at full recommended label rates. To minimise this risk use Propi 250 EC Fungicide strictly in accordance with the label instructions and follow any resistance management strategies that may exist for any disease on this label. For resistance management advice and information, see [www.resistance.nzpps.org](http://www.resistance.nzpps.org)

## FIRST AID

If swallowed do NOT induce vomiting. If splashed in eyes, wash out immediately with running water. Continue until advised to stop by the National Poisons Centre, or for at least 15 minutes. If skin and hair contact occur, remove contaminated clothing and flush skin and hair with running water. If inhaled, immediately move to fresh air and rest. Maintain half upright position if breathing is difficult. Call National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately for advice.

## SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website [www.kenso.co.nz](http://www.kenso.co.nz)

## CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

Registered pursuant to the ACVM Act 1997, No. P010452  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions  
Approved pursuant to the HSNO Act 1996, Approval No. HSR101041  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls

Batch No. :

Date of Manufacture :