

WARNING

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

REBUKE GOLD

FUNGICIDE

ACTIVE INGREDIENT: 200 g/L TEBUCONAZOLE and
120 g/L AZOXYSTROBIN in the form of a suspension concentrate

GROUP	3	11	FUNGICIDE
-------	---	----	-----------

For the control of foliar diseases in fodder beet and sugar beet.



Registered pursuant to the ACVM Act 1997, No. P010492

See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101411

See www.epa.govt.nz for approval controls

NET CONTENTS: 10L

Registrant:

Kenso Corporation (M) Sdn Bhd

Lot 29, Jalan Sungai Pinang 5/4, Taman Perindustrian Pulau
Indah, 42920 Pelabuhan Klang, Selangor, Malaysia.

NZ Agent:

Kenso NZ Limited

2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand.
Ph: 0800 536 766

REBUKE GOLD FUNGICIDE

PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of a Certified Handler or an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 & 4.6 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

HAZARD CLASSIFICATION

Acute oral toxicity Category 4, Reproductive toxicity Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment chronic Category 2.

WARNING

Harmful if swallowed. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

STORAGE

Store locked up in the original, tightly closed container in a cool, dry place out of direct sunlight and away from stockfeed or foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. Secondary containment and emergency response plans are required where 1000L or more of this product are stored. Refer to the product SDS for further information.

DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, submit empty containers to a local authority approved waste receiver facility. DO NOT reuse this container for any other purpose. Dispose of this product only by using according to the label or through the Agrecovery® Chemical Recovery service or other approved facility.

FIRST AID

If swallowed do NOT induce vomiting. If splashed in eyes, hold eyelids apart and flush the eye continuously with running water. Continue until advised to stop by the

National Poisons Centre, or for at least 15 minutes. If skin and hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Call National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately for advice.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website www.kenso.co.nz

CONDITIONS OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.



EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

Product of Malaysia



9 421028 662031



Batch No.:

Date of Manufacture:

07/26


UN NO: 3082

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.

(CONTAINS AZOXYSTROBIN, TEBUCONAZOLE)

PACKING GROUP III

HAZCHEM 3Z



In a
transport
emergency dial
111, Police or Fire
Service. For specialist
advice in emergency only,
call 0800 243 622 (24 hours)

WARNING

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

REBUKE GOLD

FUNGICIDE

**ACTIVE INGREDIENT: 200 g/L TEBUCONAZOLE
and 120 g/L AZOXYSTROBIN in the form
of a suspension concentrate**

GROUP 3 11 FUNGICIDE

For the control of foliar diseases in fodder beet and sugar beet.

Registered pursuant to the ACVM Act 1997, No. P010492
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval No. HSR101411
See www.epa.govt.nz for approval controls



Kenso Corporation (M) Sdn Bhd
2 Bond Crescent, Forrest Hill,
Auckland 0620 New Zealand
Phone: 0800 536 766

PERSONNEL QUALIFICATION & EXPERIENCE

This product must be under the control of a Certified Handler or an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 & 4.6 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.



HAZARD CLASSIFICATION

Acute oral toxicity Category 4, Reproductive toxicity Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment chronic Category 2.

WARNING

Harmful if swallowed. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

HANDLING PRECAUTIONS

Keep out of reach of children. Do not eat, drink or smoke while using this product. Do not breathe spray mist. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash hands, arms and face with soap and water before meals and after work. Avoid unintended release into the environment. Collect spillage.

EQUIPMENT

Ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. Ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store locked up in the original, tightly closed container in a cool, dry place

EMERGENCY RESPONSE

Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

UN NO : 3082



**ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(CONTAINS AZOXYSTROBIN, TEBUCONAZOLE)
PACKAGING GROUP III**

HAZCHEM 3Z

**In a transport emergency dial 111,
Police or Fire Service.**

**For specialist advice in emergency only,
call 0800 243 622 (24 hours).**

out of direct sunlight and away from stockfeed or foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. Secondary containment and emergency response plans are required where 1000L or more of this product are stored. Refer to the product SDS for further information.

SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

PERSONAL PROTECTION

When mixing, loading or applying wear appropriate **chemical resistant** protective clothing including: as: coveralls, boots/footwear, elbow-length gloves, eye protection, and respiratory protection such as a half-mask respirator or full-face respirator, with Organic Vapour filter cartridge minimum specification. Remove protective clothing and wash hands, arms and face with soap and water before meals and after work.

DISPOSAL

Triple rinse empty container and add residue to spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise, submit empty containers to a local authority approved waste receipt facility. DO NOT reuse this container for any other purpose. Dispose of this product only by using according to the label or through the Agrecovery® Chemical Recovery service or other approved facility.

Do not burn product or container.

SPILLAGE

Wear protective clothing as specified above. Exclude all bystanders from the vicinity of the spill and prevent the product or spilled material from entering waterways. Absorb spills with inert material such as earth, clay or sand and place in sealable waste containers. Wash area with alkaline detergent and water and absorb with further inert material. Dispose of recovered product and contaminated material in an approved hazardous substances waste management facility or local authority transfer facility capable of hazardous waste disposal.

GENERAL INFORMATION

REBUKE GOLD contains a mixture of DMI (DeMethylation Inhibitor) and Qol (Quinone outside Inhibitor) fungicides for the control of foliar diseases in fodder beet and sugar beet.

REBUKE GOLD should be applied when disease first becomes active in the crop. While REBUKE GOLD has systemic activity, thorough coverage will assist in disease control. Apply in a water volume of 200-400 L/ha for ground based applications and 50-100 L/ha for aerial applications.

WARNING: REBUKE GOLD might not be compatible with Integrated Pest Management (IPM) due to potential effects on parasitic wasps. However, re-colonization from off-field is expected when the spray concentration has decreased.

DIRECTIONS FOR USE

TAKE ALL REASONABLE STEPS TO ENSURE THAT THE SUBSTANCE DOES NOT CAUSE ANY SIGNIFICANT ADVERSE EFFECTS TO THE ENVIRONMENT BEYOND THE APPLICATION AREA.

It is an offence to use this product on animals.

CROP	DISEASE	RATE	CRITICAL COMMENTS
Fodder beet Sugar beet	Cercospora leaf spot Powdery mildew Rust	1.0 L/ha	Apply when disease first becomes active in the crop. Make a further application no sooner than 14 days later, if required. Apply a maximum of two applications per season.

EPA Controls

- DO NOT apply onto or into water.
- Maximum application rate: 1 L/ha
- Maximum number of applications: 2
- Minimum interval between applications: 14 days
- DO NOT apply when wind speeds are less than 3 km/hr or more than 20 km/hr as measured at the application site.
- When applied using ground-based or aerial application methods, the nozzle must be set to a minimum of coarse droplet quality spray, as defined by the American Society of Agricultural and Biological Engineers ASABE Standard (S572) or the British Crop Production Council guideline.
- When applying by aerial application the following buffer zones from downwind water bodies must be observed to mitigate risks to the aquatic environment:

Crop growth stage:	BBCH 12-19 2 true leaf to 9 true leaf unfolded	BBCH 30-39 Beginning of crop cover to crop cover complete, (10-90% leaf ground cover)	BBCH >40 Beet root has reached harvestable size
Buffer zone (meters)	120	70	30

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD

Fodder beet and sugar beet: - Do not harvest for feed or graze for 28 days after application.

MIXING

Shake or mix thoroughly before use. Pour the required quantity into the partly filled spray tank with agitation running. Complete filling of the tank. A non-ionic wetting agent may be used to improve spray coverage if necessary at low application volumes.

COMPATIBILITY

REBUKE GOLD is compatible with a range of commonly used fungicides and insecticides.

APPLICATION

REBUKE GOLD may be applied by ground-based or aerial application methods.

RESISTANCE MANAGEMENT **GROUP 3 | 11 FUNGICIDE**

REBUKE GOLD contains the GROUP 3 DMI fungicide, tebuconazole and the GROUP 11 Qol fungicide, azoxystrobin. Resistance to these fungicides and related products could develop in some disease situations from repeated use. Do not use another product containing fungicides in the same groups in conjunction with REBUKE GOLD. Use strictly in accordance with label directions, and where possible apply in a programme with fungicides from different groups to prevent the development of disease resistance. For resistance management advice and information, see www.resistance.nzpps.org

FIRST AID

If swallowed do NOT induce vomiting. If splashed in eyes, hold eyelids apart and flush the eye continuously with running water. Continue until advised to stop by the National Poisons Centre, or for at least 15 minutes. If skin and hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Call National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately for advice.

SAFETY DATA SHEET

A Safety Data Sheet is available from Kenso NZ website www.kenso.co.nz

CONDITION OF SALE

Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

Registered pursuant to the ACVM Act 1997, No. P10492
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR101411
See www.epa.govt.nz for approval controls

Batch No.:

Date of Manufacture: